

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 17 Part 1

03 09 2018

ISSN 1015-8243

<http://zoobank.org/References/6A9F109B-6256-4857-8F13-916C9A72F7D0>

Revised synonymous list of the pterygot insects in Van Province (East Turkey)

Muhabbet Kemal¹ Ahmet Ömer Koçak

Abstract: Revised synonymous list of the Pterygot insects in Van Province (East Turkey). *Priamus* 17 (1): 1-112, 1 Table.

Present publication deals with the updated species list of 17 pterygot orders from Van Province (East Turkey). Totally 3072 species of 209 families are listed with their synonyms.

Key words: Pterygota, Ephemeroptera, Plecoptera, Odonata, Blattodea, Mantodea, Dermaptera, Phasmida, Orthoptera, Hemiptera, Homoptera, Planipennia, Trichoptera, Mecoptera, Diptera, Hymenoptera, Coleoptera, Lepidoptera, list, fauna, Van, Turkey.

Six years ago, the authors published the first list of the Pterygota, recorded from Van Province as two thousand species (Koçak & Kemal, 2012). In this last period, the number of the recorded species reached to 3072. The studies on this subject are still ongoing. Below, the scientific names of the species are given alphabetically under their orders in two parts.

For further information, including bibliography on the Pterygota and Lepidoptera of Van Province, see Kemal & Koçak (2013a-b, 2014, 2016a-b, 2017a-c, 2018), Koçak & Kemal (2012, 2013, 2015a-c, 2016, 2018), and Koçak (2014).

Part I

Ephemeroptera

No serious attempt has been made by the authors so far. See also previous publication (Koçak & Kemal, 2012: 2).

Baetidae

1. Baetis rhodani (Pictet, 1843) (Baetidae) Synonym(s): rhodani Pictet, 1843

2. Alainites muticus (Linnaeus, 1758) (Baetidae) Synonym(s): muticus Linnaeus, 1758

¹ Dr Muhabbet Kemal, Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.
e-mails: muhabbet_kemal@yahoo.com.tr - Prof. em. Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology. e-mail: cesa_tr@yahoo.com.tr

Plecoptera

The status is like the preceding (Koçak & Kemal, 2012: 3).

Odonata

Previously 25 species were listed (Koçak & Kemal, 2012).

Aeshnidae

3. **Aeshna affinis Van Der Linden, 1820** (Aeshnidae) Synonym(s): affinis Van Der Linden, 1820
4. **Aeshna mixta Latreille, 1805** (Aeshnidae) Synonym(s): mixta Latreille, 1805
5. **Aeshna serrata (Hagen, 1856)** (Aeshnidae) Synonym(s): serrata Hagen, 1856
6. **Anax imperator Leach, 1815** (Aeshnidae) Synonym(s): imperator Leach, 1815
7. **Caliaeschna microstigma (Schneider, 1845)** (Aeshnidae) Synonym(s): microstigma Schneider, 1845

Calopterygidae

8. **Epallage fatime (Charpentier, 1840)** (Calopterygidae) Synonym(s): fatime Charpentier, 1840

Coenagrionidae

9. **Coenagrion lunulatum (Charpentier, 1840)** (Coenagrionidae) Synonym(s): lunulatum Charpentier, 1840
10. **Coenagrion ornatum (Selys, 1850)** (Coenagrionidae) Synonym(s): ornatum Selys, 1850
11. **Coenagrion scitulum (Rambur, 1842)** (Coenagrionidae) Synonym(s): scitulum Rambur, 1842
12. **Coenagrion syriacum (Morton, 1924)** (Coenagrionidae) Synonym(s): syriacum Morton, 1924
13. **Coenagrion vanbrinkae Lohmann, 1993** (Coenagrionidae) Synonym(s): vanbrinkae Lohmann, 1993
14. **Enallagma cyathigerum (Charpentier, 1840)** (Coenagrionidae) Synonym(s): cyathigerum Charpentier, 1840
15. **Ischnura elegans (Van Der Linden, 1820)** (Coenagrionidae) Synonym(s): elegans Van Der Linden, 1820
16. **Ischnura pumilio (Charpentier, 1825)** (Coenagrionidae) Synonym(s): pumilio Charpentier, 1825

Cordulegasteridae

17. **Cordulegaster insignis Schneider, 1845** (Cordulegasteridae) Synonym(s): insignis Schneider, 1845; amasina Morton, 1916
18. **Cordulegaster picta Selys, 1854** (Cordulegasteridae) Synonym(s): picta Selys, 1854

Lestidae

19. **Lestes barbarus (Fabricius, 1798)** (Lestidae) Synonym(s): barbarus Fabricius, 1798
20. **Lestes dryas Kirby, 1890** (Lestidae) Synonym(s): dryas Kirby, 1890

Libellulidae

21. **Crocothemis erythraea (Brullé, 1832)** (Libellulidae) Synonym(s): victoria Fourcroy, 1785; erythraea Brullé, 1832; coccinea Charpentier, 1840; lorti Kirby, 1896
22. **Libellula depressa Linnaeus, 1758** (Libellulidae) Synonym(s): depressa Linnaeus, 1758
23. **Libellula quadrimaculata Linnaeus, 1758** (Libellulidae) Synonym(s): quadrimaculata Linnaeus, 1758
24. **Orthetrum albistylum (Selys, 1848)** (Libellulidae) Synonym(s): albistylum Selys, 1848

- 25. Orthetrum anceps (Schneider, 1845)** (Libellulidae) Synonym(s): anceps Schneider, 1845
- 26. Orthetrum brunneum (Fonscolombe, 1837)** (Libellulidae) Synonym(s): brunneum Fonscolombe, 1837
- 27. Sympetrum flaveolum (Linnaeus, 1758)** (Libellulidae) Synonym(s): flaveolum Linnaeus, 1758
- 28. Sympetrum fonscolombii (Selys, 1840)** (Libellulidae) Synonym(s): fonscolombii Selys, 1840
- 29. Sympetrum meridionale (Selys, 1841)** (Libellulidae) Synonym(s): meridionale Selys, 1841
- 30. Sympetrum pedemontanum (Allioni, 1766)** (Libellulidae) Synonym(s): pedemontanum Allioni, 1766
- 31. Sympetrum sanguineum (O.F. Müller, 1764)** (Libellulidae) Synonym(s): sanguineum O.F. Müller, 1764
- 32. Sympetrum striolatum (Charpentier, 1840)** (Libellulidae) Synonym(s): striolatum Charpentier, 1840; pallidum Selys, 1887 [ssp.]

Blattodea

See previous publication (Koçak & Kemal, 2012: 5).

Blattidae

- 33. Blatta orientalis Linnaeus, 1758** (Blattidae) Synonym(s): orientalis Linnaeus, 1758; lucifuga Poda, 1761; secunda Schaeffer, 1769; teria Schaeffer, 1769; culinaris De Geer, 1773; ferruginea Thunberg, 1810; castanea Blanchard, 1851; hemialata Gistel, 1856; imperator Westwood, 1858; pallipes Philippi, 1863; badia Saussure, 1863; platystetho Philippi, 1863; gracilis Adelung, 1903; spontanea Semenov, 1909

Corydiidae

- 34. Polyphaga aegyptiaca (Linnaeus, 1758)** (Corydiidae) Synonym(s): aegyptiaca Linnaeus, 1758

Mantodea

Previously 3 species were listed (Koçak & Kemal, 2012: 5).

Mantidae

- 35. Ameles syriensis Giglio-Tos, 1915** (Mantidae) Synonym(s): syriensis Giglio-Tos, 1915
- 36. Bolivarina brachyptera (Pallas, 1773)** (Mantidae) Synonym(s): brachyptera Pallas, 1773; kurda Ramme, 1951

Empusidae

- 37. Empusa fasciata Brullé, 1836** (Empusidae) Synonym(s): fasciata Brullé, 1836

Irididae

- 38. Iris oratoria (Linnaeus, 1758)** (Irididae) Synonym(s): oratoria Linnaeus, 1758; dentata Goeze, 1778; bella Germar, 1817; minima Charpentier, 1825; fenestrata Brullé, 1832

Dermaptera

Previously 4 species were listed (Koçak & Kemal, 2012: 6).

Forficulidae

- 39. *Anechura bipunctata* (Fabricius, 1781)** (Forficulidae) Synonym(s): *bipunctata* Fabricius, 1781; *fabricii* Fieber, 1854; *anthracina* Kolenati, 1846; *orientalis* Krauss, 1900; *asiatica* Semenov, 1903
- 40. *Anechura zubovskii* (Semenov, 1901)** (Forficulidae) Synonym(s): *zubovskii* Semenov, 1901; *pirpanjalae* Santokh Singh, 1955
- 41. *Forficula aetolica* Brunner von Wattenwyl, 1882** (Forficulidae) Synonym(s): *aetolica* Brunner von Wattenwyl, 1882
- 42. *Forficula auricularia* Linnaeus, 1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus, 1758; *major* Degeer, 1773; *dentata* Fabricius, 1775; *parallela* Fabricius, 1775; *media* Marsham, 1802; *neglecta* Marsham, 1802; *infumata* Megerle, 1825; *forcipata* Stephens, 1835; *borealis* Leach, 1835; *silanoides* Karny, 1911; *caucasica* Bei-Bienko, 1926
- 43. *Forficula tomis* (Kolenati, 1846)** (Forficulidae) Synonym(s): *tomis* Kolenati, 1846; *hellmanni* Kittary, 1849; *elongata* Eversmann, 1859; *pomerantzevi* Semenov, 1903; *mesmini* Azam, 1906

Labiduridae

- 44. *Labidura riparia* (Pallas, 1773)** (Labiduridae) Synonym(s): *riparia* Pallas, 1773; *mongolica* Rehn, 1905

Phasmida

See previous publication (Koçak & Kemal, 2012: 7).

Orthoptera

Previously 45 species were listed (Koçak & Kemal, 2012: 8-10).

Acrididae

- 45. *Acrotylus insubricus* (Scopoli, 1786)** (Acrididae) Synonym(s): *insubricus* Scopoli, 1786; *maculatum* Olivier, 1791; *fasciatus* Fabricius, 1793; *maderae* Audinet-Serville, 1838; *inficitus* Walker, 1870; *variegata* Walker, 1870; *versicolor* Burr, 1898; *biskrensis* Maran, 1958
- 46. *Acrotylus patruelis* (Herrich-Schäffer, 1838)** (Acrididae) Synonym(s): *patruelis* Herrich-Schäffer, 1838
- 47. *Arcyptera (Pararcyptera) microptera* (Fischer de Waldheim, 1833)** (Acrididae) Synonym(s): *cruciatus* Philippi, 1830; *microptera* Fischer de Waldheim, 1833; *flavicosta* Fischer, 1853; *turgaica* Adelung, 1906; *nigriloba* Uvarov, 1942; *macedonica* Karabağ, 1961
- 48. *Calliptamus barbarus* (Costa, 1836)** (Acrididae) Synonym(s): *barbarus* Costa, 1836; *ictericus* Audinet-Serville, 1838; *siculus* Burmeister, 1838; *cephalotes* Fischer von Waldheim, 1846; *discoidalis* Walker, 1870; *minimus* Ivanov, 1888; *deserticola* Vosseler, 1902; *punctata* Kirby, 1914; *montanus* Chopard, 1937; *pallidipes* Chopard, 1943; *monspelliensis* Grassé & Hollande, 1945; *nanus* Mishchenko, 1951; *parvus* Maran, 1952; *salina* Maran, 1954
- 49. *Calliptamus coelesyriensis* (Giglio-Tos, 1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos, 1893; *carbonaria* Uvarov, 1914; *angustus* Uvarov, 1934; *anatolicus* Maran, 1951; *hissaricus* Mishtchenko, 1951; *intricatus* Mishtchenko, 1951; *nigra* Bei-Bienko & Richter, 1960
- 50. *Calliptamus italicus* (Linnaeus, 1758)** (Acrididae) Synonym(s): *italicus* Linnaeus, 1758; *germanicus* Fabricius, 1775; *affinis* Thunberg, 1815; *fasciatum* Hahn, 1836; *marginellis* Serville, 1838; *cerisanus* Serville, 1838; *marmoratus* Fischer von Waldheim, 1846; *blandus* Ivanov, 1888; *bilineata* Puschig, 1910; *anachoretus* Baranov, 1925; *gilvonigrans* Voronovsky, 1927; *grandis* Ramme, 1927; *reductus* Ramme, 1927; *afghanus* Ramme, 1952
- 51. *Calliptamus tenuicercis* Tarbinsky, 1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky, 1930; *aurantiacus* Ramme, 1930; *iranicus* Ramme, 1930; *persa* Uvarov, 1938; *aurantipes* Ramme, 1951; *syriacus* Ramme, 1951; *#tenuicercis* Salman, 1978
- 52. *Celes variabilis* (Pallas, 1771)** (Acrididae) Synonym(s): *variabilis* Pallas, 1771; *rhodoptilus* Charpentier, 1825; *subcoerulipennis* Charpentier, 1825; *#arborarius* Uvarov, 1917
- 53. *Chorthippus (Glyptobothrus) bornhalmi* Harz, 1971** (Acrididae) Synonym(s): *bornhalmi* Harz, 1971; *lagrecai* Harz, 1975
- 54. *Chorthippus (Glyptobothrus) longicornis* (Latreille, 1804)** (Acrididae) Synonym(s): *longicornis* Latreille, 1804
- 55. *Chorthippus (Glyptobothrus) macrocerus* (Fischer von Waldheim, 1846)** (Acrididae) Synonym(s): *macrocerus* Fischer von Waldheim, 1846

- 56. Chorthippus (Glyptobothrus) vagans (Eversmann, 1848)** (Acrididae) Synonym(s): vagans Eversmann, 1848
- 57. Chorthippus (s.str.) dichrous (Eversmann, 1859)** (Acrididae) Synonym(s): dichrous Eversmann, 1859; australia Predtechenskii, 1928
- 58. Chorthippus (s.str.) loratus (Fischer von Waldheim, 1846)** (Acrididae) Synonym(s): loratus Fischer von Waldheim, 1846; dorsatus Giglio-Tos, 1894; brauneri Znojko, 1928; dessyi Jannone, 1936
- 59. Chorthippus (s.str.) parallelus (Zetterstedt, 1821)** (Acrididae) Synonym(s): parallelus Zetterstedt, 1821; pratorum Fieber, 1852; explicatus Selys-Longchamps, 1862; nigrolineatus Ivanov, 1888; sylvestris Puschig, 1910; montana Chopard, 1922; caffra Ramme, 1923; fuliginosus Voroncovsky, 1928; prasinolateralis Voroncovsky, 1928; prasinoparvulus Voroncovsky, 1928; prasinus Voroncovsky, 1928; viridis Voroncovsky, 1928; aemulus Mishchenko, 1951; geriberti Harz, 1962; caffer Harz, 1975
- 60. Dociostaurus (Kazakia) jagoi Soltani, 1978** (Acrididae) Synonym(s): jagoi Soltani, 1978
- 61. Dociostaurus (Notostaurus) anatolicus Krauss, 1896** (Acrididae) Synonym(s): anatolicus Krauss, 1896; castaneopicta Krauss, 1896; castaneopictus Jacobson, 1905
- 62. Heteracris pterostichus (Fischer von Waldheim, 1833)** (Acrididae) Synonym(s): pterostichus Fischer von Waldheim, 1833; dorsatus Fischer von Waldheim, 1839; fischeri Fieber, 1853
- 63. Oedaleus decorus (Germar, 1825)** (Acrididae) Synonym(s): decorus Germar, 1825
- 64. Oedipoda aurea Uvarov, 1923** (Acrididae) Synonym(s): aurea Uvarov, 1923
- 65. Oedipoda caerulescens (Linnaeus, 1758)** (Acrididae) Synonym(s): caerulescens Linnaeus, 1758; coeruleipenne De Geer, 1773; fasciata Stal, 1873
- 66. Oedipoda germanica (Latreille, 1804)** (Acrididae) Synonym(s): germanica Latreille, 1804; intermedia Ramme, 1913
- 67. Oedipoda miniata (Pallas, 1771)** (Acrididae) Synonym(s): miniata Pallas, 1771; salinus Gmelin, 1790; gratiosa Audinet-Serville, 1838; perurbana Steinmann, 1965
- 68. Oedipoda schochii Saussure, 1884** (Acrididae) Synonym(s): schochii Saussure, 1884; caucasica Saussure, 1884; monotona Steinmann, 1965
- 69. Pseudocercus oedipodioides Bolívar, 1899** (Acrididae) Synonym(s): oedipodioides Bolívar, 1899; arpatchai Dirsh, 1949; uvarovi Dirsh, 1949; lateritius Karabağ, 1957; #oedipoides Demirsoy, 1977; krahmeri Harz, 1978
- 70. Pyrgodera armata (Fischer von Waldheim, 1820)** (Acrididae) Synonym(s): armata Fischer von Waldheim, 1820
- 71. Ramburiella (Palaeocesa) turcomana (Fischer von Waldheim, 1833)** (Acrididae) Synonym(s): turcomana Fischer von Waldheim, 1833; formosus Becker, 1864
- 72. Schistocerca gregaria (Forskål, 1775)** (Acrididae) Synonym(s): gregaria Forskål, 1775; tartaricum Latreille, 1804; peregrina Olivier, 1804; rufescens Thunberg, 1815
- 73. Sphingonotus (s.str.) coerulipes Uvarov, 1922** (Acrididae) Synonym(s): coerulipes Uvarov, 1922; djakonovi Mishtshenko, 1936; kurmanus Ramme, 1951
- 74. Sphingonotus (s.str.) nebulosus (Fischer von Waldheim, 1846)** (Acrididae) Synonym(s): nebulosus Fischer von Waldheim, 1846
- 75. Sphingonotus (s.str.) pilosus Saussure, 1884** (Acrididae) Synonym(s): pilosus Saussure, 1884
- 76. Stauroderus scalaris (Fischer von Waldheim, 1846)** (Acrididae) Synonym(s): scalaris Fischer von Waldheim, 1846; discoidalis Eversmann, 1848; melanopterus Borck, 1848; pyrenaicus Saulcy, 1887
- 77. Stenobothrus nigromaculatus (Herrich-Schäffer, 1840)** (Acrididae) Synonym(s): nigromaculatus Herrich-Schäffer, 1840; insolitus Tarbinsky, 1928; bulgaricus Ramme, 1933
- 78. Truxalis robusta (Uvarov, 1916)** (Acrididae) Synonym(s): robusta Uvarov, 1916

Gryllidae

- 79. Gryllus (s.str.) bimaculatus (De Geer, 1773)** (Gryllidae) Synonym(s): bimaculatus De Geer, 1773; capensis Fabricius, 1775; rubricollis Stoll, 1813; lugubris Stal, 1855; interruptus Walker, 1869; marginalis Walker, 1869; ater Saussure, 1877
- 80. Gryllus (s.str.) campestris Linnaeus, 1758** (Gryllidae) Synonym(s): campestris Linnaeus, 1758; hybrida Rambur, 1838; caudata Krauss, 1886; cephalotes Ramme, 1921
- 81. Oecanthus pellucens (Scopoli, 1763)** (Gryllidae) Synonym(s): pellucens Scopoli, 1763; italicus Fabricius, 1781; lutaria Petagna, 1792; aquea Fabricius, 1798; varia Fischer von Waldheim, 1846; angustipennis Fitch, 1856

Gryllotalpidae

- 82. Gryllotalpa gryllotalpa (Linnaeus, 1758)** (Gryllotalpidae) Synonym(s): gryllotalpa Linnaeus, 1758; talpa Olivier, 1791; vulgaris Latreille, 1804

Pamphagidae

- 83. Eremopeza saussurei (Uvarov, 1918)** (Pamphagidae) Synonym(s): gibber Uvarov, 1916; saussurei Uvarov, 1918
- 84. Nocaracris van Ünal, 2016** (Pamphagidae) Synonym(s): rubripes sensu Koçak & Kemal, 2016; van Ünal, 2016
- 85. Nocarodes aserbus Mistshenko, 1951** (Pamphagidae) Synonym(s): aserbus Mistshenko, 1951
- 86. Paranocaracris rimansonae (Uvarov, 1918)** (Pamphagidae) Synonym(s): rimansonae Uvarov, 1918
- 87. Paranothrotres opacus (Brunner von Wattenwyl, 1882)** (Pamphagidae) Synonym(s): opacus Brunner von Wattenwyl, 1882; hakkariana Demirsoy, 1973

Pyrgomorphidae

- 88. Pyrgomorpha guentheri Burr, 1899** (Pyrgomorphidae) Synonym(s): guentheri Burr, 1899; brevipennis Bolivar, 1904; predtetschenskii Bei-Bienko, 1951; ozeki Karabağ, 1953; turcica Karabağ, 1961; #urfenensis Demirsoy, 1977; #guantheri Demirsoy, 1977; #predtetschenskii Demirsoy, 1977

Tetrigidae

- 89. Depressotetrix depressa (Brisout, 1848)** (Tetrigidae) Synonym(s): depressa Brisout, 1848; acuminata Brisout, 1850; charpentieri Fieber, 1853; elevata Fieber, 1853; rudis Walker, 1971; turcicus Demirsoy, 1977
- 90. Tetrix bolivari (Saulcy, 1901)** (Tetrigidae) Synonym(s): bolivari Saulcy, 1901

Tettigoniidae

- 91. Acrometopa syriaca Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): syriaca Brunner von Wattenwyl, 1878; festae Giglio-Tos, 1893; elsa Werner, 1937
- 92. Bradyporus (Callimenus) latipes Stal, 1875** (Tettigoniidae) Synonym(s): latipes Stal, 1875
- 93. Conocephalus (Anisoptera) fuscus (Fabricius, 1793)** (Tettigoniidae) Synonym(s): fuscus Fabricius, 1793; discolor Thunberg, 1815; thoracicus Fischer von Waldheim, 1846; concolor Bolivar, 1878; ponticus Nedelkov, 1907; turanicus Semenov, 1916; dilatatus Ramme, 1951
- 94. Decticus albifrons (Fabricius, 1793)** (Tettigoniidae) Synonym(s): albifrons Fabricius, 1793; aeolicus Guarino, 1935
- 95. Decticus verrucivorus (Linnaeus, 1758)** (Tettigoniidae) Synonym(s): verrucivorus Linnaeus, 1758; rubicundus De Geer, 1778; hastatus Fischer von Waldheim, 1839; radiata Fischer von Waldheim, 1846
- 96. Isophya bicarinata Karabağ, 1957** (Tettigoniidae) Synonym(s): bicarinata Karabağ, 1957; #bicarianata Karabağ, 1957
- 97. Isophya hakkarica Karabağ, 1962** (Tettigoniidae) Synonym(s): hakkarica Karabağ, 1962
- 98. Metriopectera (Roeseliana) bispina (Bolivar, 1899)** (Tettigoniidae) Synonym(s): bispina Bolivar, 1899
- 99. Pezodrymadusa indivisa Karabağ, 1961** (Tettigoniidae) Synonym(s): kurmana sensu Karabağ, 1958 nec Rme., 1939; indivisa Karabağ, 1961
- 100. Phytodrymadusa longipes (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): longipes Brunner von Wattenwyl, 1882
- 101. Platycleis (s.str.) escalerae Bolivar, 1899** (Tettigoniidae) Synonym(s): escalerae Bolivar, 1899; iphigeniae Adelung, 1907; iranica Ramme, 1929; graeca Harz, 1966; #escaleraia Salman, 1978
- 102. Platycleis (s.str.) intermedia (Audinet-Serville, [1839])** (Tettigoniidae) Synonym(s): intermedia Audinet-Serville, [1839]; tessellatus Fischer von Waldheim, 1846; krinicki Fischer von Waldheim, 1846; transiens Ramme, 1951
- 103. Platycleis (Squamiana) irritans Ramme, 1951** (Tettigoniidae) Synonym(s): irritans Ramme, 1951
- 104. Polysarcus elbursianus (Uvarov, 1930)** (Tettigoniidae) Synonym(s): elbursianus Uvarov, 1930; rechingeri Werner, 1939
- 105. Psorodonotus tendürek Kaya, Korkmaz & Çıplak, 2013** (Tettigoniidae) Synonym(s): tendürek Kaya, Korkmaz & Çıplak, 2013
- 106. Saga ephippigera Fischer von Waldheim, 1846** (Tettigoniidae) Synonym(s): ephippigera Fischer von Waldheim, 1846; syriaca Lucas, 1864; monstrosa Krauss, 1878; uvarovi Ramme, 1951

- 107. *Tettigonia caudata* (Charpentier, 1845)** (Tettigoniidae) **Synonym(s):** caudata Charpentier, 1845; kolenatii Fischer von Waldheim, 1846; longicauda Eversmann, 1848; prasina Fieber, 1852; armeniaca Tarbinsky, 1940
- 108. *Tettigonia turcica* Ramme, 1951** (Tettigoniidae) **Synonym(s):** turcica Ramme, 1951
- 109. *Tettigonia viridissima* (Linnaeus, 1758)** (Tettigoniidae) **Synonym(s):** viridissima Linnaeus, 1758; cantatrix De Geer, 1773; flava Nedelkov, 1907; meridionalis Shugurov, 1912; paoli Capra, 1936; intermedia Jannone, 1937; trinacriae Jannone, 1937
- 110. *Tylopsis lilifolia* (Fabricius, 1793)** (Tettigoniidae) **Synonym(s):** lilifolia Fabricius, 1793; thymifolia Petagna, 1792; gracilis Germar, 1817; marginepunctata Audinet-Serville, 1838; praeusta Fischer von Waldheim, 1846; spinosus Fischer von Waldheim, 1846; #liliifolia Bolivar, 1877
- 111. *Uvarovistia* (s.str.) *satunini* (Uvarov, 1916)** (Tettigoniidae) **Synonym(s):** satunini Uvarov, 1916
- 112. *Uvarovistia* (s.str.) *zebra* (Uvarov, 1916)** (Tettigoniidae) **Synonym(s):** zebra Uvarov, 1916

Hemiptera

Previously 61 species were listed (Koçak & Kemal, 2012: 11-13).

Alydidae

- 113. *Camptopus bifasciatus* Fieber, 1864** (Alydidae) **Synonym(s):** bifasciatus Fieber, 1864
- 114. *Camptopus lateralis* (Germar, 1817)** (Alydidae) **Synonym(s):** lateralis Germar, 1817; annulatus Brullé, 1832; geranii Dufour, 1833; marginalis Herrich-Schäffer, 1835; occipes Herrich-Schäffer, 1835; brevipes Herrich-Schäffer, 1840; undulatus Westwood, 1842; obscurus Reuter, 1890
- 115. *Camptopus tragacanthae* (Kolenati, 1845)** (Alydidae) **Synonym(s):** tragacanthae Kolenati, 1845

Anthocoridae

- 116. *Anthocoris sibiricus* Reuter, 1875** (Anthocoridae) **Synonym(s):** sibiricus Reuter, 1875
- 117. *Orius minutus* (Linnaeus, 1758)** (Anthocoridae) **Synonym(s):** minutus Linnaeus, 1758
- 118. *Orius niger* (Wolff, 1811)** (Anthocoridae) **Synonym(s):** niger Wolff, 1811

Aphelocheiridae

- 119. *Aphelocheirus aestivalis* (Fabricius, 1794)** (Aphelocheiridae) **Synonym(s):** aestivalis Fabricius, 1794

Berytidae

- 120. *Neides brevipennis* Puton, 1895** (Berytidae) **Synonym(s):** brevipennis Puton, 1895

Coreidae

- 121. *Centrocoris spiniger* (Fabricius, 1781)** (Coreidae) **Synonym(s):** branderi Linnaeus, 1767; spiniger Fabricius, 1781; pallescens Kolenati, 1845; subinermis Rey, 1887; bampurensis Linnavuori, 1968
- 122. *Centrocoris volxemi* (Puton, 1878)** (Coreidae) **Synonym(s):** volxemi Puton, 1878; coroniceps Jakovlev, 1879; balassogloi Jakovlev, 1883; ruficeps Jakovev, 1908; scutellaris Linnavuori, 1968
- 123. *Coreus marginatus* (Linnaeus, 1758)** (Coreidae) **Synonym(s):** marginatus Linnaeus, 1758; auriculatus De Geer, 1773; rostratus Goeze, 1778; serratum Thunberg, 1825; fundator Herrich-Schäffer, 1833; longicornis A. Costa, 1842; inermis Kolenati, 1845; syriacus Blöte, 1935
- 124. *Coriomeris affinis* (Herrich-Schäffer, 1839)** (Coreidae) **Synonym(s):** affinis Herrich-Schäffer, 1839; spinolae Costa, 1843; fraudatrix Reuter, 1900; planicornis Lindberg, 1923; aegyptius Schmidt, 1939
- 125. *Coriomeris denticulatus* (Scopoli, 1763)** (Coreidae) **Synonym(s):** denticulatus Scopoli, 1763; spinosulus Sulzer, 1776; spinosomarginatus Goeze, 1778; fimbriatus Geoffroy, 1785; denticulatus Roemer, 1789; immaculatus Gmelin, 1790; spiniger Schreckenstein, 1802; pilicornis Burmeister, 1835; wolffi Gorski, 1852; granulatus Cerutti, 1937
- 126. *Coriomeris hirticornis* (Fabricius, 1794)** (Coreidae) **Synonym(s):** hirticornis Fabricius, 1794
- 127. *Coriomeris scabricornis* (Panzer, 1809)** (Coreidae) **Synonym(s):** scabricornis Panzer, 1809

- 128. *Coriomeris vitticollis* Reuter, 1900** (Coreidae) Synonym(s): vitticollis Reuter, 1900
129. *Enoplops disciger* (Kolenati, 1845) (Coreidae) Synonym(s): disciger Kolenati, 1845
130. *Gonocerus acuteangulatus* (Goeze, 1778) (Coreidae) Synonym(s): acuteangulatus Goeze, 1778
131. *Haploprocta sulcicornis* (Fabricius, 1794) (Coreidae) Synonym(s): sulcicornis Fabricius, 1794; rotundiventris Spinola, 1837; reyi Puton, 1872; lusitanica Seabra, 1928; punctata Seabra, 1928; maroccana Lindberg, 1932; insularis Lindberg, 1953
132. *Phyllomorpha lacerata* (Herrich-Schäffer, 1835) (Coreidae) Synonym(s): lacerata Herrich-Schäffer, 1835; persica Westwood, 1841; echinus Ahmad & Shadab, 1974
133. *Phyllomorpha laciniata* (Villers, 1789) (Coreidae) Synonym(s): laciniata Villers, 1789; hystrix Latreille, 1817; gallicus Germar, 1822; muricatus Hummel, 1827; algerica Guérin-Méneville, 1839; erinaceus Herrich-Schäffer, 1842; brevispina Wagner, 1955; montandon Zange, 2005
134. *Spathocera lobata* (Herrich-Schäffer, 1840) (Coreidae) Synonym(s): lobata Herrich-Schäffer, 1840
135. *Syromastus rhombeus* (Linnaeus, 1767) (Coreidae) Synonym(s): rhombeus Linnaeus, 1767; quadratus Fabricius, 1775; sinuata Fieber, 1861; fusca Vidal, 1936

Corixidae

- 136. *Cymatia rogenhoferi* (Fieber, 1864)** (Corixidae) Synonym(s): rogenhoferi Fieber, 1864
137. *Paracorixa concinna* (Fieber, 1848) (Corixidae) Synonym(s): concinna Fieber, 1848
138. *Sigara assimilis* (Fieber, 1848) (Corixidae) Synonym(s): assimilis Fieber, 1848
139. *Sigara lateralis* Leach, 1818 (Corixidae) Synonym(s): lateralis Leach, 1818
140. *Sigara nigrolineata* (Fieber, 1848) (Corixidae) Synonym(s): nigrolineata Fieber, 1848

Cydnidae

- 141. *Cydnus aterrimus* (Forster, 1771)** (Cydnidae) Synonym(s): aterrimus Forster, 1771; spinipes De Geer, 1773; tristis Fabricius, 1775; spinipes Schrank, 1781; carbonarius Geoffroy, 1785; sanguinicollis Fabricius, 1803; brunnipennis Fabricius, 1803; elevata Uhler, 1860; sareptana Jakovlev, 1875; infernalis Kiritshenko, 1966; sobrius Fuente, 1972
142. *Canthophorus melanopterus* (Herrich-Schäffer, 1835) (Cydnidae) Synonym(s): melanopterus Herrich-Schäffer, 1835; niger Vidal, 1949; contrarius E. Wagner, 1956
143. *Canthophorus maculipes* (Mulsant & Rey, 1852) (Cydnidae) Synonym(s): maculipes Mulsant & Rey, 1852
144. *Tritomegas sexmaculatus* (Rambur, 1839) (Cydnidae) Synonym(s): sexmaculatus Rambur, 1839

Gerridae

- 145. *Gerris caucasicus* Kanyukova, 1982** (Gerridae) Synonym(s): caucasicus Kanyukova, 1982
146. *Gerris* (s.str.) *costae* (Herrich-Schäffer, 1850) (Gerridae) Synonym(s): costae Herrich-Schäffer, 1850; fieberi Stichel, 1938
147. *Gerris* (s.str.) *lacustris* (Linnaeus, 1758) (Gerridae) Synonym(s): lacustris Linnaeus, 1758
148. *Gerris maculatus* Tamanini, 1946 (Gerridae) Synonym(s): maculatus Tamanini, 1946
149. *Gerris* (s.str.) *thoracicus* Schummel, 1832 (Gerridae) Synonym(s): thoracicus Schummel, 1832

Lygaeidae

- 150. *Geocoris* (*Piocoris*) *putonianus* Bergroth, 1892** (Lygaeidae) Synonym(s): piceus Puton, 1892 nec Say, 1832; putonianus Bergroth, 1892; scutellatus Montandon, 1908
151. *Geocoris pallidipennis* (Costa, 1843) (Lygaeidae) Synonym(s): pallidipennis Costa, 1843; angularis Fieber, 1844; colon Fieber, 1844
152. *Horvathiolus superbus* (Pollich, 1779) (Lygaeidae) Synonym(s): superbus Pollich, 1779; punctatoguttatus Fabricius, 1781; discolor Gmelin, 1790; schummelii Schilling, 1829; melanogaster Horvath, 1899; confluens Horvath, 1916; sanctus Horvath, 1916; kolenatii Horvath, 1916; erythropus Horvath, 1916; conjunctus Mancini, 1952; beieri E. Wagner, 1956; romana Stichel, 1957
153. *Lasiocoris anomalus* (Kolenati, 1845) (Lygaeidae) Synonym(s): anomalus Kolenati, 1845; villosus Mulsant & Rey, 1852; aeneiceps Baerensprung, 1859; stabianus A. Costa, 1862; flori Douglas & Scott, 1868

- 154. *Lasiocoris crassicornis* (Lucas,1849)** (Lygaeidae) **Synonym(s):** *crassicornis* Lucas,1849; *antennatus* Montandon,1889
- 155. *Lethaeus picipes* (Herrich-Schäffer,1850)** (Lygaeidae) **Synonym(s):** *picipes* Herrich-Schäffer,1850
- 156. *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) **Synonym(s):** *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 157. *Melanocoryphus albomaculatus* (Goeze,1778)** (Lygaeidae) **Synonym(s):** *albomaculatus* Goeze,1778; *ventralis* Kolenati,1845
- 158. *Oxycarenus (Euoxycarenus) pallens* (Herrich-Schäffer,1850)** (Lygaeidae) **Synonym(s):** *pallens* Herrich-Schäffer,1850
- 159. *Rhyparochromus phoeniceus* (Rossi,1794)** (Lygaeidae) **Synonym(s):** *phoeniceus* Rossi,1794; *autrani* Horvath,1897
- 160. *Rhyparochromus pini* (Linnaeus,1758)** (Lygaeidae) **Synonym(s):** *pini* Linnaeus,1758; *collinus* Scopoli,1763; *circuluspunctatus* Goeze,1778; *crucifer* Geoffroy,1785; *circulus* Gmelin,1790
- 161. *Rhyparochromus vulgaris* (Schilling,1829)** (Lygaeidae) **Synonym(s):** *vulgaris* Schilling,1829; *homoeopus* Horvath,1899
- 162. *Spilostethus pandurus* (Scopoli,1763)** (Lygaeidae) **Synonym(s):** *pandurus* Scopoli,1763; *militaris* Fabricius,1775; *civilis* Fabricius,1787; *surinamensis* Wolff,1802; *elegans* Wolff,1802; *lagenifer* Dufour,1833; *asiaticus* Kolenati,1845; *tetricus* Horvath,1909
- 163. *Spilostethus saxatilis* (Scopoli,1763)** (Lygaeidae) **Synonym(s):** *saxatilis* Scopoli,1763; *tessellatus* Goeze,1778; *lusitanicus* Herrich-Schäffer,1850; *montivagus* Horvath,1899

Miridae

- 164. *Adelphocoris lineolatus* (Goeze,1778)** (Miridae) **Synonym(s):** *lineolatus* Goeze,1778; *albinus* Geoffroy,1785; *chenopodii* Fallén,1807; *brevicollis* Meyer-Dür,1843; *implagiatus* Westhoff,1881; *bisbipunctatus* Reuter,1891; *baltrumensis* Schumacher,1911
- 165. *Adelphocoris vandalicus* (Rossi,1790)** (Miridae) **Synonym(s):** *vandalicus* Rossi,1790; *fraxini* Fabricius,1794; *humuli* Schummel,1847; *taenioma* A.Costa,1853; *denigratus* Stichel,1930; *levis* Stichel,1930
- 166. *Brachycoleus decolor* Reuter,1887** (Miridae) **Synonym(s):** *scriptus* Fabricius,1803 *nec* Fabr.,1794; *decolor* Reuter,1887; *bipunctatus* Stichel,1930; *flavus* Stichel,1930; *marginatus* Stichel,1930; *ornatus* Stichel,1957
- 167. *Closterotomus annulus* (Brullé,1832)** (Miridae) **Synonym(s):** *annulus* Brullé,1832; *collaris* Fieber,1870; *fuliginosus* Reuter,1877; *fuscescens* Reuter,1877; *nebulosus* E.Wagner,1974
- 168. *Deraeocoris rutilus* (Herrich-Schäffer,1838)** (Miridae) **Synonym(s):** *ritulus* Herrich-Schäffer,1838; *bellicosus* Horvath,1885; *quadrinaculatus* Jakovlev,1889; *fasciatus* Reuter,1904
- 169. *Deraeocoris scutellaris* (Fabricius,1794)** (Miridae) **Synonym(s):** *scutellaris* Fabricius,1794; *deruber* E.Wagner & Weber,1955
- 170. *Deraeocoris serenus* Douglas & Scott,1868** (Miridae) **Synonym(s):** *serenus* Douglas & Scott,1868; *desertus* Becker,1864; *beckeri* Reuter,1900; *extensus* Stichel,1930; *hoberlandti* Stehlik,1948; *nigriceps* E.Wagner,1950
- 171. *Deraeocoris ventralis* Reuter,1904** (Miridae) **Synonym(s):** *alboscuteallatus* Reuter,1891; *marginiventris* Rey,1894; *ventralis* Reuter,1904; *flavoscuteallatus* Stichel,1930; *erythropus* Kiritshenko,1952; *megophthalmus* Josifov & Kerzhner,1972
- 172. *Dicyphus alkannae* Seidenstücker,1956** (Miridae) **Synonym(s):** *alkannae* Seidenstücker,1956
- 173. *Grypocoris fieberi* Douglas & Scott,1868** (Miridae) **Synonym(s):** *fieberi* Douglas & Scott,1868; *blandus* Puton,1881
- 174. *Horistus orientalis* (Gmelin,1790)** (Miridae) **Synonym(s):** *orientalis* Gmelin,1790; *leucogrammus* Gmelin,1790; *marginellus* Schrank,1801; *lineolatus* Brullé,1832; *albostratus* Burmeister,1835; *rubrostratus* Herrich-Schäffer,1836; *consanguineus* A.Costa,1862
- 175. *Liocoris tripustulatus* (Fabricius,1781)** (Miridae) **Synonym(s):** *bifasciatus* Müller,1764; *tripustulatus* Fabricius,1781; *pictus* Hahn,1833; *lhesgica* Kolenati,1845; *autumnalis* Reuter,1875; *pallens* Noualhier,1895; *nepeticolus* Reuter,1896; *signatus* Poppius,1912; *bimaculatus* Stichel,1930; *mutatus* Stichel,1930; *quadrinaculatus* Stichel,1930; *similis* Stichel,1958; *sordidus* Stichel,1958
- 176. *Lygus pratensis* (Linnaeus,1758)** (Miridae) **Synonym(s):** *pratensis* Linnaeus,1758; *umbellatarum* Scopoli,1763; *rubecula* Goeze,1778; *viridulus* Panzer,1804; *alpinus* Kolenati,1845
- 177. *Lygus rugulipennis* Poppius,1911** (Miridae) **Synonym(s):** *rugulipennis* Poppius,1911; *pubescens* Reuter,1912; *perplexus* Stanger,1942; *immaculatus* E.Wagner,1949; *obscura* E.Wagner,1949; *disponsi* Linnavuori,1961
- 178. *Macrolophus caliginosus* E.Wagner,1950** (Miridae) **Synonym(s):** *caliginosus* E.Wagner,1950
- 179. *Macrolophus melanotoma* (Costa,1852)** (Miridae) **Synonym(s):** *melanotoma* Costa,1852
- 180. *Notostira elongata* (Geoffroy,1785)** (Miridae) **Synonym(s):** *elongata* Geoffroy,1785; *pubicornis* Schrank,1785; *viriduscula* Gmelin,1790; *quadrilineatus* Schrank,1801; *caucasica* Kolenati,1845; *depicta* Reuter,1911
- 181. *Opisthotaenia fulvipes* Reuter,1901** (Miridae) **Synonym(s):** *fulvipes* Reuter,1901

- 182. *Stenodema calcaratum* (Fallén,1807)** (Miridae) **Synonym(s):** calcaratum Fallén,1807; dentata Hahn,1831; griseus Fieber,1861; virescens Fieber,1861; polychloros Westhoff,1881; rubricata Rey,1894; pallescens Reuter,1904; fuscus Wagner,1949; aestiva Stichel,1957; fuscata Stichel,1957; verna Stichel,1957; ternaria Stichel,1958
- 183. *Stenodema laevigatum* (Linnaeus,1758)** (Miridae) **Synonym(s):** laevigatum Linnaeus,1758; testacea Scopoli,1763; albolineata Goeze,1778; pallida Harris,1780; lateralis Geoffroy,1785; tetragrammos Gmelin,1790; pallescens Donovan,1794; marshani Turton,1802; griseus Fallén,1807; lutescens Fallén,1807; pallescens Fallén,1807; virescens Fallén,1807; albicans Westhoff,1881; sulphurea Westhoff,1881; melas Reuter,1904

Nabidae

- 184. *Nabis punctatus* Costa,1847** (Nabidae) **Synonym(s):** punctatus Costa,1847
- 185. *Nabis (Tropiconabis) capsiformis* Germar,1838** (Nabidae) **Synonym(s):** #angustus Spinola,1837; capsiformis Germar,1838; angusta Brullé,1839; longipennis A.Costa,1847; caffra Stal,1855; siticus Walker,1870; elongatus Meyer-Dür,1870; innotatus White,1877; brullei Lethierry & Severin,1896
- 186. *Nabis ferus* (Linnaeus,1758)** (Nabidae) **Synonym(s):** ferus Linnaeus,1758
- 187. *Prostemma guttula* (Fabricius,1787)** (Nabidae) **Synonym(s):** guttula Fabricius,1787; staphylinus Gmelin,1790; brachelythrum Dufour,1834; fuscipenne Mulsant & Rey,1873; asiaticum Kerzhner,1968 [ssp.]

Notonectidae

- 188. *Notonecta viridis* Delcourt,1909** (Notonectidae) **Synonym(s):** viridis Delcourt,1909; mediterranea Hutchinson,1928

Pentatomidae

- 189. *Aelia furcula* Fieber,1868** (Pentatomidae) **Synonym(s):** furcula Fieber,1868; simillima Reuter,1900
- 190. *Aelia rostrata* Boheman,1852** (Pentatomidae) **Synonym(s):** rostrata Boheman,1852; cognata Fieber,1868; glebana Ferrari,1874; syriaca Horvath,1903; eminealkanata Lodos,1959; confusa Kirkaldy,1909; brunnea Halaszfy,1955
- 191. *Ancyrosoma leucogrammes* (Gmelin,1790)** (Pentatomidae) **Synonym(s):** albolineatus Fabricius,1781 nec Gz.,1778; leucogrammes Gmelin,1790; nervosus Cyrillus,1791 nec Sc.,1763; affine Westwood,1837; tuberculatum Bergevin,1908
- 192. *Apodiphus amygdali* (Germar,1817)** (Pentatomidae) **Synonym(s):** amygdali Germar,1817; hellenica Lefebvre,1831; exsculpta Burmeister,1835
- 193. *Brachynema germarii* (Kolenati,1846)** (Pentatomidae) **Synonym(s):** virens Klug,1845 nec Linn.,1767; germarii Kolenati,1846; anabasis Becker,1867; biplaga Walker,1867; flavomarginatus Jakovlev,1871; grisea Jakovlev,1871; melanota Jakovlev,1874; alternatum Horvath,1899
- 194. *Carpocoris* (s.str.) coreanus Distant,1899** (Pentatomidae) **Synonym(s):** coreanus Distant,1899; iranum Tamanini,1958
- 195. *Carpocoris* (s.str.) fuscispinus (Boheman,1851)** (Pentatomidae) **Synonym(s):** fuscispinus Boheman,1851; hahni Flor,1856; rugicollis Seabra,1925; subrufus Seabra,1925; flavescens Seabra,1925; infuscatus Seabra,1925
- 196. *Carpocoris* (s.str.) pudicus (Poda,1761)** (Pentatomidae) **Synonym(s):** pudicus Poda,1761; cinctus Schrank,1776; carnis Gmelin,1790; wilkinsonii Westwood,1837; pallida Dallas,1851
- 197. *Chroantha ornatula* (Herrich-Schäffer,1842)** (Pentatomidae) **Synonym(s):** ornatula Herrich-Schäffer,1842; notatus Klug,1842 nec Pda.,1761; humerosa Dallas,1851; scitulus Jakovlev,1877; hataska Kirkaldy,1899
- 198. *Cnephosa flavomarginata* Jakovlev,1880** (Pentatomidae) **Synonym(s):** flavomarginata Jakovlev,1880
- 199. *Codophila* (Antheminia) lunulata (Goeze,1778)** (Pentatomidae) **Synonym(s):** lunulata Goeze,1778
- 200. *Codophila* (Antheminia) varicornis (Jakovlev,1876)** (Pentatomidae) **Synonym(s):** varicornis Jakovlev,1876
- 201. *Codophila* (s.str.) varia (Fabricius,1787)** (Pentatomidae) **Synonym(s):** varia Fabricius,1787; lunula Fabricius,1794; eryngii Germar,1814; bilunulata Kolenati,1846; persica Kolenati,1846; nubica Kolenati,1846; laborans A.Costa,1847; distinguenda A.Costa,1847; longicornis Fuente,1972
- 202. *Derula flavoguttata* Mulsant & Rey,1856** (Pentatomidae) **Synonym(s):** flavoguttata Mulsant & Rey,1856; oculatum Baerensprung,1858
- 203. *Dolycoris baccarum* (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** baccarum Linnaeus,1758; verbasci De Geer,1773; subater Harris,1780; albidus Gmelin,1790; depressa Westwood,1837; confusa Westwood,1837; inconcisa Walker,1867

- 204. *Dyrodere* *umbraculatus* (Fabricius,1775)** (Pentatomidae) **Synonym(s):** umbraculatus Fabricius,1775; marginatus Fabricius,1798 nec Linn.,1758; aparines Dufour,1833
- 205. *Eurydema* (*Horvatheurydema*) *fieberi* Fieber,1837** (Pentatomidae) **Synonym(s):** fieberi Fieber,1837; armeniacum Kolenati,1846; schaefferi Gorski,1852; meyeri Fieber,1861; caucasica Jakovlev,1873; scutellata Jakovlev,1883; melanogaster Horvath,1917; gussakovskii Kiritshenko,1952; bagradiformis Kiritshenko,1952
- 206. *Eurydema* (*Rubrodorsalium*) *ventralis* Kolenati,1846** (Pentatomidae) **Synonym(s):** ventralis Kolenati,1846; hoffmanseggi Gorski,1852; ornata Fieber,1861 nec Linn.,1758; ventralis Tamanini,1947 nec Kol.,1846
- 207. *Eurydema* (s.str.) *oleraceum* (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** oleracea Linnaeus,1758; flavatus Schrank,1776; albomarginatus Goeze,1778; flavomarginatus Goeze,1778; albomarginellus Fabricius,1794; annulatus Fallén,1829; angularis Kolenati,1846; insidiosa Mulsant & Rey,1866; consobrina Puton,1871; consimilis Horvath,1885; paradoxa Horvath,1885; triguttata Horvath,1885; nigripes Horvath,1885; atavus Horvath,1885; variventer Rey,1887; uniforme Puton,1889; petulans Horvath,1898; confluens Royer,1907; nicolasi Royer,1907; putoni Royer,1907; aberrans Horvath,1917; susannae Royer,1923; linnaei Royer,1924; nevadensis Lindberg,1932; ypsilon Cerutti,1937; royeri Stichel,1938;...
- 208. *Eurydema* (s.str.) *ornatum* (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** ornatum Linnaeus,1758; festivus Linnaeus,1767; pictum Herrich-Schäffer,1833; decoratum Herrich-Schäffer,1833; pustulata Fieber,1837; conjuncta Kolenati,1846; fallax Scholtz,1847; falleni Gorski,1852; umbralis Gistel,1857
- 209. *Graphosoma* (*Graphosomella*) *inexpectatum* Carapezza & Jindra,2008** (Pentatomidae) **Synonym(s):** inexpectatum Carapezza & Jindra,2008
- 210. *Graphosoma* (s.str.) *lineatum* (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatus Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955
- 211. *Graphosoma* (s.str.) *melanoxanthum* Horvath,1903** (Pentatomidae) **Synonym(s):** melanoxanthum Horvath,1903
- 212. *Graphosoma* (s.str.) *semipunctatum* (Fabricius,1775)** (Pentatomidae) **Synonym(s):** semipunctatum Fabricius,1775; interruptum White,1839; wilsoni White,1839; persica Ferr.,1874; creticum Horvath,1909
- 213. *Holcostethus* *strictus* (Fabricius,1803)** (Pentatomidae) **Synonym(s):** strictus Fabricius,1803; vernalis Wolff,1804
- 214. *Menaccarus* (*Oploscelis*) *arenicola* (Scholtz,1847)** (Pentatomidae) **Synonym(s):** arenicola Scholtz,1847; ciliatus Mulsant & Rey,1852; pallidus Perris,1857; minor Stichel,1936
- 215. *Mustha* *spinosula* (Lefebvre,1831)** (Pentatomidae) **Synonym(s):** spinosula Lefebvre,1831
- 216. *Neottiglossa* *leporina* (Herrich-Schäffer,1830)** (Pentatomidae) **Synonym(s):** leporina Herrich-Schäffer,1830; calva Jakovlev,1903; irana Wagner,1963
- 217. *Palomena* *prasina* (Linnaeus,1761)** (Pentatomidae) **Synonym(s):** prasina Linnaeus,1761; roseus O.F.Müller,1776; viridis Harris,1780; dissimilis Fabricius,1781; discolor Wolff,1811; rhododactyla Horvath,1883
- 218. *Putonia* *asiatica* Jakovlev,1885** (Pentatomidae) **Synonym(s):** asiatica Jakovlev,1885
- 219. *Rhaphigaster* *nebulosa* (Poda,1761)** (Pentatomidae) **Synonym(s):** nebulosa Poda,1761; atomarius Fabricius,1775; sagittifer Goeze,1778; lentiginosus Gmelin,1790; punctipennis Illiger,1807; nigrovarius Gravenhorst,1807; stigmatica Palisot,1811; fusca Motschulsky,1861; impunctata Gabiglietti,1869
- 220. *Rhombocoris* *regularis* (Herrich-Schäffer,1851)** (Pentatomidae) **Synonym(s):** regularis Herrich-Schäffer,1851; syriacus Mayr,1864; flavolineatus Jakovlev,1876; fuscus Jakovlev,1880
- 221. *Sciocoris* (*Aposciocoris*) *macrocephalus* Fieber,1851** (Pentatomidae) **Synonym(s):** europaeus Amyot & Serville,1843; macrocephalus Fieber,1851; basalis Fieber,1851
- 222. *Sciocoris* (s.str.) *deltocephalus* Fieber,1861** (Pentatomidae) **Synonym(s):** deltocephalus Fieber,1861
- 223. *Sciocoris* (s.str.) *ochraceus* Fieber,1861** (Pentatomidae) **Synonym(s):** ochraceus Fieber,1861; #ochraseus Önder et al.,2006
- 224. *Stagonomus* (*Dalleria*) *devius* Seidenstücker,1965** (Pentatomidae) **Synonym(s):** devius Seidenstücker,1965
- 225. *Stagonomus* (s.str.) *amoenus* (Brullé,1832)** (Pentatomidae) **Synonym(s):** bipunctatus Fabricius,1781 nec Linn.,1758; italicus Gmelin,1790 nec Müll.,1766; amoenus Brullé,1832; #transparentes Fuente,1974
- 226. *Staria* *lunata* (Hahn,1835)** (Pentatomidae) **Synonym(s):** lunata Hahn,1835; lobulatus Rambur,1839; maroccana Lindberg,1932; levantinae Fuente,1972
- 227. *Tarisa* *osmanica* Hoberlandt,1955** (Pentatomidae) **Synonym(s):** osmanica Hoberlandt,1955
- 228. *Tholagmus* *flavolineatus* (Fabricius,1798)** (Pentatomidae) **Synonym(s):** flavolineatus Fabricius,1798; confinis Horvath,1898
- 229. *Trochiscocoris* *rotundatus* Horvath,1895** (Pentatomidae) **Synonym(s):** rotundatus Horvath,1895
- 230. *Ventocoris* (*Astirocoris*) *fischeri* (Herrich-Schäffer,1851)** (Pentatomidae) **Synonym(s):** fischeri Herrich-Schäffer,1851; baerensprungii Stal,1860; lehmanni Fieber,1864; umbrosum Jakovlev,1882; confusum Kirby,1892
- 231. *Ventocoris* (*Astirocoris*) *halophilus* (Jakovlev,1874)** (Pentatomidae) **Synonym(s):** halophilus Jakovlev,1874

- 232. Ventocoris (Astirocoris) oblongus (Horvath,1889)** (Pentatomidae) **Synonym(s):** oblongus Horvath,1889
- 233. Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851

Piesmatidae

- 234. Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) **Synonym(s):** laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973

Pyrrhocoridae

- 235. Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) **Synonym(s):** apterus Linnaeus,1758; clamariensis Fallén,1829

Reduviidae

- 236. Holotrichius apterus Jakovlev,1879** (Reduviidae) **Synonym(s):** apterus Jakovlev,1879; eroanumensis Dispons,1964; araxeus Dispons,1964
- 237. Nagusta goedelii (Kolenati,1856)** (Reduviidae) **Synonym(s):** goedelii Kolenati,1856; rugulosa Stal,1859; cornutus Jakovlev,1876
- 238. Peirates hybridus (Scopoli,1763)** (Reduviidae) **Synonym(s):** hybridus Scopoli,1763
- 239. Phymata (s.str.) crassipes (Fabricius,1775)** (Reduviidae) **Synonym(s):** crassipes Fabricius,1775
- 240. Reduvius pallipes Klug,1830** (Reduviidae) **Synonym(s):** pallipes Klug,1830; thoracicus Stal,1855; testaceus Fieber
- 241. Reduvius personatus (Linnaeus,1758)** (Reduviidae) **Synonym(s):** personatus Linnaeus,1758; ater Poda,1761
- 242. Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) **Synonym(s):** flavolimbatus Jakovlev,1889; #descampsi Dispons & Villiers,1967
- 243. Rhynocoris iracundus (Poda,1761)** (Reduviidae) **Synonym(s):** iracundus Poda,1761; sanguineus Schrank,1776; cruentus Fabricius,1787; monspeliensis Gmelin,1790; caucasicus Kolenati,1857; interruptus Kolenati,1857; pictus Kolenati,1857; nigripes Kolenati,1857; rubricoxa Bergroth,1890; jucundus Horvath,1891; geniculatus Jakovlev,1904; amabilis Dispons,1959; #armeniaca Dispons,1959; ochreatus Dispons,1964; #safavii Dispons & Villiers,1967
- 244. Rhynocoris punctiventris Herrich-Schäffer,1846** (Reduviidae) **Synonym(s):** punctiventris Herrich-Schäffer,1846; variegatus Fieber,1861; dimidiatus Dispons,1964; #punciventris Yıldırım et al.,2010
- 245. Sphedanolestes lividigaster (Mulsant & Rey,1852)** (Reduviidae) **Synonym(s):** lividigaster Mulsant & Rey,1852; lividiventris Stal,1874; atripes Puton,1880
- 246. Vachiria deserta (Becker,1867)** (Reduviidae) **Synonym(s):** deserta Becker,1867

Rhopalidae

- 247. Chorosoma schillingi Schummel,1829** (Rhopalidae) **Synonym(s):** schillingi Schummel,1829
- 248. Corizus fenestella Horvath,1917** (Rhopalidae) **Synonym(s):** limbatus Reuter,1900 nec Rey,1877; fenestella Horvath,1917; alternans Horvath,1917; subsimilis Horvath,1917; diluta Distant,1918
- 249. Corizus hyoscyami (Linnaeus,1758)** (Rhopalidae) **Synonym(s):** hyoscyami Linnaeus,1758; flavicans Puton,1881; usticensis Riggio,1885; flavescens Rey,1888; collinus Distant,1909; monticola Horvath,1917; atropyga Blöte,1934; #hyosciami Kiyak et al.,2004
- 250. Liorhyssus hyalinus (Fabricius,1794)** (Rhopalidae) **Synonym(s):** hyalinus Fabricius,1794; gracilis Herrich-Schäffer,1835; capensis Germar,1838; truncatus Rambur,1839; rubescens Kolenati,1845; maculiventris Spinola,1852; ruber Dallas,1852; bengalensis Dallas,1852; sanguineus A.Costa,1853; dilatipennis Signoret,1859; variegatus Signoret,1859; quadrilineatus Signoret,1859; sculus Signoret,1859; lugens Signoret,1859; victoris Mulsant & Rey,1870; marginatus Jakovlev,1871; nigrinus Puton,1881; spathula Rey,1887; rubricatus Reuter,1900; corallinus Horvath,1911; scotti Distant,1913; imperialis Distant,1918; pronotalis Distant,1918; pallidus Mancini,1935
- 251. Maccevethus errans (Fabricius,1794)** (Rhopalidae) **Synonym(s):** lineolus Fabricius,1787 nec Linn.,1758; errans Fabricius,1794; baeticus Rambur,1839; caucasicus Kolenati,1845 [ssp.]; ruficornis Reuter,1900; elongatus Blöte,1934; angustus E.Wagner,1949; houskai Hoberlandt,1952
- 252. Stictopleurus abutilon (Rossi,1790)** (Rhopalidae) **Synonym(s):** abutilon Rossi,1790
- 253. Stictopleurus riveti Royer,1923** (Rhopalidae) **Synonym(s):** riveti Royer,1923

Saldidae

- 254. Saldula pallipes (Fabricius, 1794)** (Saldidae) Synonym(s): pallipes Fabricius, 1794

Scutelleridae

- 255. Eurygaster dilaticollis Dohrn, 1860** (Scutelleridae) Synonym(s): dilaticollis Dohrn, 1860; schreiberi Montandon, 1885; flavescens Horvath, 1911
- 256. Eurygaster integriceps Puton, 1886** (Scutelleridae) Synonym(s): integriceps Puton, 1886; distigma Horvath, 1917
- 257. Irochrotus maculiventris (Germar, 1839)** (Scutelleridae) Synonym(s): maculiventris Germar, 1839; villosus Herrich-Schäffer, 1839; hirtus A. Costa, 1842
- 258. Odontoscelis (s.str.) fuliginosa (Linnaeus, 1761)** (Scutelleridae) Synonym(s): fuliginosa Linnaeus, 1761; carbonaria Zetterstedt, 1819; aethiops Germar, 1839; caucasica Kolenati, 1846; pallasii Kolenati, 1846; osellai Rizzotti Vlach, 1982
- 259. Odontotarsus purpureolineatus (Rossi, 1790)** (Scutelleridae) Synonym(s): purpureolineatus Rossi, 1790; lutescens Fieber, 1861; rugicollis Jakovlev, 1884; insignis Jakovlev, 1908; #confluens Hoberlandt, 1944
- 260. Odontotarsus robustus Jakovlev, 1884** (Scutelleridae) Synonym(s): robustus Jakovlev, 1884; flavus Jakovlev, 1885; dilutus Horvath, 1917

Stenocephalidae

- 261. Dicranocephalus agilis (Scopoli, 1763)** (Stenocephalidae) Synonym(s): agilis Scopoli, 1763; quinquepunctatus Goeze, 1778; nugax Fabricius, 1781; monilis Geoffroy, 1785; geoffroy Petagna, 1787; multicolor Gmelin, 1790; nussax Gmelin, 1790; celer Gmelin, 1790; melanochros Gmelin, 1790; mexicanus Ashmead, 1886; crassicornis Horvath, 1887; femoralis Noualhier, 1893; femoratus Puton, 1899; robustus Jakovlev, 1901; moralesi Wagner, 1950; africanus Stichel, 1959; litoralis Linnavuori, 1960
- 262. Dicranocephalus albipes (Fabricius, 1781)** (Stenocephalidae) Synonym(s): albipes Fabricius, 1781; leucopus Gmelin, 1790; neglectus Herrich-Schäffer, 1835

Tingidae

- 263. Catoplatus brevicornis Akramovskaya & Golub, 1973** (Tingidae) Synonym(s): brevicornis Akramovskaya & Golub, 1973
- 264. Catoplatus nigriceps Horvath, 1905** (Tingidae) Synonym(s): nigriceps Horvath, 1905
- 265. Copium clavicorne (Linnaeus, 1758)** (Tingidae) Synonym(s): clavicorne Linnaeus, 1758; punctata Lamarck, 1816; cornutum Thunberg, 1822
- 266. Dictyla echii (Schränk, 1782)** (Tingidae) Synonym(s): echii Schrank, 1782
- 267. Monosteira lobulifera Reuter, 1888** (Tingidae) Synonym(s): lobulifera Reuter, 1888
- 268. Tingis (s.str.) auriculata (Costa, 1847)** (Tingidae) Synonym(s): auriculata Costa, 1847

Veliidae

- 269. Velia (Plesiovelia) kiritshenkoi Tamanini, 1958** (Veliidae) Synonym(s): kiritshenkoi Tamanini, 1958

Homoptera

Totally 106 species were listed previously (Koçak & Kemal, 2012: 14-17).

Aphalaridae

- 270. Crastina myricariae Loginova, 1964** (Aphalaridae) Synonym(s): myricariae Loginova, 1964;
#myricaria Klimaszewski & Lodos, 1979

Aphididae

- 271. Aphis avicularis (Hille Ris Lambers, 1931)** (Aphididae) Synonym(s): avicularis Hille Ris Lambers, 1931
- 272. Aphis chloris Koch, 1854** (Aphididae) Synonym(s): chloris Koch, 1854
- 273. Aphis craccivora Koch, 1854** (Aphididae) Synonym(s): craccivora Koch, 1854
- 274. Aphis fabae Scopoli, 1763** (Aphididae) Synonym(s): fabae Scopoli, 1763; cirsiacanthoidis Scopoli, 1763; solanella Theobald, 1914; mordvilkoii Börner & Janich, 1922
- 275. Brevicoryne brassicae (Linnaeus, 1758)** (Aphididae) Synonym(s): brassicae Linnaeus, 1758
- 276. Chaitophorus leucomelas Koch, 1854** (Aphididae) Synonym(s): leucomelas Koch, 1854
- 277. Dysaphis (Pomaphis) pyri (Boyer de Fonscolombe, 1841)** (Aphididae) Synonym(s): pyri Boyer de Fonscolombe, 1841
- 278. Dysaphis devector (Walker, 1849)** (Aphididae) Synonym(s): devector Walker, 1849
- 279. Eulachnus tuberculostemmatus (Theobald, 1915)** (Aphididae) Synonym(s): tuberculostemmatus Theobald, 1915
- 280. Hayhurstia atriplicis (Linnaeus, 1761)** (Aphididae) Synonym(s): atriplicis Linnaeus, 1761
- 281. Hyalopterus pruni (Geoffroy, 1762)** (Aphididae) Synonym(s): pruni Geoffroy, 1762
- 282. Macrosiphum rosae (Linnaeus, 1758)** (Aphididae) Synonym(s): rosae Linnaeus, 1758
- 283. Sitobion avenae (Fabricius, 1775)** (Aphididae) Synonym(s): avenae Fabricius, 1775
- 284. Tuberolachnus salignus (Gmelin, 1790)** (Aphididae) Synonym(s): salignus Gmelin, 1790
- 285. Uroleucon (Uromelan) jaceae (Linnaeus, 1758)** (Aphididae) Synonym(s): jaceae Linnaeus, 1758

Cercopidae

- 286. Aphrophora alni (Fallén, 1805)** (Cercopidae) Synonym(s): alni Fallén, 1805; fuscata Haupt, 1925; umbrina Linnavuori, 1950
- 287. Cercopis intermedia Kirschbaum, 1868** (Cercopidae) Synonym(s): intermedia Kirschbaum, 1868; oblitterata Kirschbaum, 1868; nigra Royer, 1906; simulans Peneau, 1912; turkestanica Lindberg, 1923
- 288. Neophilaenus campestris (Fallén, 1805)** (Cercopidae) Synonym(s): campestris Fallén, 1805; parvula Vismara, 1877; fasciatus Ferrari, 1882; obsoletus Ferrari, 1882; bimaculata Rey, 1894; brunnifrons Rey, 1894
- 289. Neophilaenus lineatus (Linnaeus, 1758)** (Cercopidae) Synonym(s): lineatus Linnaeus, 1758; abbreviata Fabricius, 1787; capitata Fabricius, 1794; aterrimus Sahlberg, 1871; pulchellus Sahlberg, 1871; fusca Haupt, 1912; pallida Haupt, 1917; danicus Wagner, 1935; fulva Gyllensvard, 1965
- 290. Paraphilaenus notatus (Mulsant & Rey, 1855)** (Cercopidae) Synonym(s): notatus Mulsant & Rey, 1855; centroasiaticus Dlabola, 1961
- 291. Philaenus (s.str.) signatus Melichar, 1896** (Cercopidae) Synonym(s): signatus Melichar, 1896
- 292. Philaenus (s.str.) spumarius (Linnaeus, 1758)** (Cercopidae) Synonym(s): spumarius Linnaeus, 1758; leucophthalma Linnaeus, 1758; lateralis Linnaeus, 1758; leucocephala Linnaeus, 1758

Cicadellidae

- 293. Agallia bispinata (Dlabola, 1957)** (Cicadellidae) Synonym(s): bispinata Dlabola, 1957
- 294. Aphrodes bicinctus (Schrank, 1776)** (Cicadellidae) Synonym(s): striata Linnaeus, 1761 (praeocc.); rustica Fabricius, 1775 (praeocc.); bicinctus Schrank, 1776; ochromelas Gmelin, 1790; variegata Fabricius, 1794; striatella Fabricius, 1794; transversa Fabricius, 1798; strigata Turton, 1802; pallidus Curtis, 1836; cardui Curtis, 1836; fasciatus Curtis, 1836; obscurus Curtis, 1836; rugosus Curtis, 1836; sparsus Curtis, 1836; unicolor Curtis, 1836; pulverulenta Curtis, 1837; adustus Hardy, 1850; obtusifrons Kirschbaum, 1868; signifrons Rey, 1894; aestuarinus Edwards, 1908; brevior Melichar, 1914; alpinus Prohaska, 1923; diminutus Ribaut, 1952; centrossicus Zachvatkin, 1952; ferganensis Dubovsky, 1966
- 295. Aphrodes elongatus (Lethierry, 1876)** (Cicadellidae) Synonym(s): elongatus Lethierry, 1876
- 296. Artianus manderstjernii (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): manderstjernii Kirschbaum, 1868
- 297. Balclutha pellucens Horvath, 1909** (Cicadellidae) Synonym(s): pellucens Horvath, 1909; viridella Lindberg, 1941

- 298. *Balclutha rhenana* Wagner, 1939** (Cicadellidae) **Synonym(s):** *rhenana* Wagner, 1939
- 299. *Batracomorphus irroratus* Lewis, 1834** (Cicadellidae) **Synonym(s):** *irroratus* Lewis, 1834; *microcephalus* Herrich-Schäffer, 1838; *punctulatus* Forel, 1858; *punctuosus* Kirschbaum, 1868; *verrucosa* Haupt, 1917
- 300. *Chlorita vana* Dlabola, 1971** (Cicadellidae) **Synonym(s):** *vana* Dlabola, 1971
- 301. *Circulifer haematoceps* (Mulsant & Rey, 1855)** (Cicadellidae) **Synonym(s):** *haematoceps* Mulsant & Rey, 1855; *haagi* Kirschbaum, 1868; *opacus* Kirschbaum, 1868; *rubrotinctus* Kirschbaum, 1868; *opacipennis* Lethierry, 1876; *vittiventris* Lethierry, 1876; *diluta* Ferrari, 1882; *picta* Ferrari, 1882; *minor* Ferrari, 1884; *futilis* Horvath, 1909; *unicolor* Haupt, 1927; *haupti* Zachvatkin, 1935; *viridiflavus* Lindberg, 1948; *interibilis* Lindberg, 1948
- 302. *Doratura homophyla* (Flor, 1861)** (Cicadellidae) **Synonym(s):** *homophyla* Flor, 1861
- 303. *Doratura impudica* Horvath, 1897** (Cicadellidae) **Synonym(s):** *impudica* Horvath, 1897
- 304. *Doratura stylata* (Boheman, 1847)** (Cicadellidae) **Synonym(s):** *stylata* Boheman, 1847; *macroptera* Kusnezov, 1928
- 305. *Ebarrius cognatus* (Fieber, 1869)** (Cicadellidae) **Synonym(s):** *cognatus* Fieber, 1869
- 306. *Edwardsiana flavescens* (Fabricius, 1794)** (Cicadellidae) **Synonym(s):** *flavescens* Fabricius, 1794; *fratercula* Edwards, 1908; *sororcula* Ossiannilsson, 1936
- 307. *Empoasca solani* (Curtis, 1846)** (Cicadellidae) **Synonym(s):** *solani* Curtis, 1846; *pteridis* Dahlbom, 1850; *solanituberosi* Kollar, 1852; *roseiventris* Rey, 1894; *tullgreni* Ribaut, 1933; *dlabolae* Lindberg, 1960
- 308. *Eupteryx stachydearum* (Hardy, 1850)** (Cicadellidae) **Synonym(s):** *stachydearum* Hardy, 1850; *curtisii* Flor, 1861; *catenata* Rey, 1894; *confluens* Rey, 1894; *continua* Cerutti, 1939
- 309. *Eupteryx taborskyi* Dlabola, 1957** (Cicadellidae) **Synonym(s):** *taborskyi* Dlabola, 1957
- 310. *Euscelidius mundus* (Haupt, 1927)** (Cicadellidae) **Synonym(s):** *mundus* Haupt, 1927; *orientalis* Dlabola, 1957
- 311. *Euscelis alsius* Ribaut, 1952** (Cicadellidae) **Synonym(s):** *alsius* Ribaut, 1952
- 312. *Handianus procerus* (Herrich-Schäffer, 1835)** (Cicadellidae) **Synonym(s):** *procerus* Herrich-Schäffer, 1835; *palaestinensis* Linnavuori, 1962
- 313. *Idiocerus herrichii* Kirschbaum, 1868** (Cicadellidae) **Synonym(s):** *herrichii* Kirschbaum, 1868
- 314. *Kybos candelabricus* Dlabola, 1958** (Cicadellidae) **Synonym(s):** *candelabricus* Dlabola, 1958
- 315. *Kybos virgator* (Ribaut, 1933)** (Cicadellidae) **Synonym(s):** *virgator* Ribaut, 1933; *saageri* Wagner, 1935
- 316. *Laburru abrotani* Emelyanov, 1962** (Cicadellidae) **Synonym(s):** *abrotani* Emelyanov, 1962
- 317. *Laburru handlirshi* (Matsumura, 1908)** (Cicadellidae) **Synonym(s):** *artemisiae* Matsumura, 1900 (praeocc.); *handlirshi* Matsumura, 1908; *maculosus* Vilbaste, 1965
- 318. *Limotettix striola* (Fallén, 1806)** (Cicadellidae) **Synonym(s):** *striola* Fallén, 1806; *frenatus* Germar, 1821; *ferganensis* Dubovsky, 1966
- 319. *Macropsis graminea* (Fabricius, 1798)** (Cicadellidae) **Synonym(s):** *graminea* Fabricius, 1798; *populi* Edwards, 1919
- 320. *Macropsis scutellata* (Boheman, 1845)** (Cicadellidae) **Synonym(s):** *scutellata* Boheman, 1845; *tibialis* Scott, 1874
- 321. *Macrosteles fieberi* (Edwards, 1889)** (Cicadellidae) **Synonym(s):** *frontalis* Fieber, 1885 *nec* Sett., 1875; *fieberi* Edwards, 1889
- 322. *Macrosteles forficula* (Ribaut, 1927)** (Cicadellidae) **Synonym(s):** *forficula* Ribaut, 1927
- 323. *Macrosteles laevis* (Ribaut, 1927)** (Cicadellidae) **Synonym(s):** *laevis* Ribaut, 1927; *mannerheimi* Kontkanen, 1935; *nubila* Ossiannilsson, 1936
- 324. *Macrosteles quadripunctulatus* (Kirschbaum, 1868)** (Cicadellidae) **Synonym(s):** *quadripunctulatus* Kirschbaum, 1868; *ramigera* Zachvatkin, 1933
- 325. *Macrosteles sexnotatus* (Fallén, 1806)** (Cicadellidae) **Synonym(s):** *sexnotatus* Fallén, 1806; *devastans* Guérin-Ménéville, 1852; *didymus* Mulsant & Rey, 1855; *diminuta* Lethierry, 1876; *binotata* Rey, 1894; *submaculata* Rey, 1894
- 326. *Micantulina (Anufrievola) acuticeps* (Linnavuori, 1962)** (Cicadellidae) **Synonym(s):** *acuticeps* Linnavuori, 1962
- 327. *Micantulina (Anufrievola) stigmatipennis* (Mulsant & Rey, 1855)** (Cicadellidae) **Synonym(s):** *stigmatipennis* Mulsant & Rey, 1855; *quadripunctata* Kirschbaum, 1868; *pulcherrimus* Hovarth, 1884
- 328. *Mocuellus deminutus* Dlabola, 1981** (Cicadellidae) **Synonym(s):** *deminutus* Dlabola, 1981
- 329. *Mogangella secundaria* Dlabola, 1958** (Cicadellidae) **Synonym(s):** *secundaria* Dlabola, 1958
- 330. *Mogangella straminea* Dlabola, 1957** (Cicadellidae) **Synonym(s):** *straminea* Dlabola, 1957
- 331. *Neoliturus fenestratus* (Herrich-Schäffer, 1834)** (Cicadellidae) **Synonym(s):** *fenestratus* Herrich-Schäffer, 1834
- 332. *Neoliturus transversalis* (Puton, 1881)** (Cicadellidae) **Synonym(s):** *transversalis* Puton, 1881; *fasciata* Ferrari, 1885
- 333. *Opsius cypriacus* Lindberg, 1958** (Cicadellidae) **Synonym(s):** *cypriacus* Lindberg, 1958
- 334. *Phlepsius ornatus* (Perris, 1857)** (Cicadellidae) **Synonym(s):** *ornatus* Perris, 1857; *maculatus* Fieber, 1866; *asiaticus* Zachvatkin, 1945; *angorensis* Zachvatkin, 1945

- 335. *Platymetopius major* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 336. *Platymetopius shirazicus* Dlabola,1974** (Cicadellidae) Synonym(s): *shirazicus* Dlabola,1974
- 337. *Populicerus sharifi* Dlabola,1977** (Cicadellidae) Synonym(s): *sharifi* Dlabola,1977
- 338. *Psammotettix alienus* (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914
- 339. *Psammotettix cephalotes* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881
- 340. *Psammotettix comitans* Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964
- 341. *Psammotettix confinis* (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925
- 342. *Psammotettix ornaticeps* (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897
- 343. *Psammotettix pictipennis* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869
- 344. *Psammotettix provincialis* (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
- 345. *Rhoananus hypochlorus* (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869
- 346. *Rhytidodus nobilis* (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868
- 347. *Selenocephalus armeniacus* Lindberg,1960** (Cicadellidae) Synonym(s): *armeniaceus* Lindberg,1960
- 348. *Selenocephalus sirvadi* Dlabola,1965** (Cicadellidae) Synonym(s): *sirvadi* Dlabola,1965
- 349. *Stenometopiellus angorensis* Zachvatkin,1946** (Cicadellidae) Synonym(s): *angorensis* Zachvatkin,1946; *tesquorum* Emeljanov,1964
- 350. *Tamaricella ribauti* (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947
- 351. *Tamaricella tamaricis* (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961
- 352. *Tremulicerus mesopyrrhus* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952
- 353. *Tremulicerus poecilus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874
- 354. *Verdanus gazelicornis* (Dlabola,1980)** (Cicadellidae) Synonym(s): *gazelicornis* Dlabola,1980
- 355. *Verdanus pazoukii* (Dlabola,1980)** (Cicadellidae) Synonym(s): *pazoukii* Dlabola,1980
- 356. *Zyginidia* (s.str.) *sohrab* Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948

Cicadidae

- 357. *Cicadatra hyalina* (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923
- 358. *Cicadatra persica* Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (praeocc.); *persica* Kirkaldy,1909
- 359. *Cicadatra querula* (Pallas,1773)** (Cicadidae) Synonym(s): *querula* Pallas,1773; *steveni* Stal,1854 (praeocc.)
- 360. *Tibicina serhadensis* Koçak & Kemal,2010** (Cicadidae) Synonym(s): *serhadensis* Koçak & Kemal,2010

Cixiidae

- 361. *Hyalesthes obsoletus* Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 362. *Hyalesthes ponticorum* Hoch & Remane,1985** (Cixiidae) Synonym(s): *ponticorum* Hoch & Remane,1985
- 363. *Hyalesthes veyseli* Hoch,1985** (Cixiidae) Synonym(s): *veyseli* Hoch,1985
- 364. *Myndus musivus* (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825
- 365. *Pentastira major* (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 366. *Reptalus* (Trepalus) *rufocarinatus* (Kusnezov,1937)** (Cixiidae) Synonym(s): *rufocarinatus* Kusnezov,1937; *bitinctus* Dlabola,1961

- 367. *Reptalus (s.str.) quinquecostatus (Dufour,1833)* (Cixiidae) Synonym(s):** quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarinatus Kusnezov,1937
- 368. *Setapius bitinctus (Dlabola,1961)* (Cixiidae) Synonym(s):** bitinctus Dlabola,1961
- 369. *Tachycixius logvinenkovae Dlabola,1974* (Cixiidae) Synonym(s):** logvinenkovae Dlabola,1974

Delphacidae

- 370. *Javesella obscurella (Boheman,1847)* (Delphacidae) Synonym(s):** obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943
- 371. *Javesella pellucida (Fabricius,1794)* (Delphacidae) Synonym(s):** pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894
- 372. *Kelisia ribauti Wagner,1938* (Delphacidae) Synonym(s):** guttula Ribaut,1934 nec Germ.,1818; ribauti Wagner,1938
- 373. *Muirodelphax aubei (Perris,1857)* (Delphacidae) Synonym(s):** aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965
- 374. *Ribautodelphax pallens (Stål,1854)* (Delphacidae) Synonym(s):** pallens Stål,1854
- 375. *Sogatella vibix (Haupt,1927)* (Delphacidae) Synonym(s):** furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977

Dictyopharidae

- 376. *Dictyophara (s.str.) asiatica Melichar,1912* (Dictyopharidae) Synonym(s):** asiatica Melichar,1912
- 377. *Dictyophara (s.str.) europaea (Linnaeus,1767)* (Dictyopharidae) Synonym(s):** europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942
- 378. *Dictyophara (Euthremma) multireticulata Mulsant & Rey,1855* (Dictyopharidae) Synonym(s):** multireticulata Mulsant & Rey,1855; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensis Matsumura,1910; oertzeni Matsumura,1910

Issidae

- 379. *Agalmatium bilobum (Fieber,1877)* (Issidae) Synonym(s):** bilobum Fieber,1877
- 380. *Agalmatium flavescens (Olivier,1791)* (Issidae) Synonym(s):** flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868
- 381. *Mycterodus goricus (Dlabola,1958)* (Issidae) Synonym(s):** goricus Dlabola,1958
- 382. *Tshurtshurnella trifasciata (Linnavuori,1965)* (Issidae) Synonym(s):** trifasciata Linnavuori,1965

Liviidae

- 383. *Camarotoscena hoberlandti Vondracek,1952* (Liviidae) Synonym(s):** hoberlandti Vondracek,1952; #hoberlansti Klimaszewski & Lodos,1979

Membracidae

- 384. *Centrotus cornutus (Linnaeus,1758)* (Membracidae) Synonym(s):** cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955

Pseudococcidae

- 385. *Antonina graminis (Maskell,1897)* (Pseudococcidae) Synonym(s):** graminis Maskell,1897

- 386. *Atrococcus saxatilis* (Ter-Grigorian,1964)** (Pseudococcidae) Synonym(s): saxatilis Ter-Grigorian,1964
- 387. *Ceroputo pilosellae* Sulc,1898** (Pseudococcidae) Synonym(s): pilosellae Sulc,1898
- 388. *Dysmicoccus brevipes* (Cockerell,1875)** (Pseudococcidae) Synonym(s): brevipes Cockerell,1875
- 389. *Euripersia amnicola* Borchsenius,1948** (Pseudococcidae) Synonym(s): amnicola Borchsenius,1948
- 390. *Helicoccus radicola* Goux,1931** (Pseudococcidae) Synonym(s): radicola Goux,1931
- 391. *Heterococcopsis opertus* Borkhsenius,1949** (Pseudococcidae) Synonym(s): opertus Borchsenius,1949
- 392. *Mirococcopsis ammophila* Bazarov & Nurmamatov,1975** (Pseudococcidae) Synonym(s): ammophila Bazarov & Nurmamatov,1975
- 393. *Mirococcopsis avetianae* Ter-Grigorian,1964** (Pseudococcidae) Synonym(s): avetianae Ter-Grigorian,1964
- 394. *Mirococcopsis multicircularia* Kaydan & Gavrilov,2010** (Pseudococcidae) Synonym(s): multicircularia Kaydan & Gavrilov,2010
- 395. *Mirococcopsis subalpina* (Danzig,1985)** (Pseudococcidae) Synonym(s): subalpina Danzig,1985
- 396. *Mirococcopsis teberdae* (Danzig,1985)** (Pseudococcidae) Synonym(s): teberdae Danzig,1985
- 397. *Peliococcus manifectus* Borchsenius,1949** (Pseudococcidae) Synonym(s): manifectus Borchsenius,1949
- 398. *Peliococcus salviae* Hadzibejli,1963** (Pseudococcidae) Synonym(s): salviae Hadzibejli,1963
- 399. *Peliococcus tritubulatus* (Kiritshenko,1940)** (Pseudococcidae) Synonym(s): tritubulatus Kiritshenko,1940
- 400. *Phenacoccus angustatus* Borchsenius,1949** (Pseudococcidae) Synonym(s): angustatus Borchsenius,1949
- 401. *Phenacoccus avenae* Borchsenius,1949** (Pseudococcidae) Synonym(s): avenae Borchsenius,1949
- 402. *Phenacoccus chatakicus* Kaydan & Kozar,2011** (Pseudococcidae) Synonym(s): chatakicus Kaydan & Kozar,2011
- 403. *Phenacoccus eurotiae* Danzig,1985** (Pseudococcidae) Synonym(s): eurotiae Danzig,1985
- 404. *Phenacoccus incertus* (Kiritshenko,1940)** (Pseudococcidae) Synonym(s): incertus Kiritshenko,1940
- 405. *Phenacoccus loiki* Danzig,2001** (Pseudococcidae) Synonym(s): loiki Danzig,2001

Psyllidae

- 406. *Cacopsylla mariannae* (Baeva,1966)** (Psyllidae) Synonym(s): mariannae Baeva,1966
- 407. *Cyamophila glycyrrhizae* (Becker,1864)** (Psyllidae) Synonym(s): glycyrrhizae Becker,1864

Ricaniidae

- 408. *Ricania hedenborgi* Stal,1865** (Ricaniidae) Synonym(s): hedenborgi Stal,1865

Tettigometridae

- 409. *Tettigometra* (*Mitricephalus*) *macrocephalus* (Fieber,1865)** (Tettigometridae) Synonym(s): macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932
- 410. *Tettigometra* (*Stirometra*) *costulata* Fieber,1865** (Tettigometridae) Synonym(s): costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876
- 411. *Tettigometra* (s.str.) *sulphurea* Mulsant-Rey,1855** (Tettigometridae) Synonym(s): sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903
- 412. *Tettigometra* (s.str.) *virescens* (Panzer,1799)** (Tettigometridae) Synonym(s): virescens Panzer,1799; dorsalis Latreille,1804
- 413. *Tettigometra vitellina* Fieber,1865** (Tettigometridae) Synonym(s): vitellina Fieber,1865

Planipennia

Previously 18 species were listed (Koçak & Kemal, 2012: 17-19).

Ascalaphidae

- 414. Bubopsis hamata (Klug, 1834)** (Ascalaphidae) Synonym(s): hamatus Klug, 1834
415. Deleproctophylla dusmeti Navas, 1914 (Ascalaphidae) Synonym(s): dusmeti Navas, 1914
416. Deleproctophylla variegata (Klug, 1834) (Ascalaphidae) Synonym(s): variegata Klug, 1834
417. Iranoidricerus iranensis (Kimmins, 1938) (Ascalaphidae) Synonym(s): iranensis Kimmins, 1938
418. Libelloides macaronius (Scopoli, 1763) (Ascalaphidae) Synonym(s): macaronius Scopoli, 1763
419. Ptyngidricerus albardanus (McLachlan, 1891) (Ascalaphidae) Synonym(s): albardanus McLachlan, 1891

Chrysopidae

- 420. Chrysoperla carnea (Stephens, 1836)** (Chrysopidae) Synonym(s): carnea Stephens, 1836

Hemerobiidae

- 421. Megalomus tortricoides Rambur, 1842** (Hemerobiidae) Synonym(s): tortricoides Rambur, 1842; tener Navas, 1915

Mantispidae

- 422. Mantispa styriaca (Poda, 1761)** (Mantispidae) Synonym(s): styriaca Poda, 1761; pagana Fabricius, 1775; hauseri Poivre, 1982
423. Sagittalata perla (Pallas, 1772) (Mantispidae) Synonym(s): perla Pallas, 1772; christiana Charpentier, 1825; victorii Guérin-Méneville, 1845

Myrmeleonidae

- 424. Acanthaclisis occitanica (Villers, 1789)** (Myrmeleonidae) Synonym(s): occitanicum Villers, 1789; pisanus Rossi, 1790; georgianum Fischer v. Waldheim, 1846.
425. Macronemurus bilineatus Brauer, 1868 (Myrmeleonidae) Synonym(s): bilineatus Brauer, 1868
426. Megistopus flavicornis (Rossi, 1807) (Myrmeleonidae) Synonym(s): flavicornis Rossi, 1807; bisignatus Rambur, 1842
427. Myrmecaelurus major McLachlan, 1875 (Myrmeleonidae) Synonym(s): major McLachlan, 1875
428. Myrmecaelurus trigrammus (Pallas, 1771) (Myrmeleonidae) Synonym(s): trigrammus Pallas, 1771; pictum Fabricius, 1798; flavus Rambur, 1842
429. Myrmeleon (s.str.) formicarius Linnaeus, 1767 (Myrmeleonidae) Synonym(s): formicarius Linnaeus, 1767; formicalynx Linnaeus, 1767
430. Palpares libelluloides (Linnaeus, 1764) (Myrmeleonidae) Synonym(s): libelluloides Linnaeus, 1764; turcica Petiver & Empson, 1767; nordmanni Kolenati, 1846
431. Palpares turcicus Koçak, 1976 (Myrmeleonidae) Synonym(s): turcicus Koçak, 1976

Nemopteridae

- 432. Lertha palmonii Tjeder, 1970** (Nemopteridae) Synonym(s): palmonii Tjeder, 1970
433. Nemoptera sinuata Olivier, 1811 (Nemopteridae) Synonym(s): sinuata Olivier, 1811

Osmylidae

- 434. Osmylus multiguttatus McLachlan, 1870** (Osmylidae) Synonym(s): multiguttatus McLachlan, 1870

Raphidiidae

- 435. Phaeostigma (Aegeoraphidia) remane (H.Aspöck, U.Aspöck & Şengonca,1976)** (Raphidiidae) Synonym(s): remane H.Aspöck, U.Aspöck & Şengonca,1976
- 436. Raphidia (Pontoraphidia) pontica Albarda,1891** (Raphidiidae) Synonym(s): pontica Albarda,1891

Trichoptera

See previous paper (Koçak & Kemal, 2012: 20).

Mecoptera

Previously one species was given (Koçak & Kemal, 2012: 21).

Panorpidae

- 437. Panorpa tatvana Willmann,1974** (Panorpidae) Synonym(s): tatvana Willmann,1974

Diptera

Previously 181 species were listed (Koçak & Kemal, 2012: 58-65).

Acroceridae

- 438. Acrocera (Acrocerina) sanguinea Meigen,1804** (Acroceridae) Synonym(s): sanguinea Meigen,1804; trigramma Loew,1845
- 439. Acrocera (s.str.) orbiculus (Fabricius,1787)** (Acroceridae) Synonym(s): orbiculus Fabricius,1787; globula Panzer,1802; borealis Zetterstedt,1838
- 440. Ogcodes formosus Loew,1873** (Acroceridae) Synonym(s): formosus Loew,1873
- 441. Ogcodes zonatus Erichson,1840** (Acroceridae) Synonym(s): zonatus Erichson,1840

Anthomyiidae

- 442. Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): procellaris Rondani,1866

Asilidae

- 443. Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906

Bibionidae

- 444. Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930
- 445. Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846

Bombyliidae

- 446. Anastoechus hyrcanus (Wiedemann, 1818)** (Bombyliidae) Synonym(s): hyrcanus Wiedemann, 1818; viduus Becker, 1916
- 447. Anthrax anthrax (Schränk, 1781)** (Bombyliidae) Synonym(s): anthrax Schränk, 1781; sinuata Meigen, 1804
- 448. Anthrax sticticus Klug, 1832** (Bombyliidae) Synonym(s): sticticus Klug, 1832; polystigma Sack, 1909; quinque-maculatum Bezzi, 1924
- 449. Bombomyia discoidea (Fabricius, 1794)** (Bombyliidae) Synonym(s): analis Fabricius, 1794 nec Oliv., 1789; discoidea Fabricius, 1794; charopus Lichtenstein, 1796; thoracicus Fabricius, 1805; analis Thunberg, 1827; trichromus Paramonov, 1955
- 450. Bombylella atra (Scopoli, 1763)** (Bombyliidae) Synonym(s): ater Scopoli, 1763; #quartus Schaeffer, 1768; uralensis Gmelin, 1790; barbatus Pallas, 1818; lugubris Loew, 1855
- 451. Bombylisoma brevisculum (Loew, 1855)** (Bombyliidae) Synonym(s): brevisculum Loew, 1855
- 452. Bombylius (s.str.) discolor Mikan, 1796** (Bombyliidae) Synonym(s): discolor Mikan, 1796
- 453. Bombylius (s.str.) fimbriatus Meigen, 1820** (Bombyliidae) Synonym(s): fimbriatus Meigen, 1820; dimidiatus Wiedemann, 1820; ventralis Loew, 1855; debilis Loew, 1855; expleta Loew, 1855
- 454. Bombylius (s.str.) major Linnaeus, 1758** (Bombyliidae) Synonym(s): major Linnaeus, 1758; anonymus Sulzer, 1761; variegatus De Geer, 1776; aequalis Fabricius, 1781; lanigerus Geoffroy, 1785; sinuatus Mikan, 1796; fratellus Wiedemann, 1828; consanguineus Macquart, 1840; vicinus Macquart, 1840; albipectus Macquart, 1855; basilinea Loew, 1855; australis Loew, 1855; antenoreus Lioy, 1864; notialis Evenhuis, 1978
- 455. Bombylius (s.str.) medius Linnaeus, 1758** (Bombyliidae) Synonym(s): medius Linnaeus, 1758; punctatus De Geer, 1776; concolor Mikan, 1796; discolor Meigen, 1804; tectus panzer, 1804; intermedius Walker, 1849; albomicans Loew, 1855; pictipennis Loew, 1855; pallipes Loew, 1855; dalmatina Strobl, 1902 nec Lw., 1855; poecilopterus Bezzi, 1925; caucasicus Paramonov, 1940; varipennis Evenhuis, 1978
- 456. Caecanthrax arabicus (Macquart, 1840)** (Bombyliidae) Synonym(s): arabicus Macquart, 1840; punctum Loew, 1854; dimidiatus Greathead, 1980
- 457. Callostoma fascipenne Macquart, 1840** (Bombyliidae) Synonym(s): fascipenne Macquart, 1840; palaestinae Paramonov, 1931
- 458. Chalcocithon pallasii (Loew, 1856)** (Bombyliidae) Synonym(s): pallasii Loew, 1856; schineri Nowicki, 1868
- 459. Cononedys stenura (Loew, 1871)** (Bombyliidae) Synonym(s): stenura Loew, 1871
- 460. Conophorus pseudaduncus Paramonov, 1929** (Bombyliidae) Synonym(s): pseudaduncus Paramonov, 1929
- 461. Cyllenia marginata Loew, 1846** (Bombyliidae) Synonym(s): marginata Loew, 1846
- 462. Cyllenia rustica (Rossi, 1790)** (Bombyliidae) Synonym(s): rustica Rossi, 1790; maculata Latreille, 1802; cyllenia Lamarck, 1816
- 463. Cytherea obscura Fabricius, 1794** (Bombyliidae) Synonym(s): obscura Fabricius, 1794; tauriacus Becker, 1903; #tauricus Zaitzev, 1989
- 464. Exhyalanthrax afer (Fabricius, 1794)** (Bombyliidae) Synonym(s): afer Fabricius, 1794; fimbriata Meigen, 1804; marginalis Wiedemann, 1820; tangerinus Bigot, 1892; burtti Hesse, 1956; aquissexus Bowden, 1964; decipiens Bowden, 1964
- 465. Exoprosopa ahtamara Dils & Özbek, 2007** (Bombyliidae) Synonym(s): ahtamara Dils & Özbek, 2007
- 466. Exoprosopa baccha Loew, 1869** (Bombyliidae) Synonym(s): baccha Loew, 1869
- 467. Exoprosopa dispar (Loew, 1869)** (Bombyliidae) Synonym(s): dispar Loew, 1869; interrupta Paramonov, 1928 nec Wied., 1828; paramonovi Evenhuis, 1978
- 468. Exoprosopa efflatounbeyi Paramonov, 1928** (Bombyliidae) Synonym(s): efflatounbeyi Paramonov, 1928
- 469. Exoprosopa grandis (Wiedemann, 1820)** (Bombyliidae) Synonym(s): grandis Wiedemann, 1820; fasciata Dufour, 1850 nec Meig., 1804; turcomana Portschinsky, 1887
- 470. Exoprosopa jacchus (Fabricius, 1805)** (Bombyliidae) Synonym(s): jacchus Fabricius, 1805; picta Wiedemann, 1820; quadripunctata Paramonov, 1926
- 471. Exoprosopa melaena Loew, 1874** (Bombyliidae) Synonym(s): melaena Loew, 1874; abbreviata Paramonov, 1928
- 472. Exoprosopa minoides Paramonov, 1928** (Bombyliidae) Synonym(s): minoides Paramonov, 1928
- 473. Exoprosopa minos (Meigen, 1804)** (Bombyliidae) Synonym(s): minos Meigen, 1804; semialba Pallas & Wiedemann, 1818; germari Wiedemann, 1818; senilis Klug, 1832; albiventris Macquart, 1840
- 474. Exoprosopa pandora (Fabricius, 1805)** (Bombyliidae) Synonym(s): pandora Fabricius, 1805
- 475. Exoprosopa pectoralis Loew, 1862** (Bombyliidae) Synonym(s): pectoralis Loew, 1862
- 476. Exoprosopa rivularis (Meigen, 1820)** (Bombyliidae) Synonym(s): rivularis Meigen, 1820; argyrocephala Macquart, 1840; undans Walker, 1849

- 477. Hemipenthes morio (Linnaeus, 1758)** (Bombyliidae) Synonym(s): morio Linnaeus, 1758; semiatra Meigen, 1820; morioides Say, 1823
- 478. Hemipenthes velutina (Meigen, 1820)** (Bombyliidae) Synonym(s): velutinus Meigen, 1820; bicincta Wiedemann, 1820; nycthemera Wiedemann, 1820
- 479. Heteralonia (Acrodisca) suffusa (Klug, 1832)** (Bombyliidae) Synonym(s): suffusa Klug, 1832; conturbata Loew, 1869
- 480. Heteralonia (Homolonia) megerlei (Meigen, 1820)** (Bombyliidae) Synonym(s): megerlei Meigen, 1820; consanguinea Macquart, 1840; egyptiaca Macquart, 1840; campicola Eversmann, 1855; mayeti Bigot, 1888; aegyptiacus Bezzi, 1903; compar Bezzi, 1924; deserticola Paramonov, 1928; turanica Paramonov, 1928; conspicienda Austen, 1937
- 481. Heteralonia (Zygodiola) aeaca (Meigen, 1804)** (Bombyliidae) Synonym(s): aeaca Meigen, 1804; livida Pallas, 1818; bombyciformis Dufour, 1833; lutea Macquart, 1840
- 482. Lomatia belzebul (Fabricius, 1794)** (Bombyliidae) Synonym(s): belzebul Fabricius, 1794; fulvilaterus Pallas, 1818; loewi Paramonov, 1931
- 483. Lomatia tysiophone Loew, 1860** (Bombyliidae) Synonym(s): tysiophone Loew, 1860; infernalis Schiner, 1868
- 484. Micomitra stupida (Rossi, 1790)** (Bombyliidae) Synonym(s): stupida Rossi, 1790; rhadamanthus Meigen, 1804; chalcoides Pallas, 1818; vitreicosta Walker, 1849; vitreicosta Walker, 1849; squamea Mulsant, 1852
- 485. Pachyanthrax telamon (Loew, 1869)** (Bombyliidae) Synonym(s): telamon Loew, 1869; loewi Paramonov, 1928; loewi Zaitzev, 1989
- 486. Phthiria vagans Loew, 1846** (Bombyliidae) Synonym(s): vagans Loew, 1846; pallescens Engel, 1933
- 487. Spogostylum caucasicum (Zaitzev, 1961)** (Bombyliidae) Synonym(s): caucasicum Zaitzev, 1961
- 488. Spogostylum isis (Meigen, 1820)** (Bombyliidae) Synonym(s): isis Meigen, 1820; subnotata Walker, 1871 nec Wied., 1820
- 489. Spogostylum tripunctatum (Wiedemann, 1820)** (Bombyliidae) Synonym(s): tripunctatum Wiedemann, 1820; difficilis Wiedemann, 1820; mystaceum Macquart, 1840
- 490. Systoechus ctenopterus (Mikan, 1796)** (Bombyliidae) Synonym(s): ctenopterus Mikan, 1796; sulphureus Mikan, 1796; aurulentus Wiedemann, 1820; fulvus Meigen, 1820; dalmatinus Loew, 1855; convergens Loew, 1855; orientalis Zakhvatkin, 1954
- 491. Thyridanthrax incanus (Klug, 1832)** (Bombyliidae) Synonym(s): incanus Klug, 1832; testacea Macquart, 1840; varipennis Macquart, 1849
- 492. Thyridanthrax perspicillaris (Loew, 1869)** (Bombyliidae) Synonym(s): perspicillaris Loew, 1869; gallus Loew, 1869; hispanus Loew, 1869; ternarius Bezzi, 1920; idulus Hesse, 1956; speciosus Hesse, 1956; hessei Bowden, 1964
- 493. Toxophora fasciculata (Villers, 1789)** (Bombyliidae) Synonym(s): fasciculata Villers, 1789; maculata Rossi, 1790 nec Müll., 1764; completa Paramonov, 1933
- 494. Triplasius pictus (Panzer, 1794)** (Bombyliidae) Synonym(s): pictus Panzer, 1794; planicornis Fabricius, 1798
- 495. Villa hottentotta (Linnaeus, 1758)** (Bombyliidae) Synonym(s): hottentotta Linnaeus, 1758; nugator Harris, 1780
- 496. Villa laevis Becker, 1915** (Bombyliidae) Synonym(s): laevis Becker, 1915
- 497. Villa modesta (Meigen, 1820)** (Bombyliidae) Synonym(s): modesta Meigen, 1820
- 498. Villa mouchai François, 1969** (Bombyliidae) Synonym(s): mouchai François, 1969

Ceratopogonidae

- 499. Culicoides punctatus (Meigen, 1804)** (Ceratopogonidae) Synonym(s): punctatus Meigen, 1804; punctatus Latreille, 1809; impressus Kieffer, 1918; kasachstanicus Shakirzjanova, 1963; #puncatatus Navai & Mesghali, 1968

Chironomidae

- 500. Ablabemyia monilis (Linnaeus, 1758)** (Chironomidae) Synonym(s): monilis Linnaeus, 1758
- 501. Ablabemyia phatta (Egger, 1896)** (Chironomidae) Synonym(s): phatta Egger, 1896
- 502. Apsectrotamypus trifascipennis (Zetterstedt, 1850)** (Chironomidae) Synonym(s): trifascipennis Zetterstedt, 1850
- 503. Chironomus plumosus (Linnaeus, 1758)** (Chironomidae) Synonym(s): plumosus Linnaeus, 1758
- 504. Conchapelopia sp.** (Chironomidae) Synonym(s):
- 505. Cricotopus annulator Goetghebuer, 1927** (Chironomidae) Synonym(s): annulator Goetghebuer, 1927

- 506. *Cricotopus bicinctus* (Meigen, 1818)** (Chironomidae) Synonym(s): *bicinctus* Meigen, 1818
- 507. *Cricotopus flavocinctus* (Kieffer, 1924)** (Chironomidae) Synonym(s): *flavocinctus* Kieffer, 1924
- 508. *Cricotopus sylvestris* (Fabricius, 1794)** (Chironomidae) Synonym(s): *sylvestris* Fabricius, 1794
- 509. *Cricotopus vieriensis* Goetghebuer, 1935** (Chironomidae) Synonym(s): *vieriensis* Goetghebuer, 1935
- 510. *Cryptochironomus defectus* Kieffer, 1921** (Chironomidae) Synonym(s): *defectus* Kieffer, 1921
- 511. *Diplocladius cultriger* Kieffer, 1908** (Chironomidae) Synonym(s): *cultriger* Kieffer, 1908
- 512. *Einfeldia* sp.** (Chironomidae) Synonym(s):
- 513. *Eukiefferiella alpestris* Goetghebuer, 1935** (Chironomidae) Synonym(s): *alpestris* Goetghebuer, 1935
- 514. *Eukiefferiella breviceps* Kieffer, 1929** (Chironomidae) Synonym(s): *breviceps* Kieffer, 1929
- 515. *Eukiefferiella calvescens* Edw., 1929** (Chironomidae) Synonym(s): *calvescens* Edw., 1929
- 516. *Eukiefferiella discoloripes* Kieffer, 1929** (Chironomidae) Synonym(s): *discoloripes* Kieffer, 1929
- 517. *Limnophyes transcaucasicus* Tchern., 1949** (Chironomidae) Synonym(s): *transcaucasicus* Tchern., 1949
- 518. *Micropsectra curvicornis* (Tchernovskii, 1949)** (Chironomidae) Synonym(s): *curvicornis* Tchernovskii, 1949
- 519. *Orthocladius luteipes* Goetghebuer, 1921** (Chironomidae) Synonym(s): *luteipes* Goetghebuer, 1921
- 520. *Orthocladius oblidens* (Walker, 1856)** (Chironomidae) Synonym(s): *oblidens* Walker, 1856
- 521. *Orthocladius thienemanni* (Kieffer, 1918)** (Chironomidae) Synonym(s): *thienemanni* Kieffer, 1918
- 522. *Paracladius conversus* (Walker, 1856)** (Chironomidae) Synonym(s): *conversus* Walker, 1856
- 523. *Paramerina cingulata* (Walker, 1856)** (Chironomidae) Synonym(s): *cingulata* Walker, 1856
- 524. *Parametriocnemus stylatus* (Kieffer, 1924)** (Chironomidae) Synonym(s): *stylatus* Kieffer, 1924
- 525. *Paratanytarsus lauterborni* Kieffer, 1918** (Chironomidae) Synonym(s): *lauterborni* Kieffer, 1918
- 526. *Paratendipes intermedius* Tchern., 1949** (Chironomidae) Synonym(s): *intermedius* Tchern., 1949
- 527. *Polypedilum breviannatum* Tchern., 1949** (Chironomidae) Synonym(s): *breviannatum* Tchern., 1949
- 528. *Polypedilum convictum* (Walker, 1856)** (Chironomidae) Synonym(s): *convictum* Walker, 1856
- 529. *Potthastia* sp.** (Chironomidae) Synonym(s):
- 530. *Procladius* sp.** (Chironomidae) Synonym(s):
- 531. *Psectrocladius psilopterus* Kieffer, 1906** (Chironomidae) Synonym(s): *psilopterus* Kieffer, 1906
- 532. *Psectrocladius serpentrionalis* Tchern., 1949** (Chironomidae) Synonym(s): *serpentrionalis* Tchern., 1949
- 533. *Psectrocladius stratiotis* Kieffer, 1911** (Chironomidae) Synonym(s): *stratiotis* Kieffer, 1911
- 534. *Psectrocladius ventricosus* Kieffer, 1911** (Chironomidae) Synonym(s): *ventricosus* Kieffer, 1911
- 535. *Rheotanytarsus exiguus* Joh., 1937** (Chironomidae) Synonym(s): *exiguus* Joh., 1937
- 536. *Stictochironomus* sp.1** (Chironomidae) Synonym(s): -
- 537. *Stictochironomus* sp.2** (Chironomidae) Synonym(s): -
- 538. *Tanypus punctipennis* Meigen, 1818** (Chironomidae) Synonym(s): *punctipennis* Meigen, 1818
- 539. *Tanytarsus gregarius* Kieffer, 1911** (Chironomidae) Synonym(s): *gregarius* Kieffer, 1911
- 540. *Thienemannimyia lentiginosa* (Fries, 1830)** (Chironomidae) Synonym(s): *lentiginosa* Fries, 1830

Chloropidae

- 541. *Platycephala umbraculata* (Fabricius, 1794)** (Chloropidae) Synonym(s): *umbraculata* Fabricius, 1794; *agrorum* Fallén, 1820; *nigra* Meigen, 1830
- 542. *Thaumatomyia notata* (Meigen, 1830)** (Chloropidae) Synonym(s): *notata* Meigen, 1830; *ornata* Meigen, 1830; *circumdata* Meigen, 1830; *prodigiosa* Zenker, 1833; *lucida* Meigen, 1838; *copiosa* Schiner, 1872; *punctipleuris* Becker, 1913

Conopidae

- 543. *Conops flavicaudus* (Bigot, 1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cypris* Janssens, 1955; *flavicaudus* Stucke, Hayat & Özbek, 2008
- 544. *Dalmannia dorsalis* (Fabricius, 1794)** (Conopidae) Synonym(s): *dorsalis* Fabricius, 1794; *flavescens* Meigen, 1824; *dorsata* Meigen, 1824; *marginella* Zetterstedt, 1844; *vernalis* R-D., 1853; *confusa* Becker, 1922

- 545. *Myopa buccata* (Linnaeus,1758)** (Conopidae) Synonym(s): buccata Linnaeus,1758; buccae Harris,1776; florea R-D.,1853
- 546. *Myopa dorsalis* Fabricius,1794** (Conopidae) Synonym(s): testacea Gmelin,1793 nec Linn.,1767; dorsalis Fabricius,1794; ferruginea Panzer,[1794]; grandis Meigen,1804; nigrifacies Becker,1922
- 547. *Physocephala pusilla* (Meigen,1804)** (Conopidae) Synonym(s): pusilla Meigen,1804; lacera Meigen,1824; annulipes Wiedemann,1824; pumila Macquart,1835; tener Loew,1847; persica Becker,1913; punctithorax Becker,1913

Dolichopodidae

- 548. *Argyra vestita* (Wiedemann,1817)** (Dolichopodidae) Synonym(s): vestita Wiedemann,1817
- 549. *Asyndetus connexus* (Becker,1902)** (Dolichopodidae) Synonym(s): connexus Becker,1902
- 550. *Poecilobothrus bigoti* Mik,1883** (Dolichopodidae) Synonym(s): bigoti Mik,1883
- 551. *Medetera truncorum* Meigen,1824** (Dolichopodidae) Synonym(s): truncorum Meigen,1824; tenuicauda sensu Negrob.,1972 nec Lw.,1857
- 552. *Sympycnus pulicarius* (Fallén,1823)** (Dolichopodidae) Synonym(s): pulicarius Fallén,1823; annulipes Meigen,1824; pygmaeus Macquart,1827; cinerellus Zetterstedt,1838; desoutteri Parent,1925
- 553. *Syntormon denticulatum* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): denticulatus Zetterstedt,1843; aculeatus Zetterstedt,1843; biseriatus Loew,1850; pumilus Parent,1925
- 554. *Syntormon pallipes* (Fabricius,1794)** (Dolichopodidae) Synonym(s): pallipes Fabricius,1794; hamatus Zetterstedt,1843; pseudospicatus Strobl,1899; immaculatus Santos Abreu,1929

Drosophilidae

- 555. *Drosophila (Lordiphosa) andalusiaca* Strobl,1906** (Drosophilidae) Synonym(s): andalusiaca Strobl,1906; forcipata Collin,1952
- 556. *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt,1847)** (Drosophilidae) Synonym(s): pallida Zetterstedt,1847; disticha Duda,1921
- 557. *Scaptomyza (s.str.) flava* (Fallén,1823)** (Drosophilidae) Synonym(s): flava Fallén,1823; flaveola Meigen,1830; apicalis Hardy,1849; montana Wheeler,1949

Ephydridae

- 558. *Ephydra murina* Wirth,1975** (Ephydridae) Synonym(s): murina Wirth,1975
- 559. *Ephydra glauca* Meigen,1830** (Ephydridae) Synonym(s): glauca Meigen,1830; obscuripes Becker,1896
- 560. *Ochthera schembrii* Rondani,1847** (Ephydridae) Synonym(s): schembrii Rondani,1847; mantispa Loew,1847; setigera Czerny,1909

Heleomyzidae

- 561. *Tephrochlamys laeta* (Meigen,1830)** (Heleomyzidae) Synonym(s): laeta Meigen,1830

Hippoboscidae

- 562. *Pseudolynchia canariensis* (Macquart,1839)** (Hippoboscidae) Synonym(s): canariensis Macquart,1839; maura Bigot,1885

Lauxaniidae

- 563. *Eusapromyza multipunctata* (Fallén,1820)** (Lauxaniidae) Synonym(s): multipunctata Fallén,1820

Limoniidae

- 564. *Eloeophila* sp.?n., aff. *tigricosta* (sensu Osterbroek) (Limoniidae) Synonym(s):-**
565. *Limonia splendens* Kuntze, 1920 (Limoniidae) Synonym(s): *splendens* Kuntze, 1920; *zebrina* Savchenko, 1979

Muscidae

- 566. *Lispe nana* Macquart, 1835 (Muscidae) Synonym(s):** *nana* Macquart, 1835; *pulchella* Loew, 1847; *melitensis* Rondani, 1866; *meridionalis* Rondani, 1877
567. *Musca domestica* Linnaeus, 1758 (Muscidae) Synonym(s): *domestica* Linnaeus, 1758; *nebulo* Fabricius, 1794; *vicina* Macquart, 1851; *determinata* Walker, 1853
568. *Muscina stabulans* (Fallén, 1817) (Muscidae) Synonym(s): *stabulans* Fallén, 1817

Milichiidae

- 569. *Milichia speciosa* Meigen, 1830 (Milichiidae) Synonym(s):** *speciosa* Meigen, 1830

Mythicomyiidae

- 570. *Platypygus titanomedeia* Gharali & Evenhuis, 2011 (Mythicomyiidae) Synonym(s):** *titanomedeia* Gharali & Evenhuis, 2011
571. *Platypygus melinoproctus* Loew, 1873 (Mythicomyiidae) Synonym(s): *melinoproctus* Loew, 1873

Nemestrinidae

- 572. *Hirmoneura kunchuy* Koçak & Kemal, 2012 (Nemestrinidae) Synonym(s):** *kunchuy* Koçak & Kemal, 2012
573. *Nemestrinus caucasicus* (Fischer, 1806) (Nemestrinidae) Synonym(s): *caucasicus* Fischer, 1806; *analisis* Olivier, 1811; *adamsii* Fischer, 1812; *albofasciata* Wiedemann, 1828; *anthophorina* Portschnsky, 1881
574. *Neorhynchocephalus tauscheri* (Fischer, 1812) (Nemestrinidae) Synonym(s): *tauscheri* Fischer, 1812

Nycteribiidae

- 575. *Nycteribia* (s.str.) *latreillii* (Leach, 1817) (Nycteribiidae) Synonym(s):** *latreillii* Leach, 1817
576. *Penicillidia dufourii* (Westwood, 1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood, 1835

Oestridae

- 577. *Hypoderma bovis* (Linnaeus, 1758) (Oestridae) Synonym(s):** *bovis* Linnaeus, 1758

Opomyzidae

- 578. *Geomyza tripunctata* Fallén, 1823 (Opomyzidae) Synonym(s):** *tripunctata* Fallén, 1823; *pictipennis* Rondani, 1874; *bracata* Rondani, 1874; *calceata* Rondani, 1874
579. *Opomyza florum* (Fabricius, 1794) (Opomyzidae) Synonym(s): *florum* Fabricius, 1794

Platystomidae

- 580. *Platystoma chrysotoxum* Hendel, 1913 (Platystomidae) Synonym(s):** *chrysotoxum* Hendel, 1913
581. *Platystoma dimidiatum* Hendel, 1913 (Platystomidae) Synonym(s): *dimidiatum* Hendel, 1913

- 582. *Platystoma seminationis* (Fabricius, 1775)** (Platystomidae) Synonym(s): seminationis Fabricius, 1775; fulviventris Schrank, 1781; biseta Loew, 1868; vegetationis Rondani, 1869

Pipunculidae

- 583. *Tomosvaryella* sp.** (Pipunculidae) Synonym(s):-

Psychodidae

- 584. *Phlebotomus* (*Paraphlebotomus*) *jacusieli* Theodor, 1947** (Psychodidae) Synonym(s): jacusieli Theodor, 1947
585. *Phlebotomus* (s.str.) *papatasi* (Scopoli, 1786) (Psychodidae) Synonym(s): papatasi Scopoli, 1786; molesta Costa, 1840; breviventris Ristorcelli, 1943

Sarcophagidae

- 586. *Miltogrammidium* (s.str.) *taeniatum* (Meigen, 1824)** (Sarcophagidae) Synonym(s): taeniatum Meigen, 1824; pilimanum Rondani, 1859
587. *Sphenometopa bifasciata* (Brauer & Bergenstamm, 1891) (Sarcophagidae) Synonym(s): bifasciata Brauer & Bergenstamm, 1891
588. *Sarcophaga* (*Bercaea*) *africa* (Wiedemann, 1819) (Sarcophagidae) Synonym(s): africa Wiedemann, 1819
589. *Sphenometopa steinii* (Schiner, 1862) (Sarcophagidae) Synonym(s): steinii Schiner, 1862

Scathophagidae

- 590. *Scathophaga stercoraria* (Linnaeus, 1758)** (Scathophagidae) Synonym(s): stercoraria Linnaeus, 1758; exilis Harris, 1780; merdaria Fabricius, 1794; soror Wiedemann, 1818; parisiensis R-D., 1830; claripennis R-D., 1830; humilis R-D., 1830; merdivora R-D., 1830; lutipes Wiedemann, 1830; hottentota Macquart, 1843; helenae Thomson, 1868; erythrostoma Holmgren, 1883; asticha Szilady, 1926; polysticha Szilady, 1926; disticha Szilady, 1926; nigricans Szilady, 1926; alpestre Sack, 1937

Sciomyzidae

- 591. *Dichetophora obliterata* (Fabricius, 1805)** (Sciomyzidae) Synonym(s): obliterata Fabricius, 1805; ichneumonea R-D., 1830; gracilis Loew, 1845
592. *Hydromya dorsalis* (Fabricius, 1775) (Sciomyzidae) Synonym(s): dorsalis Fabricius, 1775; punctipennis Fallén, 1820; caeruleipennis R-D., 1830; obscuriventris Strobl, 1899; infuscata Villeneuve, 1912
593. *Pherbellia cinerella* (Fallén, 1820) (Sciomyzidae) Synonym(s): cinerella Fallén, 1820; herbarum R-D., 1830; meridionalis Strobl, 1898
594. *Trypetoptera punctulata* (Scopoli, 1763) (Sciomyzidae) Synonym(s): punctulata Scopoli, 1763; hieracii Fabricius, 1775; argus Fabricius, 1775; nemorum Fallén, 1820; gentilis R-D., 1830

Stratiomyidae

- 595. *Chloromyia speciosa* (Macquart, 1834)** (Stratiomyidae) Synonym(s): speciosa Macquart, 1834; melampogon Zeller, 1842; subalpina Strobl, 1910; nigripes Pleske, 1926
596. *Nemotelus* (s.str.) *obscuripes* Loew, 1871 (Stratiomyidae) Synonym(s): obscuripes Loew, 1871; modestus Loew, 1871
597. *Nemotelus* (s.str.) *rudifraci* (Berezovsky & Nartshuk, 1993) (Stratiomyidae) Synonym(s): rudifraci Berezovsky & Nartshuk, 1993
598. *Odontomyia flavissima* (Rossi, 1790) (Stratiomyidae) Synonym(s): flavissima Rossi, 1790; decora Meigen, 1822; infuscata Meigen, 1830; semiviolacea Brullé, 1832; nigripes Macquart, 1847; laufferi Strobl, 1909
599. *Odontomyia hydroleon* (Linnaeus, 1758) (Stratiomyidae) Synonym(s): hydroleon Linnaeus, 1758; felina Panzer, [1798]; alpina Jaennicke, 1866

- 600. *Odontomyia ornata* (Meigen, 1822) (Stratiomyidae)** **Synonym(s):** *ornata* Meigen, 1822; *signaticornis* Loew, 1846
- 601. *Oplodontha viridula* (Fabricius, 1775) (Stratiomyidae)** **Synonym(s):** *viridula* Fabricius, 1775; *canina* Panzer, [1798]; *jejuna* Schrank, 1803; *dentata* Meigen, 1804; *holosericea* Olivier, 1812; *lunata* Olivier, 1812; *subvittata* Meigen, 1822; *bimaculata* Meigen, 1835; *personata* Loew, 1846; *interrupta* Loew, 1846; *heydeni* Jaennicke, 1866
- 602. *Oxycera* (Camptopelta) *meigenii* Staeger, 1844 (Stratiomyidae)** **Synonym(s):** *meigenii* Staeger, 1844; *fraterna* Loew, 1873; *caucasica* Kertész, 1916; *turkestanica* Kertész, 1916; *sinica* Pleske, 1925; *transcaspia* Pleske, 1925; *pallidipes* Pleske, 1925
- 603. *Oxycera fallenii* Staeger, 1844 (Stratiomyidae)** **Synonym(s):** *fallenii* Staeger, 1844; *octomaculata* Yaroshevski, 1877
- 604. *Stratiomys cenisia* Meigen, 1822 (Stratiomyidae)** **Synonym(s):** *cenisia* Meigen, 1822; *flaviventris* Loew, 1846; *ahngeri* Pleske, 1901; *cypria* Pleske, 1902; *kervillei* Villeneuve, 1912; *planes* James, 1941
- 605. *Stratiomys chamaeleon* (Linnaeus, 1758) (Stratiomyidae)** **Synonym(s):** *chamaeleon* Linnaeus, 1758; *sellata* Sulzer, 1761; *spatula* Scopoli, 1763; *nigrodentata* Meigen, 1804; *haetica* Jaennicke, 1866; *unguicornis* Becker, 1887; *caucasica* Pleske, 1899; *kosnakowi* Pleske, 1901; *winogradowinikitini* Pleske, 1922
- 606. *Stratiomys ruficornis* (Macquart, 1838) (Stratiomyidae)** **Synonym(s):** *ruficornis* Macquart, 1838; *erythroceras* Egger, 1859; *pyrrhoceras* Loew, 1868
- 607. *Stratiomys singularior* (Harris, [1776]) (Stratiomyidae)** **Synonym(s):** *singularior* Harris, [1776]; *furcata* Fabricius, 1794; *pantheleon* Fallén, 1817; *riparia* Meigen, 1822; *paludosa* Siebke, 1863

Syrphidae

- 608. *Chrysotoxum cautum* (Harris, [1776]) (Syrphidae)** **Synonym(s):** *cautum* Harris, [1776]
- 609. *Chrysotoxum festum* (Linnaeus, 1758) (Syrphidae)** **Synonym(s):** *festum* Linnaeus, 1758; *bipunctatum* Müller, 1776; *imbelle* Harris, [1776]; *geographicum* Geoffroy, 1785; *annulatum* Loew, 1840; *infuscatum* Loew, 1840; *scutellare* Loew, 1840; *tomentosum* Giglio-Tos, 1890; *japonicum* Matsumura, 1916
- 610. *Chrysotoxum parmense* Rondani, 1845 (Syrphidae)** **Synonym(s):** *parmense* Rondani, 1845; *holzi* Becker, 1913
- 611. *Episyrphus balteatus* (De Geer, 1776) (Syrphidae)** **Synonym(s):** *cannabina* Scopoli, 1763; *balteatus* De Geer, 1776; *scitula* Harris, 1776; *alternata* Schrank, 1781; *nectarea* Fabricius, 1787; *nectarina* Wiedemann, 1830; *alternans* Macquart, 1842; *trigilatus* Walker, 1856
- 612. *Eristalinus (Eristalodes) taeniops* (Wiedemann, 1818) (Syrphidae)** **Synonym(s):** *taeniops* Wiedemann, 1818; *pulchripes* Wiedemann, 1822; *fasciatus* Germar, 1845; *aegyptius* Walker, 1849; *torridus* Walker, 1849; *completus* Santos-Abreu, 1924; *concinus* Santos-Abreu, 1924
- 613. *Eristalinus (Lathyrrophthalmus) aeneus* (Scopoli, 1763) (Syrphidae)** **Synonym(s):** *aeneus* Scopoli, 1763; *punctatus* Müller, 1764; *macrophthalmus* Preyßler, 1791; *taphicus* Wiedemann, 1830; *cuprovittatus* Wiedemann, 1830; *stygius* Newman, 1835; *sincerus* Harris, 1841; *aenescens* Macquart, 1842; *auricalcica* Rondani, 1865; *nigrolineatus* Hervé-Bazin, 1923
- 614. *Eristalinus (Lathyrrophthalmus) megacephalus* (Rossi, 1792) (Syrphidae)** **Synonym(s):** *megacephalus* Rossi, 1792
- 615. *Eristalis (Eoseritalis) alpinum* (Panzer, [1798]) (Syrphidae)** **Synonym(s):** *alpina* Panzer, [1798]; *caucasica* Portsichinsky, 1892; *kamtshatica* Violovitsh, 1977
- 616. *Eristalis (Eoseritalis) arbustorum* (Linnaeus, 1758) (Syrphidae)** **Synonym(s):** *arbustorum* Linnaeus, 1758; *nemorum* Linnaeus, 1758; *horticola* De Geer, 1776; *lineole* Harris, 1776; *lyra* Harris, 1776; *deflagrata* Preyßler, 1793; *fumigata* Becker, 1921; *bulgarica* Szilady, 1934; *polonica* Szilady, 1934; *strandi* Duda, 1940
- 617. *Eristalis* (s.str.) *nemorum* (Linnaeus, 1758) (Syrphidae)** **Synonym(s):** *nemorum* Linnaeus, 1758; *interruptus* Poda, 1761; *lineolae* Harris, 1776
- 618. *Eristalis* (s.str.) *tenax* (Linnaeus, 1758) (Syrphidae)** **Synonym(s):** *tenax* Linnaeus, 1758; *vulgaris* Scopoli, 1763; *fuscus* Scopoli, 1763; *porcinus* De Geer, 1776; *arbustorum* Schrank, 1781; *silvaticus* Meigen, 1822; *vulpinus* Meigen, 1822; *sinensis* Wiedemann, 1824; *columbica* Macquart, 1855; *ventralis* Thomson, 1869; *alpina* Strobl, 1909; *claripes* Santos Abreu, 1924; *rubix* Violovitsh, 1977
- 619. *Eumerus armenorum* Stackelberg, 1960 (Syrphidae)** **Synonym(s):** *armenorum* Stackelberg, 1960
- 620. *Eupeodes corollae* (Fabricius, 1794) (Syrphidae)** **Synonym(s):** *consisto* Harris, 1776; *corollae* Fabricius, 1794; *pyrorum* Schrank, 1803; *olitoria* Fallén, 1817; *lacerus* Meigen, 1822; *fulvifrons* Macquart, 1827; *crenatus* Macquart, 1927; *annularis* Curtis, 1837; *octomaculata* Curtis, 1837; *propinquus* Macquart, 1850; *topiarius* Walker, 1851; *berber* Bigot, 1884
- 621. *Eupeodes latifasciatus* (Macquart, 1829) (Syrphidae)** **Synonym(s):** *latifasciatus* Macquart, 1829; *affinis* Loew, 1840; *abbreviatus* Zetterstedt, 1849; *flavipes* Rondani, 1857; *submaculatus* Frey, 1918
- 622. *Eupeodes luniger* (Meigen, 1822) (Syrphidae)** **Synonym(s):** *luniger* Meigen, 1822; *nigrifemoratus* Macquart, 1829; *bucculatus* Rondani, 1857; *maricolor* Enderlein, 1938; *azureus* Szilady, 1940; *transcendens* Szilady, 1940
- 623. *Helophilus* (s.str.) *trivittatus* (Fabricius, 1805) (Syrphidae)** **Synonym(s):** *trivittatus* Fabricius, 1805

- 624. *Melanostoma mellinum* (Linnaeus,1758)** (Syrphidae) **Synonym(s):** mellinum Linnaeus,1758; facultas Harris,1776; scalare Panzer,1797; mellarium Meigen,1822; melliturgus Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinose Bigot,1884; nigricorne Stroble,1893
- 625. *Merodon (nigritarsis-gr.) hakkariensis* Vujic & Radenkovic,2013** (Syrphidae) **Synonym(s):** hakkariensis Vujic & Radenkovic,2013
- 626. *Merodon avidus* (Rossi,1790)** (Syrphidae) **Synonym(s):** avidus Rossi,1790; spinipes Fabricius,1794; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864
- 627. *Merodon distinctus* Palma,1863** (Syrphidae) **Synonym(s):** distinctus Palma,1863; dimorpha Szilady,1940
- 628. *Merodon erivanicus* Paramonov,1925** (Syrphidae) **Synonym(s):** erivanicus Paramonov,1925; kaloceros Hurkmans,1993
- 629. *Merodon femoratus* Sack,1913** (Syrphidae) **Synonym(s):** femoratus Sack,1913
- 630. *Merodon quadrinotatus* (Sack,1931)** (Syrphidae) **Synonym(s):** quadrinotatus Sack,1931
- 631. *Merodon velox* Loew,1869** (Syrphidae) **Synonym(s):** velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925
- 632. *Merodon warnckei* Hurkmans,1993** (Syrphidae) **Synonym(s):** warnckei Hurkmans,1993
- 633. *Palumbia (s.str.) eristoloides* (Portschinsky,1887)** (Syrphidae) **Synonym(s):** eristoloides Portschinsky,1887; flavipes Paramonov,1927
- 634. *Paragus (s.str.) albifrons* (Fallén,1817)** (Syrphidae) **Synonym(s):** albifrons Fallén,1817; lacerus Loew,1840; lavendulae Rondani,1865; macularis Szilady,1940
- 635. *Paragus (s.str.) bicolor* (Fabricius,1794)** (Syrphidae) **Synonym(s):** cruentata Geoffroy,1785; bicolor Fabricius,1794; melonchrysa Gmelin,1788; zonatus Meigen,1822; arcuatus Meigen,1822; ater Meigen,1822; taeniatus Meigen,1822; testaceus Meigen,1822; punctulatus Zetterstedt,1838; ruficauda Zetterstedt,1843; sexarcuatus Bigot,1862; angustifrons Loew,1863
- 636. *Paragus (s.str.) quadrifasciatus* Meigen,1822** (Syrphidae) **Synonym(s):** quadrifasciatus Meigen,1822; concinnus Wiedemann,1822; albifrons Wiedemann,1822; bifasciatus Macquart,1834; pulcherrimus Strobl,1893; variofasciatus Becker,1907; nohirae Matsumura,1916
- 637. *Pipizella caucasica* Skuffin,1976** (Syrphidae) **Synonym(s):** caucasica Skuffin,1976
- 638. *Pipizella curvittibia* Stackelberg,1960** (Syrphidae) **Synonym(s):** curvittibia Stackelberg,1960
- 639. *Scaeva selenitica* (Meigen,1822)** (Syrphidae) **Synonym(s):** selenitica Meigen,1822
- 640. *Sphaerophoria rueppelli* Wiedemann,1830** (Syrphidae) **Synonym(s):** rueppelli Wiedemann,1830
- 641. *Sphaerophoria scripta* (Linnaeus,1758)** (Syrphidae) **Synonym(s):** scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776
- 642. *Spilomyia triangulata* Steenis,2000** (Syrphidae) **Synonym(s):** triangulata Steenis,2000; #trivittata Koçak & Kemal,2013
- 643. *Syrpitta pipiens* (Linnaeus,1758)** (Syrphidae) **Synonym(s):** pipiens Linnaeus,1758; proxima Say,1824; obscuripes Strobl,1899; albicincta Santos Abreu,1924; flavicans Szilady,1940; vicina Szilady,1940; tenofemora Dzhafarova,1974
- 644. *Volucella bombylans* (Linnaeus,1758)** (Syrphidae) **Synonym(s):** bombylans Linnaeus,1758; mystacea Linnaeus,1758; pocopyges Poda,1761; tricolor Poda,1761; pennata Scopoli,1763; melanopyrrha Förster,1771; plumata DeGeer,1776; sonora Müller,1776; plumosa Gmelin,1790; vulpina Meigen,1830; haemorrhoidalis Zetterstedt,1838; alpicola Rondani,1857; variabilis Malm,1863; adulterina Rondani,1865; hybrida Rondani,1865; incestuosa Rondani,1865; spuria Rondani,1865; caucasica Portschinsky,1877; xantholeuca Mik,1887; terrestriiformis Drensky,1934; pyrenaea Doesburg,1951
- 645. *Volucella inanis* (Linnaeus,1758)** (Syrphidae) **Synonym(s):** inanis Linnaeus,1758; trifasciata Scopoli,1763; apivora DeGeer,1776; annulata Harris,[1776]; micans Fabricius,1794
- 646. *Volucella zonaria* (Poda,1761)** (Syrphidae) **Synonym(s):** zonaria Poda,1761; bifasciata Scopoli,1763; valentina Müller,1766; inanis Fabricius,1794 nec Linn.; fasciata Herrich-Schäffer,1829; beckeri Van der Goot,1961
- 647. *Xanthogramma citrofasciatum* (DeGeer,1776)** (Syrphidae) **Synonym(s):** festivum Linnaeus,1758; citrofasciatum DeGeer,1776
- 648. *Xanthogramma pedissequum* (Harris,1776)** (Syrphidae) **Synonym(s):** pedissequum Harris,1776; ornatum Meigen,1822; pulchrum Meigen,1822; decoratum Zetterstedt,1843; dives Rondani,1857; bilobatum Szilady,1940; flavifrons Szilady,1940; nigripes Szilady,1940; nobilitatum Frey,1946; flavipleura Coe,1957

Tabanidae

- 649. *Atylotus hendrixi* Leclercq,1967** (Tabanidae) **Synonym(s):** hendrixi Leclercq,1967
- 650. *Chrysops (s.str.) flavipes* Meigen,1804** (Tabanidae) **Synonym(s):** flavipes Meigen,1804; punctifer Loew,1858; #favipes Kılıç,1999
- 651. *Dasyrhamphus ater* (Rossi,1790)** (Tabanidae) **Synonym(s):** ater Rossi,1790; fuscatus Macquart,1826; transiens Walker,1848

- 652. *Haematopota scutellata* (Olsufjev, Moucha & Chvala, 1964)** (Tabanidae) Synonym(s): scutellata Olsufjev, Moucha & Chvala, 1964; pontica Olsufjev, 1964; rossica Olsufjev & Ivanitshuk, 1975
- 653. *Pangonius (s.str.) pyritosus* Loew, 1859** (Tabanidae) Synonym(s): pyritosus Loew, 1859; decipiens Kröber, 1921; hirsutipalpis Kröber, 1921
- 654. *Tabanus alvarengia* Schacht, 1987** (Tabanidae) Synonym(s): alvarengia Schacht, 1987
- 655. *Tabanus anthrax* Olsufjev, 1937** (Tabanidae) Synonym(s): anthrax Olsufjev, 1937; pfeifferi Kröber, 1939
- 656. *Tabanus bromius* Linnaeus, 1758** (Tabanidae) Synonym(s): bromius Linnaeus, 1758; maculatus De Geer, 1776; scalaris Meigen, 1820; glaucus Meigen, 1820; connexus Walker, 1856; antophilus Loew, 1858; glaucescens Schiner, 1862; flavofemoratus Strobl, 1909; nigricans Szilady, 1914; simplex Muschamp, 1939
- 657. *Tabanus glaucopis* Meigen, 1820** (Tabanidae) Synonym(s): ferrugineus Meigen, 1804 nec Ström, 1768; glaucopis Meigen, 1820; lunulatus Meigen, 1820; chlorophthalmus Meigen, 1820; flavicans Zeller, 1842; cognatus Loew, 1858; castellanus Strobl, 1906; rubra Muschamp, 1939
- 658. *Tabanus olsufjevi* Hauser, 1960** (Tabanidae) Synonym(s): olsufjevi Hauser, 1960
- 659. *Tabanus semiargenteus* Olsufjev, 1937** (Tabanidae) Synonym(s): semiargenteus Olsufjev, 1937
- 660. *Tabanus swiridowi* Portschiński, 1882** (Tabanidae) Synonym(s): swiridowi Portschiński, 1882
- 661. *Tabanus unifasciatus* Loew, 1858** (Tabanidae) Synonym(s): unifasciatus Loew, 1858; albescens Kröber, 1928
- 662. *Tabanus yasujensis* Jezek, 1981** (Tabanidae) Synonym(s): yasujensis Jezek, 1981
- 663. *Theriopectes carabaghensis* (Portschiński, 1877)** (Tabanidae) Synonym(s): carabaghensis Portschiński, 1877; orientalis Olsufjev, 1977
- 664. *Theriopectes tricolor* Zeller, 1842** (Tabanidae) Synonym(s): tricolor Zeller, 1842; ruficauda Enderlein, 1925; kirchbergi Moucha & Chvala, 1959

Tachinidae

- 665. *Cylindromyia (s.str.) brassicaria* (Fabricius, 1775)** (Tachinidae) Synonym(s): brassicaria Fabricius, 1775; bosci R-D., 1830; trinacrina Bigot, 1878; sapporensis Matsumura, 1916
- 666. *Ectophasia crassipennis* (Fabricius, 1794)** (Tachinidae) Synonym(s): crassipennis Fabricius, 1794
- 667. *Ectophasia oblonga* (R-D., 1830)** (Tachinidae) Synonym(s): oblonga R-D., 1830; arvensis R-D., 1830; vagans Meigen, 1830; dissimilis Rondani, 1842; pulverulenta Bigot, 1860; tessellata R-D., 1863; rubra Girschner, 1888
- 668. *Eliozeta helluo* (Fabricius, 1805)** (Tachinidae) Synonym(s): helluo Fabricius, 1805; helvola Meigen, 1824; cylindrica R-D., 1830; gentilis R-D., 1830; seiuncta Rondani, 1862; aurea R-D., 1863
- 669. *Eriothrix rufomaculatus* (De Geer, 1776)** (Tachinidae) Synonym(s): lateralis Fabricius, 1775; rufomaculatus De Geer, 1776; demano Harris, 1780; tachinaria Fallén, 1815
- 670. *Gonia maculipennis* Egger, 1862** (Tachinidae) Synonym(s): maculipennis Egger, 1862
- 671. *Gonia ornata* Meigen, 1826** (Tachinidae) Synonym(s): ornata Meigen, 1826
- 672. *Gymnosoma clavatum* (Rohdendorf, 1947)** (Tachinidae) Synonym(s): clavata Rohdendorf, 1947; verbekei Mesnil, 1952
- 673. *Macquartia tessellum* (Meigen, 1824)** (Tachinidae) Synonym(s): tessellum Meigen, 1824; brevicornis Macquart, 1839; occlusa Rondani, 1859; brunusquamis R-D., 1863; microcera R-D., 1863; olivaceomaculata Portschiński, 1881; genistae Pandelle, 1895
- 674. *Mintho rufiventris* (Fallén, 1817)** (Tachinidae) Synonym(s): rufiventris Fallén, 1817; lacera Rondani, 1847
- 675. *Tachina (Eudoromyia) fera* (Linnaeus, 1761)** (Tachinidae) Synonym(s): fera Linnaeus, 1761; reccumbo Harris, 1776; virgo Meigen, 1824; intermedia R-D., 1830; ruficornis Meigen, 1838; fulviceps Meigen, 1838; tetramera Zetterstedt, 1849; algira Macquart, 1849; autumnalis Giglio-Tos, 1890; cenisia Giglio-Tos, 1891; ligustica Giglio-Tos, 1891; macquarti Giglio-Tos, 1891; meigeni Giglio-Tos, 1891; pamirica Zimin, 1967; imitatrix Zimin, 1967
- 676. *Tachina (Servillia) lurida* (Fabricius, 1781)** (Tachinidae) Synonym(s): lurida Fabricius, 1781
- 677. *Zophomyia temula* (Scopoli, 1763)** (Tachinidae) Synonym(s): temula Scopoli, 1763

Tephritidae

- 678. *Acanthiophilus helianthi* (Rossi, 1790)** (Tephritidae) Synonym(s): helianthi Rossi, 1790; eluta Meigen, 1826
- 679. *Campiglossa producta* (Loew, 1844)** (Tephritidae) Synonym(s): producta Loew, 1844; insularis Wollaston, 1858
- 680. *Campiglossa tesellata* (Loew, 1844)** (Tephritidae) Synonym(s): tesellata Loew, 1844; producta Loew, 1844
- 681. *Euleia heracleii* (Linnaeus, 1758)** (Tephritidae) Synonym(s): heracleii Linnaeus, 1758; onopordinis Fabricius, 1775; centauriae Fabricius, 1794; onopordi Schrank, 1803; berberidis Schrank, 1803

- 682. *Heringina guttata* (Fallén,1814)** (Tephritidae) **Synonym(s):** guttata Fallén,1814; gemmata Meigen,1826
- 683. *Hypenidium* sp.** (Tephritidae) **Synonym(s):-**
- 684. *Orellia falcata* (Scopoli,1763)** (Tephritidae) **Synonym(s):** falcata Scopoli,1763; abdominalis R-D.,1830; octopunctata Macquart,1835
- 685. *Oxyaciura tibialis* R-D.,1830** (Tephritidae) **Synonym(s):** tibialis R-D.,1830; gagates Loew,1846
- 686. *Sphenella marginata* (Fallén,1814)** (Tephritidae) **Synonym(s):** marginata Fallén,1814; linariae R-D.,1830; miranda Wollaston,1858; tenerifensis Bigot,1892; austrina Munro,1957
- 687. *Tephritis acanthiophilopsis* M.Hering,1937** (Tephritidae) **Synonym(s):** acanthiophilopsis M.Hering,1937
- 688. *Tephritis hurvitz* Freidberg,1980** (Tephritidae) **Synonym(s):** hurvitz Freidberg,1980
- 689. *Tephritis merzi* Freidberg & Kütük,2002** (Tephritidae) **Synonym(s):** merzi Freidberg & Kütük,2002
- 690. *Tephritis postica* (Loew,1844)** (Tephritidae) **Synonym(s):** postica Loew,1844
- 691. *Tephritis pulchra* (Loew,1844)** (Tephritidae) **Synonym(s):** pulchra Loew,1844
- 692. *Tephritis* sp.?n. (det.V.Korneyev)** (Tephritidae) **Synonym(s):**
- 693. *Tephritomyia lauta* (Loew,1869)** (Tephritidae) **Synonym(s):** lauta Loew,1869; veliformis Becker,1907
- 694. *Terellia* (Ceraiocera) *gynaecochroma* (M.Hering,1936)** (Tephritidae) **Synonym(s):** gynaecochroma M.Hering,1936
- 695. *Terellia* (s.str.) *quadratura* (Loew,1869)** (Tephritidae) **Synonym(s):** quadratura Loew,1869
- 696. *Terellia* (s.str.) *serratulae* (Linnaeus,1758)** (Tephritidae) **Synonym(s):** serratulae Linnaeus,1758; pallens Wiedemann,1824; palpata R-D.,1830; luteola R-D.,1830; dentata Loew,1844
- 697. *Trupanea amoena* (Frauenfeld,1857)** (Tephritidae) **Synonym(s):** amoena Frauenfeld,1857; parisiensis R-D.,1830; #amonea Giray,1979
- 698. *Trupanea stellata* (Fuesslin,1775)** (Tephritidae) **Synonym(s):** stellata Fuesslin,1775; radiata Schrank,1795; terminata Fallén,1814; calcitrapae R-D.,1830
- 699. *Urophora iani* Korneyev & Merz,1998** (Tephritidae) **Synonym(s):** iani Korneyev & Merz,1998
- 700. *Urophora impicta* (M.Hering,1942)** (Tephritidae) **Synonym(s):** impicta M.Hering,1942; hermonis Freidberg,1974
- 701. *Urophora jaceana* (M.Hering,1935)** (Tephritidae) **Synonym(s):** jaceana M.Hering,1935; #jacaena Bayrak & Hayat,2012
- 702. *Urophora mauritanica* (Macquart,1851)** (Tephritidae) **Synonym(s):** ?algira Macquart,1843; mauritanica Macquart,1851; macrura Loew,1855; lejura Rondani,1870; ?sejuncta Becker,1907
- 703. *Urophora quadrifasciata* (Meigen,1826)** (Tephritidae) **Synonym(s):** quadrifasciata Meigen,1826; sjumorum Rohdendorf,1934 [ssp.]
- 704. *Urophora solstitialis* (Linnaeus,1758)** (Tephritidae) **Synonym(s):** solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii R-D.,1830; sibynata Rondani,1870; veruata Rondani,1870; sejuncta Becker,1907; sonderupi M.Hering,1940; #solstitialis Bayrak & Hayat,2012
- 705. *Xyphosia miliaria* (Schrank,1781)** (Tephritidae) **Synonym(s):** miliaria Schrank,1781; arcuata Fabricius,1782 nec Linn.,1758; sphaerocephali Schrank,1803; cirsiorum R-D.,1830; meridionalis O.Costa,1854; punctipennis Hendel,1927 [ssp.]; orientalis M.Hering,1936 [ssp.]; balcanica Drensky,1943

Therevidae

- 706. *Thereva plebeja* (Linnaeus,1758)** (Therevidae) **Synonym(s):** plebeja Linnaeus,1758; fasciatus De Geer,1776; monos Haris,1780; lugens Loew,1847; lichtwardti Kröber,1913

Tipulidae

- 707. *Nephrotoma croceiventris* (Strobl,1909)** (Tipulidae) **Synonym(s):** croceiventris Strobl,1909
- 708. *Nephrotoma nox* (Riedel,1910)** (Tipulidae) **Synonym(s):** nox Riedel,1910; rossica Riedel,1920; kozhevnikovi Dodonov,1925
- 709. *Nephrotoma scalaris* (Meigen,1818)** (Tipulidae) **Synonym(s):** scalaris Meigen,1818; imperialis Meigen,1818
- 710. *Tipula* (*Acutipula*) *latifurca* Vermoolen,1983** (Tipulidae) **Synonym(s):** latifurca Vermoolen,1983
- 711. *Tipula* (s.str.) *orientalis* Lackschewitz,1930** (Tipulidae) **Synonym(s):** orientalis Lackschewitz,1930
- 712. *Tipula* (*Yamatotipula*) *guentheri* Oosterbroek,1994** (Tipulidae) **Synonym(s):** guentheri Oosterbroek,1994

- 713. *Tipula (Yamatotipula) iranensis* Theowald, 1978** (Tipulidae) Synonym(s): *iranensis* Theowald, 1978; *subsoltaria* Theowald, 1978
- 714. *Tipula (Yamatotipula) lateralis* Meigen, 1804** (Tipulidae) Synonym(s): *lateralis* Meigen, 1804; *itermedia* Eiroa, 1990

Ulidiidae

- 715. *Ceroxys urticae* (Linnaeus, 1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus, 1758; *?baneai* Gheorghiu, 1994
- 716. *Dorycera graminum* (Fabricius, 1794)** (Ulidiidae) Synonym(s): *graminum* Fabricius, 1794; *thamnicola* R-D., 1830
- 717. *Dorycera caucasica* Hendel, 1910** (Ulidiidae) Synonym(s): *caucasica* Hendel, 1910
- 718. *Otites formosa* (Panzer, 1798)** (Ulidiidae) Synonym(s): *formosa* Panzer, 1798; *ruficeps* Fabricius, 1805; *gangraenosa* Fabricius, 1805; *elegans* Latreille, 1805; *ornata* Meigen, 1826; *genualis* Loew, 1868
- 719. *Seioptera vibrans* (Linnaeus, 1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus, 1758; *urticae* R-D., 1830
- 720. *Timia (Empyelocera) sp.*** (Ulidiidae) Synonym(s): -
- 721. *Ulidia apicalis* Meigen, 1826** (Ulidiidae) Synonym(s): *apicalis* Meigen, 1826

Hymenoptera

Previously 209 species were listed (Koçak & Kemal, 2012: 66-71).

Andrenidae

- 722. *Andrena (Melandrena) cineraria* (Linnaeus, 1758)** (Andrenidae) Synonym(s): *cineraria* Linnaeus, 1758
- 723. *Andrena (Campylogaster) caroli* Pérez, 1895** (Andrenidae) Synonym(s): *caroli* Pérez, 1895
- 724. *Andrena (Nobandrena) comptaeformis* Gusenleitner & Schwarz, 2000** (Andrenidae) Synonym(s): *comptaeformis* Gusenleitner & Schwarz, 2000
- 725. *Andrena (Plastandrena) pilipes* Fabricius, 1781** (Andrenidae) Synonym(s): *pilipes* Fabricius, 1781; *dolorosa* Nurse, 1904
- 726. *Andrena (Melandrena) thoracica* (Fabricius, 1775)** (Andrenidae) Synonym(s): *thoracica* Fabricius, 1775
- 727. *Andrena (Scitandrena) scita* Eversmann, 1852** (Andrenidae) Synonym(s): *scita* Eversmann, 1852

Apidae

- 728. *Allodape libanensis* (Friese, 1899)** (Apidae) Synonym(s): *libanensis* Friese, 1899
- 729. *Amegilla albigena* (Lepeletier, 1841)** (Apidae) Synonym(s): *albigena* Lepeletier, 1841; *albida* Dours, 1869
- 730. *Amegilla quadrifasciata* (Villers, 1789)** (Apidae) Synonym(s): *quadrifasciata* Villers, 1789; *albescens* Dours, 1869; *merwensis* Radoszkowski, 1893; *farinosa* Alfken, 1926; *mediterranea* Alfken, 1927; *teneriffensis* Cockerell, 1930
- 731. *Anthophora (Mystacanthophora) borealis* Morawitz, 1864** (Apidae) Synonym(s): *borealis* Morawitz, 1864
- 732. *Anthophora (Pyganthophora) aestivalis* (Panzer, 1801)** (Apidae) Synonym(s): *aestivalis* Panzer, 1801; *intermedia* Lepeletier, 1841
- 733. *Anthophora (Pyganthophora) retusa* (Linnaeus, 1758)** (Apidae) Synonym(s): *retusa* Linnaeus, 1758; *monacha* Erichson, 1849; *meridionalis* Pérez, 1879; *baicalensis* Hedicke, 1929; *rudolphae* Romankova, 2003
- 734. *Anthophora (s.str.) plumipes* (Pallas, 1772)** (Apidae) Synonym(s): *plumipes* Pallas, 1772; *acervorum* Fabricius, 1775; *pilipes* Fabricius, 1775; *hirsuta* Fabricius, 1787; *rufipes* Christ, 1791; *sicula* Smith, 1853; *soror* Pérez, 1905; *lisbonensis* Cockerell, 1922; *palaestinensis* Hedicke, 1936; *cypriaca* Mavromoustakis, 1957
- 735. *Apis (s.str.) mellifera* Linnaeus, 1758** (Apidae) Synonym(s): *mellifera* Linnaeus, 1758; *mellifica* Linnaeus, 1761
- 736. *Bombus (Megabombus) argillaceus* (Scopoli, 1763)** (Apidae) Synonym(s): *argillaceus* Scopoli, 1763; *sichelii* Radoszkowski, 1859

- 737. Bombus (Megabombus) armeniacus (Radoszkowski, 1877)** (Apidae) Synonym(s): armeniacus Radoszkowski, 1877; scythes Skorikov, 1925
- 738. Bombus (Megabombus) mesomelas (Gerstaecker, 1869)** (Apidae) Synonym(s): mesomelas Gerstaecker, 1869; elegans Seidl, 1837
- 739. Bombus (Melanobombus) incertus Morawitz, 1881** (Apidae) Synonym(s): incertus Morawitz, 1881
- 740. Bombus (Pyrobombus) brodmannicus Vogt, 1909** (Apidae) Synonym(s): brodmannicus Vogt, 1909
- 741. Bombus (Sibiricobombus) niveatus Kriechbaumer, 1870** (Apidae) Synonym(s): niveatus Kriechbaumer, 1870; vorticosus Gerstaecker, 1872
- 742. Bombus (Subterraneobombus) fragrans (Pallas, 1771)** (Apidae) Synonym(s): fragrans Pallas, 1771
- 743. Bombus (Thoracobombus) laesus Morawitz, 1875** (Apidae) Synonym(s): laesus Morawitz, 1875; sidemii Radoszkowski, 1888; #maculidorsis Skorikov, 1922; ?tianschanicus Panfilov, 1956; ferrugifer Reinig, 1971
- 744. Bombus (Thoracobombus) ruderarius (Müller, 1776)** (Apidae) Synonym(s): ruderarius Müller, 1776
- 745. Bombus (Thoracobombus) sylvarum (Linnaeus, 1761)** (Apidae) Synonym(s): sylvarum Linnaeus, 1761
- 746. Bombus (Thoracobombus) zonatus Smith, 1854** (Apidae) Synonym(s): zonatus Smith, 1854
- 747. Ceratina cyanea (Kirby, 1802)** (Apidae) Synonym(s): cyanea Kirby, 1802; coerulea Chevrier, 1872; chevrieri Tournier, 1876; imitatrix Markowsky, 1938
- 748. Ceratina rasmonti Terzo, 1998** (Apidae) Synonym(s): rasmonti Terzo, 1998
- 749. Ceratina sakagamii Terzo, 1998** (Apidae) Synonym(s): sakagamii Terzo, 1998
- 750. Ceratina zwakhalsi Terzo & Rasmont, 1997** (Apidae) Synonym(s): zwakhalsi Terzo & Rasmont, 1997
- 751. Eucera (Pileteucera) fasciata Risch, 1999** (Apidae) Synonym(s): fasciata Risch, 1999
- 752. Eucera clypeata Erichson, 1835** (Apidae) Synonym(s): clypeata Erichson, 1835; similis Lepeletier, 1841
- 753. Eucera hispana Lepeletier, 1841** (Apidae) Synonym(s): hispana Lepeletier, 1841
- 754. Eucera interrupta Bär, 1850** (Apidae) Synonym(s): interrupta Bär, 1850
- 755. Melecta albifrons (Förster, 1771)** (Apidae) Synonym(s): albifrons Förster, 1771; punctata Fabricius, 1775; albovaria Erichson, 1840; armata Panzer, 1799; pseudoarmata Radoszkowski, 1893; mediterranea Gribodo, 1893; gigantea Friese, 1925; minima Friese, 1925
- 756. Tetralonia alternans Brullé, 1832** (Apidae) Synonym(s): alternans Brullé, 1832
- 757. Tetralonia compacta (Morawitz, 1875)** (Apidae) Synonym(s): compacta Morawitz, 1875
- 758. Tetralonia ruficornis (Fabricius, 1804)** (Apidae) Synonym(s): ruficornis Fabricius, 1804
- 759. Tetralonia vicina Morawitz, 1876** (Apidae) Synonym(s): vicina Morawitz, 1876
- 760. Tetraloniella fulvescens (Giraud, 1863)** (Apidae) Synonym(s): fulvescens Giraud, 1863; acutangula Morawitz, 1876
- 761. Xylocopa (Ancylocopa) parviceps Morawitz, 1895** (Apidae) Synonym(s): parviceps Morawitz, 1895
- 762. Xylocopa (Copoxyla) armeniaca Warncke, 1982** (Apidae) Synonym(s): armeniaca Warncke, 1982
- 763. Xylocopa (Copoxyla) iris (Christ, 1791)** (Apidae) Synonym(s): iris Christ, 1791; nasuta Christ, 1791; cyanescens Brullé, 1832; taurica Erichson, 1841; minuta Lepeletier, 1841; canuta Rondani, 1874; virescentis Strand, 1917; alicae Cockerell, 1931
- 764. Xylocopa (Proxylocopa) olivieri Lepeletier, 1841** (Apidae) Synonym(s): olivieri Lepeletier, 1841
- 765. Xylocopa (Proxylocopa) rufa Friese, 1901** (Apidae) Synonym(s): rufa Friese, 1901; erivaniensis Pérez, 1901
- 766. Xylocopa (s.str.) valga Gerstaecker, 1872** (Apidae) Synonym(s): valga Gerstaecker, 1872; ramulorum Rondani, 1874; convexa Smith, 1878
- 767. Xylocopa (s.str.) violacea (Linnaeus, 1758)** (Apidae) Synonym(s): violacea Linnaeus, 1758; insubrica Müller, 1766; femorata Fabricius, 1804

Argidae

- 768. Arge cyanocrocea (Forster, 1771)** (Argidae) Synonym(s): cyanocrocea Forster, 1771; syriaca Mocsary, 1880
- 769. Arge ochropus (Gmelin, 1790)** (Argidae) Synonym(s): ochropus Gmelin, 1790
- 770. Arge pagana (Panzer, 1798)** (Argidae) Synonym(s): pagana Panzer, 1798; flaviventris Fallén, 1807; stephensii Leach, 1817
- 771. Arge ustulata (Linnaeus, 1758)** (Argidae) Synonym(s): ustulata Linnaeus, 1758

Braconidae

- 772. Bassus rugulosus (Nees ab Esenbeck, 1834)** (Braconidae) Synonym(s): rugulosus Nees ab Esenbeck, 1834
- 773. Bracon (Glabrobracon) variator (Nees ab Esenbeck, 1812)** (Braconidae) Synonym(s): variator Nees ab Esenbeck, 1812; bipartitus Wesmael, 1838; dichromus Wesmael, 1838; maculiger Wesmael, 1838; collinus Szépligeti, 1896; breviventris Szépligeti, 1901; hemiflavus Szépligeti, 1901; hyalinipennis Szépligeti, 1901; rotundatus Szépligeti, 1901; explorator Szépligeti, 1904; rotundulus Szépligeti, 1904; biorrhizae Fahringer, 1928; pumilionis Roman, 1928; collaris Telenga, 1936; ornatulus Telenga, 1936
- 774. Bracon (Habrobracon) hebetor Say, 1835** (Braconidae) Synonym(s): hebetor Say, 1835; dorsator Say, 1836; brevicornis Wesmael, 1838; juglandis Ashmead, 1889; brunneus Szépligeti, 1901; beneficentior Viereck, 1911; brevantennatus De Stefani, 1919; asiaticus Telenga, 1936; flavus Telenga, 1936; turkestanicus Telenga, 1936;...
- 775. Bracon (s.str.) luteator Spinola, 1808** (Braconidae) Synonym(s): luteator Spinola, 1808; maculator Brullé, 1832; nigripedator Nees, 1834; filicauda Costa, 1888; intermedius Szépligeti, 1896; hypopygialis Szépligeti, 1901; pilosulus Szépligeti, 1901
- 776. Bracon (s.str.) mimutator (Fabricius, 1798)** (Braconidae) Synonym(s): mimutator Fabricius, 1798; abscissor Nees, 1834; oostmaeli Wesmael, 1838; regularis Wesmael, 1838; trucidator Marshall, 1888; thalassinus Schmiedeknecht, 1897; sulcatus Szépligeti, 1896; rufigaster Szépligeti, 1901; subrugosus Szépligeti, 1901; tener Szépligeti, 1904; pannonicus Szépligeti, 1904
- 777. Bracon (s.str.) pectoralis (Wesmael, 1838)** (Braconidae) Synonym(s): pectoralis Wesmael, 1838; obscuricornis Szépligeti, 1896; ochrosus Szépligeti, 1896; sulphurator Szépligeti, 1896
- 778. Bracon (s.str.) trucidator Marshall, 1888** (Braconidae) Synonym(s): trucidator Marshall, 1888; bilineatus Thomson, 1892; hilaris Marshall, 1897; subrugosus Szépligeti, 1901; pannonicus Szépligeti, 1904
- 779. Bracon (s.str.) variagator Spinola, 1808** (Braconidae) Synonym(s): variagator Spinola, 1808; melanosoma Szépligeti, 1901; micros Szépligeti, 1901; nanulus Szépligeti, 1901
- 780. Foesteria longicauda Achterberg, 1990** (Braconidae) Synonym(s): longicauda Achterberg, 1990
- 781. Meteorus rubens (Nees ab Esenbeck, 1811)** (Braconidae) Synonym(s): rubens Nees ab Esenbeck, 1811; leviventris Wesmael, 1835; islandicus Ruthe, 1859; medianus Ruthe, 1862; scutatus Costa, 1884; heteroneurus Thomson, 1895; szechuanensis Fahringer, 1935; mesopotamicus M. Fischer, 1957
- 782. Meteorus versicolor (Wesmael, 1835)** (Braconidae) Synonym(s): versicolor Wesmael, 1835; bimaculatus Wesmael, 1835; unicolor Hartig, 1838 nec Wesm., 1835; brevicornis Ratzeburg, 1844; rugator Ratzeburg, 1852; decoloratus Ruthe, 1862; camptolomae Watanabe, 1939; ikononovi M. Fischer, 1959; hartigi Shenefelt, 1969
- 783. Orgilus claripennis Ivanov, 1899** (Braconidae) Synonym(s): claripennis Ivanov, 1899
- 784. Orgilus pimpinellae Niezabitowski, 1910** (Braconidae) Synonym(s): pimpinellae Niezabitowski, 1910
- 785. Pseudovipio guttiventris (Thomson, 1892)** (Braconidae) Synonym(s): variegata Boheman, 1853; guttiventris Thomson, 1892; biroi Szépligeti, 1896

Cephidae

- 786. Calameuta (s.str.) haemorrhoidalis (Fabricius, 1781)** (Cephidae) Synonym(s): haemorrhoidalis Fabricius, 1781
- 787. Trachelus libanensis (André, 1881)** (Cephidae) Synonym(s): libanensis André, 1881; armenius Konow, 1896

Crabronidae

- 788. Ammoplanus marathroicus (De Stefani Pérez, 1887)** (Crabronidae) Synonym(s): marathroicus De Stefani Pérez, 1887
- 789. Bembecinus acanthomerus (Morice, 1911)** (Crabronidae) Synonym(s): acanthomerus Morice, 1911
- 790. Bembecinus anatolicus De Beaumont, 1968** (Crabronidae) Synonym(s): anatolicus De Beaumont, 1968
- 791. Bembecinus nigrolabrum Schmid-Egger, 2004** (Crabronidae) Synonym(s): nigrolabrum Schmid-Egger, 2004
- 792. Bembecinus peregrinus (Smith, 1856)** (Crabronidae) Synonym(s): peregrinus Smith, 1856; erberi Mocsary, 1881; biarmatus Mocsary, 1883
- 793. Bembecinus tridens (Fabricius, 1781)** (Crabronidae) Synonym(s): tridens Fabricius, 1781; cinctus Rossi, 1790; repandus Panzer, 1801; sinuatus Latreille, 1805; satsumanus Sonan, 1934; errans De Beaumont, 1950

- 794. *Bembix olivacea* Fabricius, 1787** (Crabronidae) Synonym(s): *olivacea* Fabricius, 1787; *senilis* Fabricius, 1804; *notata* Dahlbom, 1845; *mediterranea* Handlirsch, 1893; *maroccana* Mercet, 1905; *pardoi* Giner Mari, 1945
- 795. *Bembix rostrata* (Linnaeus, 1758)** (Crabronidae) Synonym(s): *rostrata* Linnaeus, 1758; *armata* Gmelin, 1790; *vidua* Lepeletier, 1845; *dissecta* Dahlbom, 1845; *gallica* Mocsary, 1883; *paradoxa* Giner Mari, 1943
- 796. *Cerceris conica* Shestakov, 1918** (Crabronidae) Synonym(s): *conica* Shestakov, 1918
- 797. *Cerceris seleukos* K. Schmidt, 2000** (Crabronidae) Synonym(s): *seleukos* K. Schmidt, 2000
- 798. *Crabro peltarius* (Schreber, 1784)** (Crabronidae) Synonym(s): *peltarius* Schreber, 1784; *patellatus* Panzer, 1797; *dentipes* Panzer, 1797; *mediatus* Fabricius, 1798; *bilbaoensis* Leclercq, 1960
- 799. *Crossocerus* (*Hoplocrabro*) *quadrifasciatus* (Fabricius, 1793)** (Crabronidae) Synonym(s): *quadrifasciatus* Fabricius, 1793
- 800. *Crossocerus* (s.str.) *elongatulus* (Vander Linden, 1829)** (Crabronidae) Synonym(s): *elongatulus* Vander Linden, 1829; *annulatus* Lepeletier & Brullé, 1835
- 801. *Crossocerus* (s.str.) *esau* De Beaumont, 1967** (Crabronidae) Synonym(s): *esau* De Beaumont, 1967
- 802. *Ectemnius* (*Hypocrabro*) *continuus* (Fabricius, 1804)** (Crabronidae) Synonym(s): *continuus* Fabricius, 1804; *punctatus* Lepeletier & Brullé, 1835
- 803. *Ectemnius* (*Hypocrabro*) *meridionalis* (A. Costa, 1871)** (Crabronidae) Synonym(s): *meridionalis* A. Costa, 1871
- 804. *Ectemnius* (*Hypocrabro*) *persicus* (Kohl, 1888)** (Crabronidae) Synonym(s): *persicus* Kohl, 1888
- 805. *Ectemnius* (s.str.) *dives* (Lepeletier & Brullé, 1835)** (Crabronidae) Synonym(s): *dives* Lepeletier & Brullé, 1835
- 806. *Ectemnius* (s.str.) *rugifer* (Dahlbom, 1845)** (Crabronidae) Synonym(s): *rugifer* Dahlbom, 1845
- 807. *Ectemnius* (*Thyreocerus*) *crassicornis* (Spinola, 1838)** (Crabronidae) Synonym(s): *crassicornis* Spinola, 1838
- 808. *Ectemnius* (*Thyreocerus*) *massiliensis* (Kohl, 1883)** (Crabronidae) Synonym(s): *massiliensis* Kohl, 1883; *#massiliensis* Tezcan & Yıldırım, 2004
- 809. *Entomosericus concinnus* Dahlbom, 1845** (Crabronidae) Synonym(s): *concinnus* Dahlbom, 1845
- 810. *Gorytes albidulus* (Lepeletier, 1832)** (Crabronidae) Synonym(s): *albidulus* Lepeletier, 1832
- 811. *Gorytes pleuripunctatus* (A. Costa, 1859)** (Crabronidae) Synonym(s): *pleuripunctatus* A. Costa, 1859
- 812. *Gorytes quinquecinctus* (Fabricius, 1793)** (Crabronidae) Synonym(s): *quinquecinctus* Fabricius, 1793
- 813. *Gorytes sulcifrons* (A. Costa, 1867)** (Crabronidae) Synonym(s): *sulfifrons* A. Costa, 1867
- 814. *Lestica* (*Solenius*) *clypeata* (Schreber, 1759)** (Crabronidae) Synonym(s): *clypeata* Schreber, 1759; *ovatus* Christ, 1791; *vexillatus* Panzer, 1797; *lapidarius* Fabricius, 1804; *nigridens* Herrich-Schäffer, 1841; *quadrifer* Dufour, 1841;
- 815. *Lindenius ibex* Kohl, 1883** (Crabronidae) Synonym(s): *ibex* Kohl, 1883; *syriacus* Kohl, 1905
- 816. *Lindenius laevis* A. Costa, 1871** (Crabronidae) Synonym(s): *laevis* A. Costa, 1871
- 817. *Lindenius latitarsis* Marshakov, 1973** (Crabronidae) Synonym(s): *latitarsis* Marshakov, 1973
- 818. *Lindenius mesopleuralis* (F. Morawitz, 1890)** (Crabronidae) Synonym(s): *mesopleuralis* F. Morawitz, 1890
- 819. *Lindenius panzeri* (Vander Linden, 1829)** (Crabronidae) Synonym(s): *panzeri* Vander Linden, 1829
- 820. *Lindenius pygmaeus* (Rossi, 1794)** (Crabronidae) Synonym(s): *pygmaeus* Rossi, 1794; *armatus* Vander Linden, 1829
- 821. *Lindenius subaeneus* Lepeletier & Brullé, 1835** (Crabronidae) Synonym(s): *subaeneus* Lepeletier & Brullé, 1835
- 822. *Passaloecus singularis* Dahlbom, 1844** (Crabronidae) Synonym(s): *singularis* Dahlbom, 1844
- 823. *Pemphredon lethifer* (Shuckard, 1837)** (Crabronidae) Synonym(s): *lethifer* Shuckard, 1837
- 824. *Pemphredon morio* Vander Linden, 1829** (Crabronidae) Synonym(s): *morio* Vander Linden, 1829
- 825. *Philanthus triangulum* (Fabricius, 1775)** (Crabronidae) Synonym(s): *ruspatrix* Linnaeus, 1767; *triangulum* Fabricius, 1775; *abdelcader* Lepeletier, 1845
- 826. *Psenulus meridionalis* De Beaumont, 1937** (Crabronidae) Synonym(s): *meridionalis* De Beaumont, 1937
- 827. *Psenulus pallipes* (Panzer, 1798)** (Crabronidae) Synonym(s): *pallipes* Panzer, 1798
- 828. *Psenulus pan* De Beaumont, 1967** (Crabronidae) Synonym(s): *pan* De Beaumont, 1967
- 829. *Rhopalum* (s.str.) *beaumonti* Moczar, 1957** (Crabronidae) Synonym(s): *beaumonti* Moczar, 1957
- 830. *Sphecius conicus* (Germar, 1817)** (Crabronidae) Synonym(s): *conicus* Germar, 1817; *syriacus* Klug, 1845 [ssp.]; *percussor* Handlirsch, 1889; *creticus* De Beaumont, 1965 [ssp.]
- 831. *Sphecius nigricornis* (Dufour, 1838)** (Crabronidae) Synonym(s): *nigricornis* Dufour, 1838

- 832. *Stizoides tridentatus* (Fabricius, 1775)** (Crabronidae) Synonym(s): *tridentatus* Fabricius, 1775; *bifasciata* Fabricius, 1798; *unifasciatus* Radoszkowski, 1877
- 833. *Stizus kohlii* Mocsary, 1883** (Crabronidae) Synonym(s): *kohlii* Mocsary, 1883
- 834. *Stizus ruficornis* (J. Forster, 1771)** (Crabronidae) Synonym(s): *ruficornis* J. Forster, 1771; *ornatus* Lepeletier, 1845; *distinguendus* Handlirsch, 1901
- 835. *Trypoxylon albipes* F. Smith, 1856** (Crabronidae) Synonym(s): *albipes* F. Smith, 1856
- 836. *Trypoxylon deceptorium* Antropov, 1991** (Crabronidae) Synonym(s): *deceptorium* Antropov, 1991

Chalcididae

- 837. *Brachymeria femorata* (Panzer, 1801)** (Chalcididae) Synonym(s): *femorata* Panzer, 1801; *ornatipes* Cameron, 1906; *immaculata* Masi, 1951
- 838. *Chalcis sispes* (Linnaeus, 1761)** (Chalcididae) Synonym(s): *sispes* Linnaeus, 1761; *clavipes* Fabricius, 1787; *microstigma* Thomson, 1876; *crassipes* Desmarest, 1875; *biguttata* Costa, 1882; *irana* Nikol'skaya, 1960

Colletidae

- 839. *Colletes (albomaculatus gr.) albomaculatus* (Lucas, 1849)** (Colletidae) Synonym(s): *albomaculatus* Lucas, 1849; *spectabilis* Morawitz, 1868; *niveofasciatus* Dours, 1872
- 840. *Colletes (albomaculatus gr.) dorsalis* Morawitz, 1888** (Colletidae) Synonym(s): *dorsalis* Morawitz, 1888; *fasciatus* Radoszkowski, 1891 nec Sm., 1853; *rossicus* Dalla Torre, 1896
- 841. *Colletes (caspicus gr.) anceps* Radoszkowski, 1891** (Colletidae) Synonym(s): *anceps* Radoszkowski, 1891
- 842. *Colletes (caspicus gr.) maidli* Noskiewicz, 1936** (Colletidae) Synonym(s): *maidli* Noskiewicz, 1936; *lebedewi* Noskiewicz, 1936
- 843. *Colletes (clypearis gr.) asiaticus* Kuhlmann, 1999** (Colletidae) Synonym(s): *grisesens* Noskiewicz, 1936 nec Cock., 1930; *asiaticus* Kuhlmann, 1999
- 844. *Colletes (cunicularius gr.) caskanus* (Strand, 1919)** (Colletidae) Synonym(s): *caskanus* Strand, 1919
- 845. *Colletes (fodiens gr.) daviesanus* Smith, 1846** (Colletidae) Synonym(s): *daviesanus* Smith, 1846; *signatus* Vrhoeff, 1890
- 846. *Colletes (fodiens gr.) glaber* Warncke, 1978** (Colletidae) Synonym(s): *glaber* Warncke, 1978
- 847. *Colletes (fodiens gr.) similis* Schenck, 1853** (Colletidae) Synonym(s): *similis* Schenck, 1853; *picistigma* Thomson, 1872
- 848. *Colletes (fodiens gr.) tuberculatus* Morawitz, 1894** (Colletidae) Synonym(s): *tuberculatus* Morawitz, 1894; *siculus* Noskiewicz, 1959; *anatolicus* Noskiewicz, 1959
- 849. *Colletes (marginatus gr.) hethiticus* Warncke, 1978** (Colletidae) Synonym(s): *hethiticus* Warncke, 1978
- 850. *Colletes (meyeri gr.) meyeri* Noskiewicz, 1936** (Colletidae) Synonym(s): *meyeri* Noskiewicz, 1936
- 851. *Colletes (nasutus gr.) nasutus* Smith, 1853** (Colletidae) Synonym(s): *nasutus* Smith, 1853
- 852. *Colletes (senilis gr.) hiekeseniori* Kuhlmann, 2003** (Colletidae) Synonym(s): *hiekeseniori* Kuhlmann, 2003
- 853. *Colletes (senilis gr.) mlokossewiczii* Radoszkowski, 1891** (Colletidae) Synonym(s): *mlokossewiczii* Radoszkowski, 1891; *brevicornis* Pérez, 1903 nec Rob., 1897; *brachycerus* Swenk, 1906
- 854. *Colletes (squamosus gr.) ottomanus* Noskiewicz, 1958** (Colletidae) Synonym(s): *ottomanus* Noskiewicz, 1958

Cynipidae

- 855. *Andricus aries* (Giraud, 1859)** (Cynipidae) Synonym(s): *aries* Giraud, 1859
- 856. *Andricus askewi* Melika & Stone, 2001** (Cynipidae) Synonym(s): *askewi* Melika & Stone, 2001
- 857. *Andricus caputmedusae* (Hartig, 1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig, 1843; *gallaecristatae* Henschel, 1876
- 858. *Andricus coriarius* (Hartig, 1843)** (Cynipidae) Synonym(s): *coriarius* Hartig, 1843; *lusitanicus* Kieffer, 1900
- 859. *Andricus curtisii* (Müller, 1870)** (Cynipidae) Synonym(s): *curtisii* Müller, 1870; *mediterraneae* Trotter, 1901

- 860. *Andricus grossulariae* Giraud, 1859** (Cynipidae) **Synonym(s):** grossulariae Giraud, 1859; mayri Wachtl, 1879; panteli Kieffer, 1897; fructuum Trotter, 1899; intermedius Tavares, 1922; gemellus Belizin & Maisuradze, 1961
- 861. *Andricus insanus* (Westwood, 1837)** (Cynipidae) **Synonym(s):** insanus Westwood, 1837
- 862. *Andricus kollari* (Hartig, 1843)** (Cynipidae) **Synonym(s):** kollari Hartig, 1843; circulans Mayr, 1870; indigena Giraud, 1909
- 863. *Andricus lignicolus* (Hartig, 1840)** (Cynipidae) **Synonym(s):** lignicolus Hartig, 1840; vanheurni Docters van Leuween & Deukhuijzen-Maasland, 1958
- 864. *Andricus lucidus* (Hartig, 1843)** (Cynipidae) **Synonym(s):** lucidus Hartig, 1843; aestivalis Giraud, 1859; lucidoserinaceus Kieffer, 1901
- 865. *Andricus megalucidus* Melika, Stone, Sadeghi & Pujade-Villar, 2004** (Cynipidae) **Synonym(s):** megalucidus Melika, Stone, Sadeghi & Pujade-Villar, 2004
- 866. *Andricus megatruncicolus* Melika, 2008** (Cynipidae) **Synonym(s):** megatruncicolus Melika, 2008
- 867. *Andricus moreae* (Graeffe, 1905)** (Cynipidae) **Synonym(s):** moreae Graeffe, 1905
- 868. *Andricus multiplicatus* Giraud, 1859** (Cynipidae) **Synonym(s):** multiplicatus Giraud, 1859
- 869. *Andricus polycerus* (Giraud, 1859)** (Cynipidae) **Synonym(s):** polycerus Giraud, 1859; subterranea Giraud, 1859; transversa Kieffer, 1897; trinacriae Stefani, 1906
- 870. *Andricus quercuscalicis* (Burgsdorf, 1783)** (Cynipidae) **Synonym(s):** quercuscalicis Burgsdorf, 1783; calicis Hartig, 1843; cerri Beyerinck, 1895; beyerincki Trotter, 1899
- 871. *Andricus quercustozae* (Bosc, 1792)** (Cynipidae) **Synonym(s):** quercustozae Bosc, 1792; quercustojae Fabricius, 1793; argentea Hartig, 1843; rosenhaueri Hartig, 1856; kiefferi Cabrera, 1897; tozae Kieffer, 1898
- 872. *Andricus sternlichti* Bellido, Pujade-Villar & Melika, 2003** (Cynipidae) **Synonym(s):** sternlichti Bellido, Pujade-Villar & Melika, 2003
- 873. *Andricus tomentosus* (Trotter, 1901)** (Cynipidae) **Synonym(s):** tomentosus Trotter, 1901
- 874. *Andricus truncicola* (Giraud, 1859)** (Cynipidae) **Synonym(s):** truncicola Giraud, 1859
- 875. *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar, 2004** (Cynipidae) **Synonym(s):** persica Melika, Stone, Sadeghi & Pujade-Villar, 2004
- 876. *Biorhiza pallida* (Olivier, 1791)** (Cynipidae) **Synonym(s):** pallida Olivier, 1791; aptera Bosc, 1791; gallaealveariformis Anthoine, 1794; gallaecerebriformis Anthoine, 1794; quercusterminalis Fabricius, 1798; terminalis Hartig, 1840; codinae Tavares, 1928; hispanica Tavares, 1928; lusitanica Tavares, 1928
- 877. *Cynips quercus* (Fourcroy, 1785)** (Cynipidae) **Synonym(s):** quercus Fourcroy, 1785; pubescentis Mayr, 1881; ilicis Kieffer, 1896; geminus Belizin & Maisuradze, 1962; rusanovae Belizin & Maisuradze, 1962
- 878. *Cynips quercusfolii* (Linnaeus, 1758)** (Cynipidae) **Synonym(s):** quercusfolii Linnaeus, 1758; scutellaris Olivier, 1791; gallaecerasiformis Anthoine, 1794; gallaeunidoniformis Anthoine, 1794; folii Hartig, 1840; flosculi Giraud, 1868; giraudi Tschek, 1869; taschenbergi Schlechtendal, 1870
- 879. *Diplolepis fructuum* (Rübsaamen, 1895)** (Cynipidae) **Synonym(s):** fructuum Rübsaamen, 1895
- 880. *Neuroterus anthracinus* (Curtis, 1838)** (Cynipidae) **Synonym(s):** anthracinus Curtis, 1838; ostreus Giraud, 1859; ostria Hartig, 1840; pallicornis Hartig, 1840; furunculus Beyerinck, 1882
- 881. *Neuroterus quercusbaccarum* (Linnaeus, 1758)** (Cynipidae) **Synonym(s):** quercusbaccarum Linnaeus, 1758; baccarumquercus Fourcroy, 1785; flavipes Fourcroy, 1785; pedunculiquercus Fourcroy, 1785; lenticularis Olivier, 1791; longipennis Fabricius, 1793; gallaelenticulatae Anthoine, 1794; malpighii Hartig, 1840; interruptor Hartig, 1841; interruptrix Hartig, 1841; baccarum Blanchard, 1849; pedunculi Dumeril, 1860; striatus Schenck, 1863; attenuatus Schenck, 1863; giraudi Tschek, 1869; histrio Kieffer, 1901; hispanicus Tavares, 1916; intermedius Tavares, 1916

Encyrtidae

- 882. *Cerapterocerus mirabilis* Westwood, 1833** (Encyrtidae) **Synonym(s):** mirabilis Westwood, 1833; anebus Walker, 1837; platycera Costa, 1839; mirabilicornis Förster, 1841; maculipennis Ratzeburg, 1848; multiradiatus Thomson, 1876

Formicidae

- 883. *Camponotus fallax* (Nylander, 1856)** (Formicidae) **Synonym(s):** fallax Nylander, 1856

Halictidae

- 884. *Ceylalictus* (s.str.) *variegatus* (Olivier, 1789)** (Halictidae) **Synonym(s):** variegatus Olivier, 1789; pulchella Jurine, 1807; ?syrphoides Walker, 1871; flavopicta Dours, 1873; jucunda Morawitz, 1874; fasciatus Friese, 1898;

- intermedius Alfken,1924; simplex Blüthgen,1925; labiatarum Cockerell,1931; nigrita Blüthgen,1934; pseudocerea Blüthgen,1934; nigriventris Blüthgen,1934
- 885. Dufourea (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae) Synonym(s): schmiedeknechtii Kohl,1905
- 886. Dufourea (s.str.) caelestis Ebmer,1987** (Halictidae) Synonym(s): caelestis Ebmer,1987
- 887. Halictus (Hexataenites) scabiosae (Rossi,1790)** (Halictidae) Synonym(s): scabiosae Rossi,1790; alternans Fabricius,1793; zebrus Walckenaer,1817; griseozonatus Dours,1872; powelli Cockerell,1931
- 888. Halictus (Monilapis) sajoi Blüthgen,1923** (Halictidae) Synonym(s): sajoi Blüthgen,1923; veneticus Moczar,1967; bifidus Warncke,1975
- 889. Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): cephalicus Morawitz,1873
- 890. Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): pollinosus Sichel,1860
- 891. Lasioglossum (Evylaeus) alectore (Warncke,1984)** (Halictidae) Synonym(s): alectoris Warncke,1984
- 892. Lasioglossum (Evylaeus) angustipes Ebmer,1972** (Halictidae) Synonym(s): angustipes Ebmer,1972
- 893. Lasioglossum (Evylaeus) buccalis (Pérez,1903)** (Halictidae) Synonym(s): buccalis Pérez,1903
- 894. Lasioglossum (Evylaeus) calceatum (Scopoli,1763)** (Halictidae) Synonym(s): calceatum Scopoli,1763; cylindricus Fabricius,1793; fulvocincta Kirby,1802; obovata Kirby,1802; vulpina Fabricius,1804 nec Chr.,1791; terebrator Walckenaer,1817; rubellus Eversmann,1852 nec Hal.,1836; bipunctatus Schenck,1853; rubens F.Smith,1854; rufiventris Giraud,1861; rhodostomus Dalla Torre,1877; ulterior Cockerell,1929
- 895. Lasioglossum (Evylaeus) cinclum (Warncke,1984)** (Halictidae) Synonym(s): cinclus Warncke,1984; cincellus Warncke,1984
- 896. Lasioglossum (Evylaeus) debilior (Pérez,1910)** (Halictidae) Synonym(s): debilior Pérez,1910
- 897. Lasioglossum (Evylaeus) epipygiale (Blüthgen,1924)** (Halictidae) Synonym(s): epipygiale Blüthgen,1924; malachuropis Blüthgen,1931
- 898. Lasioglossum (Evylaeus) imbecillum Ebmer,1973** (Halictidae) Synonym(s): imbecillum Ebmer,1973; caprimulgus Warncke,1975
- 899. Lasioglossum (Evylaeus) interruptum (Panzer,1798)** (Halictidae) Synonym(s): interruptum Panzer,1798; trispinosum Alfken,1907
- 900. Lasioglossum (Evylaeus) laeve (Kirby,1802)** (Halictidae) Synonym(s): laeve Kirby,1802; convexus Schenck,1853; nigriventris Arnold,1894; kriegeri Alfken,1897
- 901. Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982
- 902. Lasioglossum (Evylaeus) pauxillum (Schenck,1853)** (Halictidae) Synonym(s): pauxillum Schenck,1853
- 903. Lasioglossum (Evylaeus) rhynchites (Morawitz,1876)** (Halictidae) Synonym(s): rhynchites Morawitz,1876
- 904. Lasioglossum (Evylaeus) setulellum (Strand,1909)** (Halictidae) Synonym(s): setulellum Strand,1909
- 905. Lasioglossum (Evylaeus) sobrinum (Warncke,1982)** (Halictidae) Synonym(s): sobrinum Warncke,1982
- 906. Lasioglossum (Evylaeus) sociorum (Blüthgen,1924)** (Halictidae) Synonym(s): sociorum Blüthgen,1924
- 907. Lasioglossum (Evylaeus) subaenescens (Pérez,1896)** (Halictidae) Synonym(s): subaenescens Pérez,1896; asiaticum Dalla Torre,1896 [ssp.]
- 908. Lasioglossum (Evylaeus) tricinctum (Schenck,1874)** (Halictidae) Synonym(s): tricinctum Schenck,1874; muganicum Ebmer,1972 [ssp.]
- 909. Lasioglossum (s.str.) discum (Smith,1853)** (Halictidae) Synonym(s): discum Smith,1853; morbillosus Kriechbaumer,1873; glasunovi Cockrell,1924;
- 910. Lasioglossum (s.str.) tadschicum (Blüthgen,1929)** (Halictidae) Synonym(s): tadschicum Blüthgen,1929
- 911. Pseudapis (s.str.) rufescens (Morawitz,1876)** (Halictidae) Synonym(s): rufescens Morawitz,1876
- 912. Rhophitoides canus (Eversmann,1852)** (Halictidae) Synonym(s): canus Eversmann,1852; bifoveolatus Sichel,1854; distinguendus Schenck,1861
- 913. Sphecodes albilabris (Fabricius,1793)** (Halictidae) Synonym(s): albilabris Fabricius,1793
- 914. Sphecodes alternatus Smith,1853** (Halictidae) Synonym(s): alternatus Smith,1853; punctiventris Hagens,1882; gracilior Morawitz,1894; antigae Tournier,1901; lindbergi Pittioni,1950
- 915. Sphecodes barbatus Blüthgen,1923** (Halictidae) Synonym(s): barbatus Blüthgen,1923
- 916. Sphecodes ephippius (Linnaeus,1767)** (Halictidae) Synonym(s): ephippius Linnaeus,1767

- 917. *Sphecodes gibbus* (Linnaeus, 1758)** (Halictidae) Synonym(s): *gibbus* Linnaeus, 1758; *rufispinosus* Meyer, 1920
- 918. *Sphecodes intermedius* Blüthgen, 1923** (Halictidae) Synonym(s): *intermedius* Blüthgen, 1923
- 919. *Sphecodes nomioidis* Pesenko, 1979** (Halictidae) Synonym(s): *nomioidis* Pesenko, 1979
- 920. *Sphecodes pingiculus* Pérez, 1903** (Halictidae) Synonym(s): *pingiculus* Pérez, 1903; *sareptensis* Meyer, 1922
- 921. *Sphecodes rubicundus* Hagens, 1875** (Halictidae) Synonym(s): *rubicundus* Hagens, 1875
- 922. *Sphecodes ruficrus* Erichson, 1835** (Halictidae) Synonym(s): *ruficrus* Erichson, 1835
- 923. *Sphecodes rufiventris* (Panzer, 1798)** (Halictidae) Synonym(s): *rufiventris* Panzer, 1798; *hethiticus* Warncke, 1992
- 924. *Sphecodes spinulosus* Hagens, 1875** (Halictidae) Synonym(s): *spinulosus* Hagens, 1875

Ichneumonidae

- 925. *Amblyteles armatorius* (Forster, 1771)** (Ichneumonidae) Synonym(s): *armatorius* Forster, 1771; *bidentorius* Fabricius, 1775; *fasciatorius* Fabricius, 1775; *notatorius* Villers, 1789; *dimicatorius* Gmelin, 1790; *signatorius* Olivier, 1792; *diversorius* Stephens, 1835; *regius* Tischbein, 1868
- 926. *Aneuclis incidens* (Thomson, 1889)** (Ichneumonidae) Synonym(s): *incidens* Thomson, 1889
- 927. *Barycnemis harpura* (Schrank, 1802)** (Ichneumonidae) Synonym(s): *harpura* Schrank, 1802; *bedeguaris* Panzer, 1809; *angularis* Provancher, 1874; *micans* Provancher, 1875; *elongata* Provancher, 1886; *polita* Ashmead, 1890; *canaliculata* Viereck, 1913; *fusca* Constantineanu, 1939; *clypeonigro* Constantineanu, 1941
- 928. *Ceratophygadeuon anurus* (Thomson, 1884)** (Ichneumonidae) Synonym(s): *anurus* Thomson, 1884; *parvicauda* Thomson, 1885
- 929. *Coelichneumon comitator* (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *comitator* Linnaeus, 1758; *auspex* Müller, 1776; *biguttatus* Thunberg, 1784; *tripunctorius* Thunberg, 1789; *nigrator* Fabricius, 1793; *narrator* Fabricius, 1804; *ferreus* Gravenhorst, 1829; *resturator* Gravenhorst, 1829; *coerulescens* Tischbein, 1879; *rufescens* Berthoumieu, 1894; *numeratus* Berthoumieu, 1894; *minor* Kriechbaumer, 1894; *nigratus* Habermehl, 1916; *basirufus* Constantineanu, 1942; *purpurissatus* Perkins, 1953
- 930. *Coelichneumon dorsosignatus* (Berthoumieu & Eversmann, 1894)** (Ichneumonidae) Synonym(s): *dorsosignatus* Berthoumieu & Eversmann, 1894; *aureipes* Berthoumieu, 1896; *commenticius* Kokujev, 1908; *wormatiensis* Habermehl, 1916; *bessarabiensis* Constantineanu, 1929
- 931. *Coelichneumon merula* (Berthoumieu, 1894)** (Ichneumonidae) Synonym(s): *merula* Berthoumieu, 1894
- 932. *Coelichneumon pararudis* Riedel, 2008** (Ichneumonidae) Synonym(s): *pararudis* Riedel, 2008
- 933. *Coelichneumon parviolaceiventris* Riedel, 2008** (Ichneumonidae) Synonym(s): *parviolaceiventris* Riedel, 2008
- 934. *Coelichneumon subviolaceiventris* (Pic, 1908)** (Ichneumonidae) Synonym(s): *subviolaceiventris* Pic, 1908; *afghanicus* Heinrich, 1957
- 935. *Cryptus spiralis* (Geoffroy, 1785)** (Ichneumonidae) Synonym(s): *spiralis* Geoffroy, 1785; *inconspicuus* Gravenhorst, 1829; *adelungi* Kokujev, 1909; *hispanicus* Habermehl, 1918
- 936. *Cryptus spissus* Schwarz, 2015** (Ichneumonidae) Synonym(s): *spissus* Schwarz, 2015
- 937. *Cryptus tuberculatus* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *tuberculatus* Gravenhorst, 1829; *investigator* Tschek, 1871; *solivagus* Rossem, 1989
- 938. *Cryptus vitreifrontalis* Schwarz, 2015** (Ichneumonidae) Synonym(s): *vitreifrontalis* Schwarz, 2015
- 939. *Diphyus quadripunctorius* (Müller, 1776)** (Ichneumonidae) Synonym(s): *quadripunctorius* Müller, 1776; *intratorius* Fabricius, 1793
- 940. *Fileanta flavolaeta* (Berthoumieu, 1892)** (Ichneumonidae) Synonym(s): *flavolaeta* Berthoumieu, 1892
- 941. *Ichneumon proletarius* Wesmael, 1848** (Ichneumonidae) Synonym(s): *proletarius* Wesmael, 1848
- 942. *Netelia* (s.str.) *fuscicornis* (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren, 1860; *gracilipes* Thomson, 1888
- 943. *Perilissus rufoniger* (Gravenhorst, 1820)** (Ichneumonidae) Synonym(s): *rufoniger* Gravenhorst, 1820; *vernalis* Gravenhorst, 1820; *petulans* Gravenhorst, 1829; *stygius* Walker, 1874; *herrichii* Kriechbaumer, 1892
- 944. *Phaenolobus saltans* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *saltans* Gravenhorst, 1829; *interstitialis* Constantineanu et al., 1958
- 945. *Phradis decrescens* (Thomson, 1889)** (Ichneumonidae) Synonym(s): *decrescens* Thomson, 1889
- 946. *Phradis rufiventris* Horstmann, 1980** (Ichneumonidae) Synonym(s): *rufiventris* Horstmann, 1980
- 947. *Spilichneumon occisorius* (Fabricius, 1793)** (Ichneumonidae) Synonym(s): *occisorius* Fabricius, 1793; *sanguinatorius* Gravenhorst, 1829; *rufinus* Berthoumieu, 1896; *nigrinus* Berthoumieu, 1896; *rufinus* Berthoumieu, 1896; *plicatus* Morley, 1903; *morvandicus* Pic, 1925

Leucospidae

- 948. *Leucospis biguetina* Jurine, 1807** (Leucospidae) **Synonym(s):** biguetina Jurine, 1807; parvicauda Mocsary, 1879
- 949. *Leucospis dorsigera* (Fabricius, 1775)** (Leucospidae) **Synonym(s):** dorsigera Fabricius, 1775; passaviensis Schrank, 1782; coelogaster Hochenwarth, 1785; dubia Schrank, 1802; dispar Fabricius, 1804; algerica Walker, 1862; turkestanica Radoszkowski, 1886
- 950. *Leucospis gigas* (Fabricius, 1793)** (Leucospidae) **Synonym(s):** gigas Fabricius, 1793; grandis Klug, 1814; varia Klug, 1814; shuckardi Westwood, 1834; rufonotata Westwood, 1839; quaettaensis Cameron, 1906; nursei Cameron, 1906
- 951. *Leucospis intermedia* Illiger, 1807** (Leucospidae) **Synonym(s):** intermedia Illiger, 1807; aculeata Klug, 1814; frenata Klug, 1834; hoplophora Förster, 1851; sardoa Costa, 1888

Megachilidae

- 952. *Anthidium* (*Icteranthidium*) *cimbiciforme* (Smith, 1854)** (Megachilidae) **Synonym(s):** cimbiciforme Smith, 1854; bartholomei Radoszkowski, 1862
- 953. *Anthidium* (*Icteranthidium*) *ovasi* Warncke, 1980** (Megachilidae) **Synonym(s):** ovasi Warncke, 1980
- 954. *Anthidium* (*Rhodanthidium*) *superbum* Radoszkowski, 1876** (Megachilidae) **Synonym(s):** superbum Radoszkowski, 1876; christophi Morawitz, 1884; grande Friese, 1897
- 955. *Anthidium* (s.str.) *cingulatum* Latreille, 1809** (Megachilidae) **Synonym(s):** cingulatum Latreille, 1809
- 956. *Anthidium* (s.str.) *diadema* Latreille, 1809** (Megachilidae) **Synonym(s):** diadema Latreille, 1809; ornatum Lepeletier, 1841; albiventris Lepeletier, 1841; radoszkowskyi Mocsary, 1887; seraxense Radoszkowski, 1893; terminale Morawitz, 1894; caucasicum Friese, 1897
- 957. *Anthidium* (s.str.) *punctatum* Latreille, 1809** (Megachilidae) **Synonym(s):** punctatum Latreille, 1809; minus Nylander, 1848; senile Eversmann, 1852; greyi Radoszkowski, 1862; albidulum Chevrier, 1872; nigrinum Morawitz, 1875; nitidulum Morawitz, 1894; mayeti Pérez, 1895; albofasciatum Friese, 1897; fulvipes Friese, 1897; kohlii Friese, 1897; bequaerti Alfken, 1914; amanusense Dusmet, 1915; ariasi Dusmet, 1915; nigrifulvum Friese, 1917; suecicum Alfken, 1927
- 958. *Chalicodoma* (s.str.) *parietina* (Geoffroy, 1785)** (Megachilidae) **Synonym(s):** parietina Geoffroy, 1785
- 959. *Chelostoma* (*Foveosmia*) *maidli* (Benoist, 1935)** (Megachilidae) **Synonym(s):** maidli Benoist, 1935; seidenstueckeri Mavromoustakis, 1954
- 960. *Chelostoma* (*Foveosmia*) *torquillum* Warncke, 1991** (Megachilidae) **Synonym(s):** torquillum Warncke, 1991
- 961. *Coelioxys* (*Allocoelioxys*) *afra* Lepeletier, 1841** (Megachilidae) **Synonym(s):** afra Lepeletier, 1841; coronata Förster, 1853; mandibularis Chevrier, 1872; tunensis Gribodo, 1894; erzurumensis Tkalci Schwarz, 1991; #artemix Özbek & Zanden, 1994
- 962. *Coelioxys* (*Allocoelioxys*) *artemis* Schwarz, 1991** (Megachilidae) **Synonym(s):** artemis Schwarz, 1991; #artemix Özbek & Zanden, 1994
- 963. *Coelioxys* (*Allocoelioxys*) *echinata* Förster, 1853** (Megachilidae) **Synonym(s):** octodentata Lepeletier, 1841 nec Say, 1824; echinata Förster, 1853; rufocaudata Smith, 1854
- 964. *Coelioxys* (*Radoszkowskiana*) *tkalcui* Schwarz, 2001** (Megachilidae) **Synonym(s):** tkalcui Schwarz, 2001
- 965. *Coelioxys* (s.str.) *aurolimbata* Förster, 1853** (Megachilidae) **Synonym(s):** aurolimbata Förster, 1853; orientalis Warncke, 1992 [ssp.]
- 966. *Hoplitis* (*Alcidamea*) *acuticornis* (Dufour & Perris, 1840)** (Megachilidae) **Synonym(s):** acuticornis Dufour & Perris, 1840; dentiventris Morawitz, 1877; hispanica Schmiedeknecht, 1886; brunneipes Peters, 1975; gilva Zanden, 1994
- 967. *Hoplitis* (*Alcidamea*) *caularis* (Morawitz, 1875)** (Megachilidae) **Synonym(s):** caularis Morawitz, 1875; proxima Morawitz, 1875 nec Cress., 1864; turcestanica Dalla Torre, 1896
- 968. *Hoplitis* (*Alcidamea*) *decaocta* (Warncke, 1991)** (Megachilidae) **Synonym(s):** decaocta Warncke, 1991
- 969. *Hoplitis* (*Alcidamea*) *stellaris* (Warncke, 1991)** (Megachilidae) **Synonym(s):** stellaris Warncke, 1991
- 970. *Hoplitis* (*Annosmia*) *fulica* (Warncke, 1991)** (Megachilidae) **Synonym(s):** fulica Warncke, 1991
- 971. *Hoplitis* (*Annosmia*) *mutica* (Warncke, 1991)** (Megachilidae) **Synonym(s):** mutica Warncke, 1991

- 972. *Hoplitis (Anthocopa) anipuncta* (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935
- 973. *Hoplitis (Micreriades) lebanotica* (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955
- 974. *Hoplitis (Pentadentoscopia) pomarina* (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991
- 975. *Hoplitis* (s.str.) *bombiformis* Zanden,1991** (Megachilidae) Synonym(s): *bombiformis* Zanden,1991
- 976. *Lithurgus cornutus* (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872 [ssp.]
- 977. *Megachile (Eutricharaea) pilidens* Alfken,1924** (Megachilidae) Synonym(s): *pilidens* Alfken,1924
- 978. *Megachile (Neoeutricharaea) picicornis* Morawitz,1878** (Megachilidae) Synonym(s): *picicornis* Morawitz,1878
- 979. *Megachile (Neoeutricharaea) villipes* Morawitz,1875** (Megachilidae) Synonym(s): *villipes* Morawitz,1875
- 980. *Megachile (Xanthosarus) circumcincta* (Kirby,1802)** (Megachilidae) Synonym(s): *circumcincta* Kirby,1802; *bryorum* Schrank,1781; *ozbeki* Tkalcu,1977
- 981. *Megachile foersteri* Gerstäcker,1869** (Megachilidae) Synonym(s): *foersteri* Gerstäcker,1869
- 982. *Megachile monstifica* Morawitz,1878** (Megachilidae) Synonym(s): *monstifica* Morawitz,1878
- 983. *Megachile thracia* Tkalcu,1979 (stat.n.)** (Megachilidae) Synonym(s): *sexmaculata* Alfken,1942 nec Smith,1868; *thracia* Tkalcu,1979
- 984. *Osmia (Helicosmia) dimidiata* Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 985. *Osmia (Hemiosmia) difficilis* Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935
- 986. *Osmia (Hoplosmia) bidentata* Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 987. *Osmia (Ozbekosmia) avosetta* Warncke,1988** (Megachilidae) Synonym(s): *avosetta* Warncke,1988
- 988. *Osmia (Tergosmia) glareola* Warncke,1988** (Megachilidae) Synonym(s): *glareola* Warncke,1988
- 989. *Stelis* (s.str.) *aculeata* Morawitz,1880** (Megachilidae) Synonym(s): *aculeata* Morawitz,1880
- 990. *Stelis* (s.str.) *denticulata* Friese,1899** (Megachilidae) Synonym(s): *denticulata* Friese,1899; *wahrmani* Mavromoustakis,1954

Megalodontesidae

- 991. *Megalodontes eversmanni* (Freymuth,1870)** (Megalodontesidae) Synonym(s): *eversmanni* Freymuth,1870; *loewii* Stein,1876; *multicincta* Mocsary,1891
- 992. *Megalodontes crassicornis* Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): *crassicornis* Springate, Burckardt & Springate,2011
- 993. *Megalodontes flavicornis* Klug,1824** (Megalodontesidae) Synonym(s): *flavicornis* Klug,1824

Melittidae

- 994. *Dasypoda (Megadasypoda) braccata* Eversmann,1852** (Melittidae) Synonym(s): *braccata* Eversmann,1852; *tschertkoviana* Baer,1853; *melanopleura* Baer,1853; *anatolica* Warncke,1973
- 995. *Dasypoda (Megadasypoda) spinigera* Kohl,1905** (Melittidae) Synonym(s): *spinigera* Kohl,1905
- 996. *Dasypoda* (s.str.) *hirtipes* (Fabricius,1793)** (Melittidae) Synonym(s): *hirtipes* Fabricius,1793; *graeca* Lepeletier,1841
- 997. *Macropis* (s.str.) *frivaldszkyi* Mocsary,1878** (Melittidae) Synonym(s): *frivaldszkyi* Mocsary,1878
- 998. *Melitta* (s.str.) *leporina* (Panzer,1799)** (Melittidae) Synonym(s): *leporina* Panzer,1799; *fortipes* Imhoff,1832; *ruthenica* Radoszkowski,1891; *centaureae* Torka,1922; *nigrinotum* Alfken,1927; *sinkiangensis* Wu,1978

Mutillidae

- 999. Dasylabris (Craspedopyga) manderstieri (Radoszkowski, 1865) (Mutillidae)**
Synonym(s): manderstieri Radoszkowski, 1865; cypria Sichel & Radoszkowski, 1870 [ssp.]
- 1000. Dasylabris (s.str.) maura (Linnaeus, 1758) (Mutillidae)** Synonym(s): maura Linnaeus, 1758
- 1001. Dentilla curtiventris (André, 1901) (Mutillidae)** Synonym(s): curtiventris André, 1901
- 1002. Dentilla erronea (André, 1902) (Mutillidae)** Synonym(s): erronea André, 1902
- 1003. Ronisia brutia (Petagna, 1787) (Mutillidae)** Synonym(s): brutia Petagna, 1787; sexmaculata Cyrillo, 1787; hungarica Fabricius, 1793; confusa Lepeletier, 1845; monspeliensis Lepeletier, 1845; robusta Smith, 1855; torosa Costa, 1858; sericeiventris Costa, 1864; duplex Radoszkowski, 1885; discoidalis Radoszkowski, 1885; morawitzii Dalla Torre, 1897
- 1004. Smicromyrme (s.str.) turanicus (Morawitz, 1893) (Mutillidae)** Synonym(s): turanicus Morawitz, 1893
- 1005. Stenomutilla (s.str.) acanthosterna Nonveiller, 1994 (Mutillidae)** Synonym(s): acanthosterna Nonveiller, 1994
- 1006. Stenomutilla (s.str.) bizonata (Smith, 1856) (Mutillidae)** Synonym(s): bizonata Smith, 1856

Pompilidae

- 1007. Agenioideus apicalis (Van der Linden, 1827) (Pompilidae)** Synonym(s): apicalis Van der Linden, 1827
- 1008. Agenioideus ciliatus (Lepeletier, 1845) (Pompilidae)** Synonym(s): ciliatus Lepeletier, 1845; acrobates Fertou, 1911
- 1009. Agenioideus excisus (Morawitz, 1890) (Pompilidae)** Synonym(s): excisus Morawitz, 1890; emarginatus Haupt
- 1010. Agenioideus ruficeps (Eversmann, 1849) (Pompilidae)** Synonym(s): ruficeps Eversmann, 1849
- 1011. Agenioideus sericeus (Van der Linden, 1827) (Pompilidae)** Synonym(s): sericeus Van der Linden, 1827
- 1012. Agenioideus vesanus (Kohl, 1907) (Pompilidae)** Synonym(s): vesanus Kohl, 1907
- 1013. Anoplius concinnus (Dahlbom, 1845) (Pompilidae)** Synonym(s): concinnus Dahlbom, 1845
- 1014. Anoplius infuscatus (Van der Linden, 1827) (Pompilidae)** Synonym(s): infuscatus Van der Linden, 1827; meticulosus Costa, 1882
- 1015. Anoplius schlettereri (Radoszkowski, 1888) (Pompilidae)** Synonym(s): schlettereri Radoszkowski, 1888; niger Priesner, 1967
- 1016. Anoplius viaticus (Linnaeus, 1758) (Pompilidae)** Synonym(s): viaticus Linnaeus, 1758; fusca Linnaeus, 1761; paganus Dahlbom, 1843; propinquus Swinhoe, 1879; delatorius Tournier, 1890; immixtus Tournier, 1890; macrurus Tournier, 1890; pleuropicus Tournier, 1890; tibialis Tournier, 1890; valesicus Tournier, 1890; holomelas Mantero, 1905
- 1017. Aporinellus sexmaculatus (Spinola, 1805) (Pompilidae)** Synonym(s): sexmaculatus Spinola, 1805; asiaticus Gussakovskii, 1935
- 1018. Arachnospila fumipennis (Zetterstedt, 1838) (Pompilidae)** Synonym(s): fumipennis Zetterstedt, 1838
- 1019. Arachnospila hedickei (Haupt, 1929) (Pompilidae)** Synonym(s): hedickei Haupt, 1929
- 1020. Arachnospila osmana (Wolf, 1999) (Pompilidae)** Synonym(s): osmana Wolf, 1999
- 1021. Arachnospila rufa (Haupt, 1927) (Pompilidae)** Synonym(s): rufa Haupt, 1927
- 1022. Auplopus carbonarius (Scopoli, 1763) (Pompilidae)** Synonym(s): carbonarius Scopoli, 1763
- 1023. Auplopus rectus (Haupt, 1927) (Pompilidae)** Synonym(s): rectus Haupt, 1927; ater Haupt, 1930
- 1024. Batozonellus lacerticida (Pallas, 1771) (Pompilidae)** Synonym(s): lacerticida Pallas, 1771
- 1025. Ceropales albicincta (Rossi, 1790) (Pompilidae)** Synonym(s): albicincta Rossi, 1790; wolffi Moczar, 1978
- 1026. Ceropales helvetica Tournier, 1889 (Pompilidae)** Synonym(s): helvetica Tournier, 1889
- 1027. Cryptocheilus alternatus (Lepeletier, 1845) (Pompilidae)** Synonym(s): alternatus Lepeletier, 1845; caspius Gussakovskii, 1952
- 1028. Cryptocheilus discolor (Fabricius, 1793) (Pompilidae)** Synonym(s): discolor Fabricius, 1793
- 1029. Cryptocheilus egregius (Lepeletier, 1845) (Pompilidae)** Synonym(s): egregius Lepeletier, 1845
- 1030. Cryptocheilus exiguus Sustera, 1924 (Pompilidae)** Synonym(s): exiguus Sustera, 1924
- 1031. Cryptocheilus fabricii (Van der Linden, 1827) (Pompilidae)** Synonym(s): fabricii Van der Linden, 1827; meridionalis Junco, 1943
- 1032. Cryptocheilus octomaculatus (Rossi, 1790) (Pompilidae)** Synonym(s): octomaculatus Rossi, 1790; eatoni Saunders, 1901

- 1033. *Cryptocheilus rubellus* (Eversmann,1846)** (Pompilidae) Synonym(s): *rubellus* Eversmann,1846
- 1034. *Cryptocheilus stygium* Priesner,1967** (Pompilidae) Synonym(s): *stygium* Priesner,1967
- 1035. *Cryptocheilus variipennis* Suster,1924** (Pompilidae) Synonym(s): *variipennis* Suster,1924
- 1036. *Elaphrosyron paglianoi* Wolf,1999** (Pompilidae) Synonym(s): *paglianoi* Wolf,1999
- 1037. *Eoferreola anatolica* Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973
- 1038. *Episyron candiotum* Wahis,1966** (Pompilidae) Synonym(s): *candiotum* Wahis,1966
- 1039. *Episyron gallicum* (Tournier,1889)** (Pompilidae) Synonym(s): *gallicum* Tournier,1889; *intermedium* Haupt,1930
- 1040. *Episyron rufipes* (Linnaeus,1758)** (Pompilidae) Synonym(s): *rufipes* Linnaeus,1758
- 1041. *Evagetes dubius* (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970
- 1042. *Evagetes gibbulus* Lepeletier,1845** (Pompilidae) Synonym(s): *gibbulus* Lepeletier,1845
- 1043. *Evagetes pontomoravicus* (Suster,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Suster,1938; *schwarzi* Priesner,1965; *mavromoustakisi* Wolf,1970
- 1044. *Evagetes tumidosus* (Tournier,1890)** (Pompilidae) Synonym(s): *tumidosus* Tournier,1890; *lusaticus* Blüthgen,1944; *sinuatus* Haupt,1969; *tumidinus* Wolf,1970
- 1045. *Lophopompilus samariensis* (Pallas,1771)** (Pompilidae) Synonym(s): *samariensis* Pallas,1771; *atterima* Rossi,1790; *tropicus* Dahlbom,1843; *zelleri* Dahlbom,1843; *sesquialterus* Fischer de Waldheim,1843; *meridianus* Lepeletier,1845; *grandis* Eversmann,1846; *nigripennis* Sichel,1860; *przewalskii* Radoszkowski,1887
- 1046. *Pompilus cinereus* (Fabricius,1787)** (Pompilidae) Synonym(s): *cinereus* Fabricius,1787
- 1047. *Priocnemis vulgaris* (Dufour,1841)** (Pompilidae) Synonym(s): *vulgaris* Dufour,1841
- 1048. *Tachyagetes bytinskii* Haupt,1962** (Pompilidae) Synonym(s): *bytinskii* Haupt,1962
- 1049. *Tachyagetes konyanus* Wolf,1987** (Pompilidae) Synonym(s): *konyanus* Wolf,1987
- 1050. *Tachyagetes turcoturanicus* Wolf,1986** (Pompilidae) Synonym(s): *turcoturanicus* Wolf,1986
- 1051. *Telostegus cretensis* Priesner,1965** (Pompilidae) Synonym(s): *cretensis* Priesner,1965
- 1052. *Telostegus excisus* (Haupt,1930)** (Pompilidae) Synonym(s): *excisus* Haupt,1930
- 1053. *Telostegus fumigatus* (Klug,1834)** (Pompilidae) Synonym(s): *fumigatus* Klug,1834
- 1054. *Telostegus inermis* (Brullé,1832)** (Pompilidae) Synonym(s): *inermis* Brullé,1832; *ater* Haupt,1930

Sapygidae

- 1055. *Sapyga* (s.str.) *caucasica* Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880
- 1056. *Sapyga* (s.str.) *morawitzi* Turner,1911** (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986
- 1057. *Sapyga* (s.str.) *pulcherrima* Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima* Morawitz,1894
- 1058. *Sapyga* (s.str.) *quinquepunctata* (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 1059. *Sapyga* (s.str.) *similis* (Fabricius,1793)** (Sapygidae) Synonym(s): *similis* Fabricius,1793; *variegata* Dahlbom,1844; *exornata* Gerstraecker,1861; *pedestris* Gerstraecker,1861; *rufipes* A.Costa,1864

Scoliidae

- 1060. *Colpa quinquecincta* (Fabricius,1775)** (Scoliidae) Synonym(s): *villosa* Fabricius,1775; *quinquecincta* Fabricius,1775; *abdominalis* Spinola,1806; *continua* Lepeletier,1845
- 1061. *Dasyscolia ciliata* (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoszkowski,1880; *fastuosa* Gribodo,1893
- 1062. *Megascolia (Regiscolia) maculata* (Drury,1773)** (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859
- 1063. *Scolia* (s.str.) *fallax* Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849; *syriacola* Betrem,1935; *moreana* Muche,1962; *tricolor* Bradley,1972
- 1064. *Scolia* (s.str.) *fuciformis* Scopoli,1786** (Scoliidae) Synonym(s): *fuciformis* Scopoli,1786; *insubrica* Scopoli,1786
- 1065. *Scolia* (s.str.) *sexmaculata* (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *orientalis* Steinberg,1962; *dionysopolis* Tkalcu,1988
- 1066. *Scolia hirta* (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970

Sphecidae

- 1067. *Ammophila heydeni* Dahlbom, 1845** (Sphecidae) Synonym(s): heydeni Dahlbom, 1845; iberica André, 1886
- 1068. *Ammophila striata* Mocsary, 1878** (Sphecidae) Synonym(s): striata Mocsary, 1878
- 1069. *Podalonia hirsuta* (Scopoli, 1763)** (Sphecidae) Synonym(s): hirsuta Scopoli, 1763
- 1070. *Prionyx haberhaueri* (Radoszkowski, 1871)** (Sphecidae) Synonym(s): haberhaueri Radoszkowski, 1871; vittatus Kohl, 1884
- 1071. *Sceliphron* (s.str.) *destillatorium* (Illiger, 1807)** (Sphecidae) Synonym(s): flavipes Christ, 1791 nec Fabr., 1781; destillatorium Illiger, 1807; pensilis Illiger, 1807; sardonius Lepeletier, 1845; sardous Caruccio, 1872; trinacriensis De Stefani Perez, 1889
- 1072. *Sphex* (s.str.) *funerarius* Gussakowski, 1934** (Sphecidae) Synonym(s): funerarius Gussakowski, 1934

Tenthredinidae

- 1073. *Cladius pectinicornis* (Geoffroy, 1785)** (Tenthredinidae) Synonym(s): pectinicornis Geoffroy, 1785
- 1074. *Macrophya cyrus* Benson, 1954** (Tenthredinidae) Synonym(s): cyrus Benson, 1954
- 1075. *Macrophya diversipes* (Schrank, 1782)** (Tenthredinidae) Synonym(s): diversipes Schrank, 1782; flavipes Tischbein, 1852; haematopus Costa, 1866; eximia Mocsary, 1877; caucasica André, 1881; rubripes André, 1881; saundersi Kirby, 1886; sanguinipes Mocsary, 1891; dalmatina Gasparini, 1891; haematopus Villers, 1789; ochreata Panzer, 1800
- 1076. *Macrophya suberba* Tischbein, 1852** (Tenthredinidae) Synonym(s): erythropus Brullé, 1832; suberba Tischbein, 1852; flavipennis Kriechbaumer, 1891
- 1077. *Tenthredo* (Cephaledo) *bifasciata* O. Müller, 1766** (Tenthredinidae) Synonym(s): bifasciata O. Müller, 1766; vidua Spinola, 1806; palestina Pic, 1948
- 1078. *Tenthredo* (s.str.) *scrophulariae* Linnaeus, 1758** (Tenthredinidae) Synonym(s): scrophulariae Linnaeus, 1758; branensis Pic, 1926; joannis Pic, 1926; morvandicus Pic, 1926; repartitus Pic, 1926
- 1079. *Tenthredo* (Zonuledo) *flavipennis* (Brullé, 1832)** (Tenthredinidae) Synonym(s): flavipennis Brullé, 1832; frivaldszkyi Mocsary, 1879; lautus Konow, 1891
- 1080. *Tenthredo* (Zonuledo) *zonula* Klug, 1817** (Tenthredinidae) Synonym(s): fasciata Scopoli, 1763 nec Linn., 1758; bifasciata Geoffroy, 1785 nec Müll., 1766; bicictaflava Christ, 1791; zonula Klug, 1817; similis Mocsary, 1880; nazarensis André; serena Konow; calcaratus André, 1881; scutellaris Konow, 1898
- 1081. *Tenthredo marginella* Fabricius, 1793** (Tenthredinidae) Synonym(s): marginella Fabricius, 1793; fuscipennis Konow, 1886 [ssp.]; hakkariensis Blank, 1991 [ssp.]
- 1082. *Tenthredo vespa* Retzius, 1783** (Tenthredinidae) Synonym(s): vespa Retzius, 1783; multifasciata Geoffroy, 1785; sexannulata Schrank, 1802; tricincta Fabricius, 1804 nec Christ, 1791; quadricincta Fallén, 1808; vespiformis Audinet-Serville, 1823; multicinctus Rudow, 1872; nigrilabris Frivaldszky, 1877

Tiphiidae

- 1083. *Icronatha caucasica* (Mocsary, 1883)** (Tiphiidae) Synonym(s): caucasica Mocsary, 1883
- 1084. *Ludita fulvipennis* (Smith, 1879)** (Tiphiidae) Synonym(s): fulvipennis Smith, 1879
- 1085. *Ludita villosa* (Fabricius, 1793)** (Tiphiidae) Synonym(s): villosa Fabricius, 1793
- 1086. *Poecilotiphia melaena* Bartalucci, 2013** (Tiphiidae) Synonym(s): melaena Bartalucci, 2013
- 1087. *Tiphia femorata* Fabricius, 1775** (Tiphiidae) Synonym(s): femorata Fabricius, 1775
- 1088. *Tiphia minuta* Van der Linden, 1827** (Tiphiidae) Synonym(s): minuta Van der Linden, 1827
- 1089. *Tiphia persica* Turner, 1908** (Tiphiidae) Synonym(s): persica Turner, 1908

Vespidae

- 1090. *Ancistrocerus gazella* (Panzer, 1798)** (Vespidae) Synonym(s): gazella Panzer, 1798
- 1091. *Ancistrocerus oviventris* (Wesmael, 1836)** (Vespidae) Synonym(s): oviventris Wesmael, 1836
- 1092. *Antepipona cribrata* (Morawitz, 1885)** (Vespidae) Synonym(s): cribrata Morawitz, 1885
- 1093. *Antepipona insana* (Giordani Soika, 1943)** (Vespidae) Synonym(s): insana Giordani Soika, 1943; calva Gusenleitner, 1988 [ssp.]
- 1094. *Cephalochilus draco* Giordani Soika, 1970** (Vespidae) Synonym(s): draco Giordani Soika, 1970

- 1095. *Ceramius caucasicus* André, 1884** (Vespidae) **Synonym(s):** caucasicus André, 1884
- 1096. *Delta dimidiatipenne* (Saussure, 1852)** (Vespidae) **Synonym(s):** dimidiatipenne Saussure, 1852; transcaspicus Morawitz, 1895
- 1097. *Delta unguiculatum* (Villers, 1789)** (Vespidae) **Synonym(s):** unguiculatum Villers, 1789; coangustata Rossi, 1790; cursor Christ, 1791; lapidica Christ, 1791; infundibuliformis Olivier, 1791; dumetorum Panzer, 1799; olivieri Lepeletier, 1841; huberti Saussure, 1852; sporadense Schulthess, 1929
- 1098. *Dolichovespula sylvestris* (Scopoli, 1763)** (Vespidae) **Synonym(s):** sylvestris Scopoli, 1763; parietum Harris, 1776 nec Linn., 1758; holsatica Fabricius, 1793; frontalis Latreille, 1802; campanaria Fowler, 1833; pilosella Costa, 1858; sumptuosa Du Buysson, 1905; xinjiangensis Lee, 1986
- 1099. *Eumenes coarctatus* (Linnaeus, 1758)** (Vespidae) **Synonym(s):** coarctatus Linnaeus, 1758; lunulatus Fabricius, 1804
- 1100. *Eumenes mediterraneus* (Kriechbaumer, 1879)** (Vespidae) **Synonym(s):** mediterraneus Kriechbaumer, 1879; housaki Giordani Soika, 1952; anatolicus Giordani Soika, 1952
- 1101. *Euodynerus* (s.str.) *clatratus* Blüthgen, 1951** (Vespidae) **Synonym(s):** clatratus Blüthgen, 1951
- 1102. *Euodynerus* (s.str.) *curictensis* Blüthgen, 1940** (Vespidae) **Synonym(s):** curictensis Blüthgen, 1940; comosellus Gusenleitner, 1971
- 1103. *Euodynerus* (s.str.) *disconotatus* (Lichtenstein, 1884)** (Vespidae) **Synonym(s):** disconotatus Lichtenstein, 1884
- 1104. *Gymnomerus laevipes* (Shuckard, 1837)** (Vespidae) **Synonym(s):** laevipes Shuckard, 1837; cognatus Dufour, 1839; rubicola Dufour, 1839; simplicipes Herrich-Schäffer, 1839
- 1105. *Hemipterochilus simplex* Gusenleitner, 2000** (Vespidae) **Synonym(s):** simplex Gusenleitner, 2000
- 1106. *Jugurtia escalerae* Meade-Waldo, 1910** (Vespidae) **Synonym(s):** escalerae Meade-Waldo, 1910
- 1107. *Katamenes flavigularis* (Blüthgen, 1951)** (Vespidae) **Synonym(s):** flavigularis Blüthgen, 1951
- 1108. *Onychopterocheilus hellenicus* (Morawitz, 1885)** (Vespidae) **Synonym(s):** hellenicus Morawitz, 1885; syriacus Blüthgen, 1952
- 1109. *Polistes* (s.str.) *biglumis* (Linnaeus, 1758)** (Vespidae) **Synonym(s):** biglumis Linnaeus, 1758; alpium Blüthgen, 1957
- 1110. *Polistes* (s.str.) *dominula* (Christ, 1791)** (Vespidae) **Synonym(s):** dominulus Christ, 1791; bucharensis Erichson, 1949; muchei Gusenleitner, 1976
- 1111. *Polistes* (s.str.) *gallicus* (Linnaeus, 1767)** (Vespidae) **Synonym(s):** gallicus Linnaeus, 1767; foederatus Kohl, 1898; omissus Weyrauch, 1939
- 1112. *Polistes* (s.str.) *nimphus* (Christ, 1791)** (Vespidae) **Synonym(s):** nimpha Christ, 1791; opinabilis Kohl, 1898; moltonii Guiglia, 1944; irakensis Gusenleitner, 1976
- 1113. *Polistes* (s.str.) *sulcifer* (Zimmermann, 1930)** (Vespidae) **Synonym(s):** sulcifer Zimmermann, 1930; simulator Zirngiebl, 1955
- 1114. *Pseudepipona* (Deuterepipona) *ankarensis* Giordani Soika, 1970** (Vespidae) **Synonym(s):** ankarensis Giordani Soika, 1970
- 1115. *Psiloglossa anatolica* Giordani Soika, 1979** (Vespidae) **Synonym(s):** anatolica Giordani Soika, 1979
- 1116. *Quartinia popovi* Gussakovskii, 1936** (Vespidae) **Synonym(s):** popovi Gussakovskii, 1936
- 1117. *Vespa orientalis* Linnaeus, 1771** (Vespidae) **Synonym(s):** orientalis Linnaeus, 1771; turcica Drury, 1773; quadripunctata Forskal, 1775; fusca Christ, 1791; aegyptiaca Vallot, 1802; nilotica Vallot, 1802; jurinei Saussure, 1854; zavattarii Guiglia & Capra, 1933; somalica Giordani Soika, 1934; arabica Giordani Soika, 1957
- 1118. *Vespula germanica* (Fabricius, 1793)** (Vespidae) **Synonym(s):** germanica Fabricius, 1793

Coleoptera

Previously 165 species were listed (Koçak & Kemal, 2012: 72-76).

Apionidae

- 1119. *Alocentron* (s.str.) *curvirostre* (Gyllenhal, 1833)** (Apionidae) **Synonym(s):** curvirostre Gyllenhal, 1833
- 1120. *Ceratapion* (Angustapion) *macrorrhynchum* (Eppelsheim, 1888)** (Apionidae) **Synonym(s):** macrorrhynchum Eppelsheim, 1888
- 1121. *Cyanapion* (Bothryorrhynchapion) *gyllenhalii* (W. Kirby, 1808)** (Apionidae) **Synonym(s):** gyllenhalii W. Kirby, 1808
- 1122. *Eutrichapion* (Cnemapion) *vorax* (Herbst, 1797)** (Apionidae) **Synonym(s):** vorax Herbst, 1797
- 1123. *Protapion nigritarse* (W. Kirby, 1808)** (Apionidae) **Synonym(s):** nigritarse W. Kirby, 1808

- 1124. *Protapion truquii* (Reiche & Saulcy, 1858)** (Apionidae) **Synonym(s):** *truquii* Reiche & Saulcy, 1858

Attelabidae

- 1125. *Attelabus nitens* (Scopoli, 1763)** (Attelabidae) **Synonym(s):** *nitens* Scopoli, 1763; *curculionoides* Linnaeus, 1767; *coryli* Müller, 1776; *maculipes* Rondani, 1833
- 1126. *Deporaus (Caenorhinus) mannerheimii* (Hummel, 1823)** (Attelabidae) **Synonym(s):** *mannerheimii* Hummel, 1823; *megacephalus* Germar, 1824
- 1127. *Rhynchites hungaricus* (Herbst, 1784)** (Attelabidae) **Synonym(s):** *hungaricus* Herbst, 1784; *marginatus* Schrank, 1798; *ursus* Gebler, 1830; *anatolicus* Schilsky, 1903; *marginicollis* Schilsky, 1903; *maculicollis* Reitter, 1916; *suturifer* Reitter, 1916

Brachyceridae

- 1128. *Brachycerus quadrisulcatus* Fischer v. Waldheim, 1830** (Brachyceridae) **Synonym(s):** *quadrisulcatus* Fischer v. Waldheim, 1830; *difformis* Faldermann, 1837

Bruchidae

- 1129. *Bruchidius albopictus* (Allard, 1883)** (Bruchidae) **Synonym(s):** *albopictus* Allard, 1883
- 1130. *Bruchidius bimaculatus* (Olivier, 1795)** (Bruchidae) **Synonym(s):** *bimaculatus* Olivier, 1795; *variegatus* Germar, 1824
- 1131. *Bruchidius quinqueguttatus* (Olivier, 1795)** (Bruchidae) **Synonym(s):** *quinqueguttatus* Olivier, 1795
- 1132. *Caryedon halperini* Anton & Delobel, 2004** (Bruchidae) **Synonym(s):** *#akdamaricus* Decelle & Lodos, 1989; *halperini* Anton & Delobel, 2004

Bostrichidae

- 1133. *Bostrichus capucinus* (Linnaeus, 1758)** (Bostrichidae) **Synonym(s):** *capucinus* Linnaeus, 1758; *ruber* Geoffroy, 1785; *luctuosus* Olivier, 1790; *nigriventris* Lucas, 1843; *rubriventris* Zoufal, 1894

Buprestidae

- 1134. *Acmaeodera (s.str.) flavolineata* Laporte & Gory, 1835** (Buprestidae) **Synonym(s):** *flavolineata* Laporte & Gory, 1835; *dorsalis* Spinola, 1838; *sturalis* Gory, 1840; *bivitis* Frivaldsky, 1912; *krueperi* Obenberger, 1926
- 1135. *Acmaeoderella (Euacmaeoderella) obscura* (Reitter, 1889)** (Buprestidae) **Synonym(s):** *obscura* Reitter, 1889; *cyaniventris* Reitter, 1890; *kalalae* Obenberger, 1935; *nigroopaca* Cobos, 1963
- 1136. *Acmaeoderella (Euacmaeoderella) villosula* (Steven, 1830)** (Buprestidae) **Synonym(s):** *villosula* Steven, 1830; *boryi* Brullé, 1832; *steveni* Faldermann, 1838
- 1137. *Agrilus (Anambus) sericans* Kiesenwetter, 1857** (Buprestidae) **Synonym(s):** *cuprescens* Castelnau & Gory, 1837; *sericans* Kiesenwetter, 1857; *auripubis* Obenberger, 1936; *nigridorsis* Obenberger, 1936; *sareptanus* Obenberger, 1936
- 1138. *Anthaxia (Cratomerus) hungarica* (Scopoli, 1772)** (Buprestidae) **Synonym(s):** *hungarica* Scopoli, 1772; *trochilus* Fabricius, 1776; *cyanicornis* Fabricius, 1781; *elegantula* Schrank, 1781; *stephanelli* Petagna, 1787; *femorata* Villers, 1789; *exaltata* Fabricius, 1798
- 1139. *Anthaxia (Cratomerus) nupta* Kiesenwetter, 1857** (Buprestidae) **Synonym(s):** *nupta* Kiesenwetter, 1857
- 1140. *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857** (Buprestidae) **Synonym(s):** *sponsa* Kiesenwetter, 1857
- 1141. *Anthaxia (s.str.) bicolor* Faldermann, 1835** (Buprestidae) **Synonym(s):** *nitidula* Schoenherr, 1817; *bicolor* Faldermann, 1835; *taurica* Mannerheim, 1837
- 1142. *Anthaxia (s.str.) fulgurans* (Schrank, 1789)** (Buprestidae) **Synonym(s):** *fulgurans* Schrank, 1789
- 1143. *Capnodis marquardti* Reitter, 1913** (Buprestidae) **Synonym(s):** *marquardti* Reitter, 1913

- 1144. *Capnodis tenebricosa* (Olivier,1790)** (Buprestidae) **Synonym(s):** *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 1145. *Capnodis tenebrionis* (Linnaeus,1761)** (Buprestidae) **Synonym(s):** *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 1146. *Coraebus elatus* (Fabricius,1787)** (Buprestidae) **Synonym(s):** *elatus* Fabricius,1787; *sinuatus* Panzer,1796; *aeruginosus* Latreille,1804; *lapsanae* Bonelli,1812; *metallicus* Gory & Laporte,1839; *pruinus* Kuster,1846; *comari* Marseul,1866; *repletus* Abeille de Perrin,1893; *cylindraceus* Abeille de Perrin,1896; *lampsanae* Reitter,1906; *bicolor* Obenberger,1935; *caucasicola* Obenberger,1935; *protensulus* Obenberger,1935; *azureus* Obenberger,1935
- 1147. *Coraebus rubi* (Linnaeus,1767)** (Buprestidae) **Synonym(s):** *rubi* Linnaeus,1767; *nebulosus* Scopoli,1772
- 1148. *Julodis andreae* (Olivier,1790)** (Buprestidae) **Synonym(s):** *andreae* Olivier,1790; *sovitzii* Steven,1830; *setosa* Steven,1830; *lineigera* Marseul,1865; *ampliata* Marseul,1865; *stevensii* Saunders,1871; *hampei* Thomson,1878; *lineata* Kerremans,1886; *subviolacea* Abeille de Perrin,1904; *tenuelineata* Abeille de Perrin,1904; *derasa* Abeille de Perrin,1904; *costifera* Obenberger,1919
- 1149. *Meliboëus robustus* (Küster,1852)** (Buprestidae) **Synonym(s):** *robustus* Küster,1852; *obscurus* Zhicharev,1915; *centaureicolor* Obenberger,1935

Cantharidae

- 1150. *Cantharis* (s.str.) *livida* Linnaeus,1758** (Cantharidae) **Synonym(s):** *livida* Linnaeus,1758; *hungarica* Csiki,1903
- 1151. *Metacantharis rosinae* (Pic,1902)** (Cantharidae) **Synonym(s):** *rosinae* Pic,1902

Carabidae

- 1152. *Agonum viridicupreum* (Goeze,1777)** (Carabidae) **Synonym(s):** *viridicupreum* Goeze,1777
- 1153. *Calosoma sycophanta* (Linnaeus,1758)** (Carabidae) **Synonym(s):** *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 1154. *Carabus* (Lamprostus) *calleyi* Fischer von Waldheim,1823** (Carabidae) **Synonym(s):** *calleyi* Fischer von Waldheim,1823
- 1155. *Carabus* (Procrustes) *chevrolati* Cristoforis & Jan,1837** (Carabidae) **Synonym(s):** *chevrolati* Cristoforis & Jan,1837; *assimilis* Cristoforis & Jan,1837; *persimilis* Csiki,1927
- 1156. *Cicindela asiatica* Audouin & Brullé,1839** (Carabidae) **Synonym(s):** *asiatica* Audouin & Brullé,1839
- 1157. *Cicindela desertorum* Dejean,1825** (Carabidae) **Synonym(s):** *desertorum* Dejean,1825
- 1158. *Cicindela turkestanicoides* W.Horn,1938** (Carabidae) **Synonym(s):** *turkestanicoides* W.Horn,1938
- 1159. *Harpalus* (s.str.) *affinis* (Schränk,1781)** (Carabidae) **Synonym(s):** *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907
- 1160. *Harpalus* (s.str.) *rubripes* Duftschmid,1812** (Carabidae) **Synonym(s):** *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904
- 1161. *Lophyridia fischeri* (Adams,1817)** (Carabidae) **Synonym(s):** *fischeri* Adams,1817
- 1162. *Lophyridia littoralis* (Fabricius,1787)** (Carabidae) **Synonym(s):** *littoralis* Fabricius,1787

Cerambycidae

- 1163. *Agapanthia* (Agapanthiopia) *coeruleipennis* Frivaldsky,1878** (Cerambycidae) **Synonym(s):** *coeruleipennis* Frivaldsky,1878; *brevis* Pic,1891
- 1164. *Agapanthia* (Epopetes) *walteri* (Reitter,1898)** (Cerambycidae) **Synonym(s):** *walteri* Reitter,1898; *erivanica* Pic,1900; *theryi* Pic,1908
- 1165. *Agapanthia* (Smaragdula) *violacea* (Fabricius,1775)** (Cerambycidae) **Synonym(s):** *violacea* Fabricius,1775; *micans* Fuessly,1775; *cyanea* Herbst,1784; *janthina* Gmelin,1790; *coerulea* Schönherr,1817; *smaragdina* Krynicki,1832; *chalybaea* Mulsant,1839
- 1166. *Agapanthia* (Synthapsia) *kirbyi* (Gyllenhal,1817)** (Cerambycidae) **Synonym(s):** *kirbyi* Gyllenhal,1817; *latipennis* Mulsant,1862; *zawadskyi* Fairmaire,1866

- 1167. *Aromia moschata* (Linnaeus,1758)** (Cerambycidae) **Synonym(s):** moschata Linnaeus,1758; odorata DeGeer,1775; chlorophana Fischer v. Waldheim,1823; alata A.Costa,1855; auctumnalis Westhoff,1882; thea Reitter,1894; cupricollis Pic,1941; perroudi Pic,1941
- 1168. *Callimus (Lampropterus) femoratus* (Germar,1824)** (Cerambycidae) **Synonym(s):** femoratus Germar,1824
- 1169. *Cerambyx (s.str.) dux* (Faldermann,1837)** (Cerambycidae) **Synonym(s):** dux Faldermann,1837
- 1170. *Chlorophorus nivipictus* (Kraatz,1879)** (Cerambycidae) **Synonym(s):** nivipictus Kraatz,1879
- 1171. *Chlorophorus varius* (O.F.Müller,1766)** (Cerambycidae) **Synonym(s):** varius O.F.Müller,1766; damascenus Chevrolat,1854 [ssp.]
- 1172. *Clytus schneideri* Kiesenwetter,1879** (Cerambycidae) **Synonym(s):** schneideri Kiesenwetter,1879
- 1173. *Coptosia ganglbaueri* (Pic,1951)** (Cerambycidae) **Synonym(s):** ganglbaueri Pic,1951
- 1174. *Dorcadion (Cribridorcadion) beckeri* (Kraatz,1873)** (Cerambycidae) **Synonym(s):** beckeri Kraatz,1873
- 1175. *Dorcadion (Cribridorcadion) deyrollei* Ganglbauer,1883** (Cerambycidae) **Synonym(s):** deyrollei Ganglbauer,1883
- 1176. *Dorcadion (Cribridorcadion) mnischei* Kraatz,1873** (Cerambycidae) **Synonym(s):** mnischei Kraatz,1873; rugulosum Breuning,1946
- 1177. *Dorcadion (Cribridorcadion) pedestre* (Poda,1761)** (Cerambycidae) **Synonym(s):** pedestre Poda,1761; suturalis Voet,1778; rufipes Fabricius,1792;...
- 1178. *Dorcadion (Cribridorcadion) scabricolle* (Dalman,1817)** (Cerambycidae) **Synonym(s):** scabricolle Dalman,1817
- 1179. *Dorcadion (Cribridorcadion) wagneri* (Küster,1846)** (Cerambycidae) **Synonym(s):** wagneri Küster,1846
- 1180. *Helladia armeniaca* Frivaldsky,1878** (Cerambycidae) **Synonym(s):** armeniaca Frivaldsky,1878; testaceovittata Pic,1934; iranica Villers,1960; natali Lobanov,1994; holzschuchi Özdikmen,2008.
- 1181. *Helladia millefolii* (Adams,1817)** (Cerambycidae) **Synonym(s):** millefolii Adams,1817
- 1182. *Judolia erratica* (Dalman,1817)** (Cerambycidae) **Synonym(s):** erratica Dalman,1817
- 1183. *Mallosia (Eumallosia) herminae* (Reitter,1890)** (Cerambycidae) **Synonym(s):** herminae Reitter,1890; gobustanica Danilevsky,1990
- 1184. *Mallosia (Eumallosia) imperatrix* Abeille de Perrin,1885** (Cerambycidae) **Synonym(s):** imperatrix Abeille de Perrin,1885; robusta Pic,1901; tauricola K.Daniel,1904
- 1185. *Mallosia (Eusemnosia) interrupta* (Pic,1905)** (Cerambycidae) **Synonym(s):** interrupta Pic,1905
- 1186. *Mallosia (Eusemnosia) mirabilis* (Faldermann,1837)** (Cerambycidae) **Synonym(s):** mirabilis Faldermann,1837; kotschy Hampe,1852; anglbaueri Kraatz,1884; bitlisiensis Pic,1902; delangrangei Pic,1902; multimaculata Pic,1902; semirubra Pic,1905
- 1187. *Mallosia (Semnosia) scovitzii* (Faldermann,1837)** (Cerambycidae) **Synonym(s):** scovitzii Faldermann,1837; semilimbata Pic,1900; atricornis Pic,1915
- 1188. *Musaria astarte* (Ganglbauer,1885)** (Cerambycidae) **Synonym(s):** astarte Ganglbauer,1885
- 1189. *Musaria kurdistanica* (Ganglbauer,1884)** (Cerambycidae) **Synonym(s):** kurdistanica Ganglbauer,1884; caucasica Pic,1897; korbi Pic,1898; luristanica Pic,1917; innotaticeps Pic,1931
- 1190. *Musaria puncticollis* (Faldermann,1837)** (Cerambycidae) **Synonym(s):** puncticollis Faldermann,1837
- 1191. *Neoplacionotus bobelayei* (Brullé,1832)** (Cerambycidae) **Synonym(s):** speciosus Adams,1817; bobelayei Brullé,1832
- 1192. *Opsilia coerulescens* (Scopoli,1763)** (Cerambycidae) **Synonym(s):** coerulescens Scopoli,1763; cretensis Breuning,1947
- 1193. *Osphranteria coerulescens* Redtenbacher,[1849]** (Cerambycidae) **Synonym(s):** coerulescens Redtenbacher,[1849]; coeruleipennis Schwarzer,1931; mirabilis Podany,1980; inaurata Holzschuh,1981
- 1194. *Oxyia argentata* (Ménétriés,1832)** (Cerambycidae) **Synonym(s):** argentata Ménétriés,1832; languida Ménétriés,1839
- 1195. *Pachytodes erraticus* (Dalman,1817)** (Cerambycidae) **Synonym(s):** erraticus Dalman,1817
- 1196. *Paraplagionotus floralis* (Pallas,1773)** (Cerambycidae) **Synonym(s):** floralis Pallas,1773
- 1197. *Pedostrangalia riccardoi* Holzschuh,1984** (Cerambycidae) **Synonym(s):** riccardoi Holzschuh,1984
- 1198. *Phytoecia virgula* (Charpentier,1825)** (Cerambycidae) **Synonym(s):** virgula Charpentier,1825
- 1199. *Plagionotus arcuatus* (Linnaeus,1758)** (Cerambycidae) **Synonym(s):** arcuatus Linnaeus,1758
- 1200. *Pseudovadonia livida* (Fabricius,1777)** (Cerambycidae) **Synonym(s):** livida Fabricius,1777; pecta K.Daniel & J.Daniel,1891
- 1201. *Pteromallosia albolineata* (Hampe,1852)** (Cerambycidae) **Synonym(s):** albolineata Hampe,1852; fulvilineata Reitter,1891
- 1202. *Purpuricenens apicalis* Pic,1905** (Cerambycidae) **Synonym(s):** apicalis Pic,1905; tommasoi Sama,2001

- 1203. *Purpuricen* bitlisiensis Pic,1902** (Cerambycidae) **Synonym(s):** bitlisiensis Pic,1902
- 1204. *Purpuricen* cornifrons Sabbadini & Pesarini,1992** (Cerambycidae) **Synonym(s):** cornifrons Sabbadini & Pesarini,1992
- 1205. *Purpuricen* wachanrui Levrat,1858** (Cerambycidae) **Synonym(s):** wachanrui Levrat,1858; aleppensis Witte,1872; haussknechti Witte,1872; atricolor Pic,1912; diversipennis Pic,1915
- 1206. *Rutpela* maculata (Poda,1761)** (Cerambycidae) **Synonym(s):** maculata Poda,1761; fasciata Scopoli,1763; armata Herbst,1784; rubea Geoffroy,1785; quinquemaculata Gmelin,1790; irmananica Sama,1996
- 1207. *Stenopterus* rufus (Linnaeus,1767)** (Cerambycidae) **Synonym(s):** rufus Linnaeus,1767; attenuatus Geoffroy,1785
- 1208. *Stenurella* bifasciata (O.F.Müller,1776)** (Cerambycidae) **Synonym(s):** bifasciata O.F.Müller,1776
- 1209. *Stictoleptura* cordigera (Fuesslin,1775)** (Cerambycidae) **Synonym(s):** cordigera Fuesslin,1775
- 1210. *Stictoleptura* tripartita (Heyden,1889)** (Cerambycidae) **Synonym(s):** tripartita Heyden,1889
- 1211. *Vadonia* bitlisiensis (Chevrolat,1882)** (Cerambycidae) **Synonym(s):** bitlisiensis Chevrolat,1882; cribricollis Pic,1889; bistigmata Pic,1893; armeniaca Pic,1903
- 1212. *Vadonia* unipunctata (Fabricius,1787)** (Cerambycidae) **Synonym(s):** unipunctata Fabricius,1787
- 1213. *Xylotrechus* rusticus (Linnaeus,1758)** (Cerambycidae) **Synonym(s):** rusticus Linnaeus,1758

Chrysomelidae

- 1214. *Altica* deserticola (Weise,1889)** (Chrysomelidae) **Synonym(s):** deserticola Weise,1889
- 1215. *Aphthona* crassicornis Lopatin,1990** (Chrysomelidae) **Synonym(s):** crassicornis Lopatin,1990
- 1216. *Cassida* algerica Lucas,1849** (Chrysomelidae) **Synonym(s):** algerica Lucas,1849
- 1217. *Cassida* strejceki Sekerka,2006** (Chrysomelidae) **Synonym(s):** strejceki Sekerka,2006
- 1218. *Chrysolina* gypsophilae (Küster,1845)** (Chrysomelidae) **Synonym(s):** gypsophilae Küster,1845; lucidicollis Küster,1845
- 1219. *Chrysolina* marginata (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** marginata Linnaeus,1758; unificans Bechyne,1950
- 1220. *Chrysolina* orientalis (Olivier,1807)** (Chrysomelidae) **Synonym(s):** orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950
- 1221. *Chrysolina* sanguinolenta (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** sanguinolenta Linnaeus,1758; marginalis Duftschmidt,1825
- 1222. *Chrysomela* populi Linnaeus,1758** (Chrysomelidae) **Synonym(s):** populi Linnaeus,1758
- 1223. *Clytra* (Clytraria) atraphaxidis (Pallas,1773)** (Chrysomelidae) **Synonym(s):** atraphaxidis Pallas,1773; deficiens Weise,1900
- 1224. *Clytra* (Clytraria) novempunctata Olivier,1808** (Chrysomelidae) **Synonym(s):** novempunctata Olivier,1808; elata Weise,1881; persica Pic,1920
- 1225. *Clytra* (Clytraria) valeriana Ménétériés,1832** (Chrysomelidae) **Synonym(s):** valeriana Ménétériés,1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kismali,1990
- 1226. *Clytra* (Coptocephala) gebleri Gebler,1841** (Chrysomelidae) **Synonym(s):** quadrimaculatus Fabricius,1792 nec Linn.,1767; gebleri Gebler,1841; amasiensis Weise,1889; inundata Reitter,1905
- 1227. *Clytra* (Coptocephala) unifasciata (Scopoli,1763)** (Chrysomelidae) **Synonym(s):** unifasciata Scopoli,1763; quadrimaculata Linnaeus,1767; femoralis Küster,1845
- 1228. *Clytra* (Ovoclytra) bodemeyeri Weise,1900** (Chrysomelidae) **Synonym(s):** bodemeyeri Weise,1900
- 1229. *Clytra* (s.str.) aliena Weise,1897** (Chrysomelidae) **Synonym(s):** aliena Weise,1897
- 1230. *Clytra* (s.str.) laeviuscula (Ratzeburg,1837)** (Chrysomelidae) **Synonym(s):** fasciata Ratzeburg,1837 nec Fabr.,1801; laeviuscula Ratzeburg,1837
- 1231. *Clytra* cingulata Weise,1898** (Chrysomelidae) **Synonym(s):** cingulata Weise,1898
- 1232. *Cryptocephalus* bipunctatus (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** bipunctatus Linnaeus,1758; dispar Paykull,1799
- 1233. *Cryptocephalus* duplicatus Suffrian,1847** (Chrysomelidae) **Synonym(s):** duplicatus Suffrian,1847
- 1234. *Cryptocephalus* moraei (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** moraei Linnaeus,1758
- 1235. *Cryptocephalus* paphlagonius Sassi & Kismali,2000** (Chrysomelidae) **Synonym(s):** paphlagonius Sassi & Kismali,2000
- 1236. *Cryptocephalus* sericeus (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** sericeus Linnaeus,1758
- 1237. *Cryptocephalus* trimaculatus (Rossi,1790)** (Chrysomelidae) **Synonym(s):** trimaculatus Rossi,1790
- 1238. *Entomoscelis* sacra (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** sacra Linnaeus,1758; melanostoma Gmelin,1790; berytensis Reiche & Saulcy,1858
- 1239. *Entomoscelis* suturalis Weise,1882** (Chrysomelidae) **Synonym(s):** suturalis Weise,1882

- 1240. *Galeruca (s.str.) armeniaca* Weise, 1886** (Chrysomelidae) **Synonym(s):** *armeniaca* Weise, 1886; *fulvimargo* Reitter, 1901
- 1241. *Galeruca (s.str.) spectabilis* (Faldermann, 1837)** (Chrysomelidae) **Synonym(s):** *spectabilis* Faldermann, 1837; *orientalis* Osculati, 1844
- 1242. *Hispa atra* Linnaeus, 1767** (Chrysomelidae) **Synonym(s):** *atra* Linnaeus, 1767; *cariosa* Reiche & Saulcy, 1858; *algira* Motschoulsky, 1860; *aptera* Motschoulsky, 1860; *minuta* Balbi, 1892; *balbii* Donckier, 1899
- 1243. *Labidostomis (s.str.) asiatica* Faldermann, 1837** (Chrysomelidae) **Synonym(s):** *asiatica* Faldermann, 1837
- 1244. *Labidostomis (s.str.) maculipennis* Lefebvre, 1870** (Chrysomelidae) **Synonym(s):** *maculipennis* Lefebvre, 1870; *kindermannii* Kraatz, 1872
- 1245. *Labidostomis (s.str.) senicula* Kraatz, 1872** (Chrysomelidae) **Synonym(s):** *senicula* Kraatz, 1872; *nitida* Ballion, 1878; *albida* Jacobson, 1894; *turcomanica* Lopatin, 1954
- 1246. *Labidostomis (s.str.) subfasciata* Weise, 1885** (Chrysomelidae) **Synonym(s):** *subfasciata* Weise, 1885; *trigemina* Weise, 1898
- 1247. *Lilioceris faldermanni* (Guérin-Ménéville, 1829)** (Chrysomelidae) **Synonym(s):** *faldermanni* Guérin-Ménéville, 1829; *cornuta* Faldermann, 1837
- 1248. *Longitarsus anatolicus* Weise, 1900** (Chrysomelidae) **Synonym(s):** *anatolicus* Weise, 1900
- 1249. *Longitarsus trepidus* Warchalowski, 1973** (Chrysomelidae) **Synonym(s):** *trepidus* Warchalowski, 1973
- 1250. *Macrocoma fortidens* (Berti & Rappilly, 1973)** (Chrysomelidae) **Synonym(s):** *fortidens* Berti & Rappilly, 1973
- 1251. *Nymphius styliifer* (Weise, 1899)** (Chrysomelidae) **Synonym(s):** *styliifer* Weise, 1899
- 1252. *Pachybrachis (s.str.) anatolicus* Lopatin, 1985** (Chrysomelidae) **Synonym(s):** *anatolicus* Lopatin, 1985
- 1253. *Pachybrachis (s.str.) fimbriolatus* (Suffrian, 1848)** (Chrysomelidae) **Synonym(s):** *tristis* Olivier, 1808 nec Laich., 1781; *fimbriolatus* Suffrian, 1848; *multisanti* Perris, 1852
- 1254. *Pachybrachis (s.str.) laticollis* Suffrian, 1860** (Chrysomelidae) **Synonym(s):** *laticollis* Suffrian, 1860; *callosus* Sahlberg, 1860; *misellus* Weise, 1900
- 1255. *Pachybrachis (s.str.) mardinensis* Weise, 1900** (Chrysomelidae) **Synonym(s):** *mardinensis* Weise, 1900; *seidenstueckeri* Kippenberg, 1974
- 1256. *Pachybrachis (s.str.) mendax* Suffrian, 1860** (Chrysomelidae) **Synonym(s):** *mendax* Suffrian, 1860; *probus* Weise, 1882; *dissecticeps* Roubal, 1916; *sibiricus* Lopatin, 1962
- 1257. *Pachybrachis (s.str.) tessellatus* (Olivier, 1791)** (Chrysomelidae) **Synonym(s):** *tessellatus* Olivier, 1791; *tauricus* Suffrian, 1848; *bisignatus* Redtenbacher, 1849; *aethiops* Weise, 1882; *picturatus* Rey, 1883; *orientalis* Weise, 1894; *syriacus* Weise, 1900; *melanopygus* Müller, 1953
- 1258. *Phyllobrotica binotata* Ogloblin, 1936** (Chrysomelidae) **Synonym(s):** *binotata* Ogloblin, 1936; *aslani* Warchalowski, 1998
- 1259. *Prasocuris junci* (Brahm, 1790)** (Chrysomelidae) **Synonym(s):** *junci* Brahm, 1790; *beccabungae* Küster, 1846; *minutus* Markovic, 1909
- 1260. *Sermylassa halensis* (Linnaeus, 1767)** (Chrysomelidae) **Synonym(s):** *halensis* Linnaeus, 1767
- 1261. *Smaragdina limbata* (Steven, 1806)** (Chrysomelidae) **Synonym(s):** *limbata* Steven, 1806; *dorsalis* Olivier, 1808
- 1262. *Stylosomus flavus* Marseul, 1875** (Chrysomelidae) **Synonym(s):** *flavus* Marseul, 1875
- 1263. *Tituboea macropus* (Illiger, 1800)** (Chrysomelidae) **Synonym(s):** *macropus* Illiger, 1800

Cleridae

- 1264. *Tilloidea unifasciata* (Fabricius, 1787)** (Cleridae) **Synonym(s):** *unifasciata* Fabricius, 1787; *serraticornis* Villers, 1789; *tricolor* Spinola, 1844; *cingulata* Corporaal, 1939; *laterufa* Corporaal, 1949; *elbursiaca* Winkler, 1982
- 1265. *Tillus pectinicornis* Abeille de Perrin, 1892** (Cleridae) **Synonym(s):** *pectinicornis* Abeille de Perrin, 1892; *holtzi* Hintz, 1902
- 1266. *Trichodes affinis* Chevrolat, 1843** (Cleridae) **Synonym(s):** *affinis* Chevrolat, 1843; *apicalis* Champenois, 1900
- 1267. *Trichodes apiarius* (Linnaeus, 1758)** (Cleridae) **Synonym(s):** *apiarius* Linnaeus, 1758
- 1268. *Trichodes dilatipennis* Reitter, 1893** (Cleridae) **Synonym(s):** *dilatipennis* Reitter, 1893
- 1269. *Trichodes ephippiger* Chevrolat, 1874** (Cleridae) **Synonym(s):** *ephippiger* Chevrolat, 1874
- 1270. *Trichodes heydeni* Escherich, 1892** (Cleridae) **Synonym(s):** *heydeni* Escherich, 1892; *anatolicus* Reitter, 1893
- 1271. *Trichodes inermis* Reitter, 1893** (Cleridae) **Synonym(s):** *inermis* Reitter, 1893; *imitator* Reitter, 1899; *akbesianus* Reitter, 1915

- 1272. *Trichodes laminatus* Chevrolat, 1843** (Cleridae) **Synonym(s):** *laminatus* Chevrolat, 1843; *angustus* Chevrolat, 1843; *smyrnensis* Spinola, 1844; *flavocinctus* Chevrolat, 1876
- 1273. *Trichodes nobilis* Klug, 1842** (Cleridae) **Synonym(s):** *nobilis* Klug, 1842; *carceli* Chevrolat, 1843; *sanguineosignatus* Spinola, 1844; *reitteri* Champenois, 1900
- 1274. *Trichodes oberthueri* Champenois, 1900** (Cleridae) **Synonym(s):** *oberthueri* Champenois, 1900
- 1275. *Trichodes pulcherrimus* Escherich, 1892** (Cleridae) **Synonym(s):** *pulcherrimus* Escherich, 1892
- 1276. *Trichodes quadriguttatus* Adams, 1817** (Cleridae) **Synonym(s):** *quadriguttatus* Adams, 1817; *quadripustulatus* Brullé, 1832; *quadripunctatus* Spinola, 1844
- 1277. *Trichodes reichei* Mulsant & Rey, 1863** (Cleridae) **Synonym(s):** *reichei* Mulsant & Rey, 1863; *klugi* Kraatz, 1873; *conjunctus* Escherich, 1892
- 1278. *Trichodes sexpustulatus* Chevrolat, 1874** (Cleridae) **Synonym(s):** *sexpustulatus* Chevrolat, 1874; *erratus* Champenois, 1898
- 1279. *Trichodes sipylus* (Linnaeus, 1758)** (Cleridae) **Synonym(s):** *sipylus* Linnaeus, 1758; *subfasciatus* Kraatz, 1873; *frater* Kraatz, 1893; *fraterculus* Zaitzev, 1915
- 1280. *Trichodes suspectus* Escherich, 1892** (Cleridae) **Synonym(s):** *suspectus* Escherich, 1892

Coccinellidae

- 1281. *Adalia* (s.str.) *bipunctata* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *bipunctata* Linnaeus, 1758
- 1282. *Adalia* (s.str.) *decempunctata* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *decempunctata* Linnaeus, 1758
- 1283. *Brumus octosignatus* (Gebler, 1830)** (Coccinellidae) **Synonym(s):** *octosignatus* Gebler, 1830
- 1284. *Bulaea lichatschovi* (Hummel, 1827)** (Coccinellidae) **Synonym(s):** *lichatschovi* Hummel, 1827
- 1285. *Chilocorus bipustulatus* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *bipustulatus* Linnaeus, 1758; *fasciatus* Müller, 1776; *transversoguttatus* Börner, 1776; *frontalis* Thunberg, 1792; *testudo* Florencourt, 1796; *strigatus* Fabricius, 1798; *olivatorum* Costa, 1839; *bipustulatus* Mulsant, 1846
- 1286. *Coccinella* (s.str.) *distincta* Falderman** (Coccinellidae) **Synonym(s):** *distincta* Falderman; #*distinctu* Özbek & Çetin, 1991
- 1287. *Coccinella* (s.str.) *septempunctata* Linnaeus, 1758** (Coccinellidae) **Synonym(s):** *septempunctata* Linnaeus, 1758; *brucki* Mulsant, 1866
- 1288. *Coccinula quatuordecimpustulata* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *quatuordecimpustulata* Linnaeus, 1758
- 1289. *Exochomus nigromaculatus* (Goeze, 1777)** (Coccinellidae) **Synonym(s):** *nigromaculatus* Goeze, 1777; *testudinaris* Geoffroy, 1785; *auritus* Scriba, 1790; *humeralis* Townson, 1800; *rufipes* Stephens, 1832; *collaris* Küster, 1849; *pyrenaicus* Kraatz, 1873
- 1290. *Exochomus quadripustulatus* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *quadripustulatus* Linnaeus, 1758; *quadriverracatus* Fabricius, 1792; *cassidoides* Donovan, 1798; *varius* Schrank, 1798; *haematideus* Costa, 1849
- 1291. *Harmonia axyridis* (Pallas, 1773)** (Coccinellidae) **Synonym(s):** *axyridis* Pallas, 1773
- 1292. *Hippodamia* (Adonia) *variegata* (Goeze, 1777)** (Coccinellidae) **Synonym(s):** *novempunctata* Scopoli, 1763; *variegata* Goeze, 1777; *cabrini* Fourcroy, 1785; *tredecimpunctata* Fourcroy, 1785; *mutabilis* Scriba, 1790; *septemnotata* Fabricius, 1793; *fennica* Thunberg, 1795; *laeta* Fabricius, 1798; *corsica* Weise, 1879...
- 1293. *Hippodamia* (Semiadalia) *undecimnotata* (Schneider, 1792)** (Coccinellidae) **Synonym(s):** *undecimnotata* Schneider, 1792
- 1294. *Hyperaspis femorata* (Motschoulsky, 1837)** (Coccinellidae) **Synonym(s):** *femorata* Motschoulsky, 1837
- 1295. *Hyperaspis kansui* Uygun & Fürsch, 1981** (Coccinellidae) **Synonym(s):** *kansui* Uygun & Fürsch, 1981
- 1296. *Hyperaspis quadrimaculata* Redtenbacher, 1843** (Coccinellidae) **Synonym(s):** *quadrimaculata* Redtenbacher, 1843
- 1297. *Oenopia conglobata* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *conglobata* Linnaeus, 1758; *octodecimpunctata* Scopoli, 1763; *sedecimpunctata* Scopoli, 1763; *gemella* Herbst, 1783; *octodecimmaculata* Thunberg, 1795; *contaminata* Ménétériés, 1849
- 1298. *Oenopia oncina* (Olivier, 1808)** (Coccinellidae) **Synonym(s):** *oncina* Olivier, 1808
- 1299. *Platynaspis luteorubra* (Goeze, 1777)** (Coccinellidae) **Synonym(s):** *luteorubra* Goeze, 1777; *villosa* Fourcroy, 1785; *quadrimaculata* Rossi, 1790; *quadriguttata* Brahm, 1790; *bipustulata* Fabricius, 1792; *bisbiverrucata* Paykull, 1798; *rufimana* Eschscholtz, 1818; *quadrinotata* Dufour, 1843
- 1300. *Propylea quatuordecimpunctata* (Linnaeus, 1758)** (Coccinellidae) **Synonym(s):** *quatuordecimpunctata* Linnaeus, 1758; *tessulata* Scopoli, 1763; *fimbriata* Sulzer, 1776; *conglobata* Laicharting, 1781; *quatuordecimmaculata* Fabricius, 1787; *decempustulata* Fabricius, 1792; *bisexpustulata* Fabricius, 1798; *cinglobata* Weise, 1879; *bifasciata* Walter, 1882

- 1301. *Psyllobora vigintiduopunctata* (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** vigintiduopunctata Linnaeus,1758; vulgaris Haworth,1812
- 1302. *Scymnus apetzii* Mulsant,1846** (Coccinellidae) **Synonym(s):** apetzii Mulsant,1846
- 1303. *Scymnus araraticus* Jablakov & Khnzorian,1969** (Coccinellidae) **Synonym(s):** araraticus Jablakov & Khnzorian,1969
- 1304. *Scymnus pallipediformis* Günther,1958** (Coccinellidae) **Synonym(s):** pallipediformis Günther,1958
- 1305. *Scymnus quadriguttatus* Capra,1924** (Coccinellidae) **Synonym(s):** quadriguttatus Capra,1924
- 1306. *Scymnus rubromaculatus* (Goeze,1778)** (Coccinellidae) **Synonym(s):** rubromaculatus Goeze,1778; pygmaeus Fourcroy,1785; parvulus Fabricius,1792; flavipes Panzer,1793; collaris Herbst,1797; pubescens Herbst,1797; flavilabris Olivier,1808
- 1307. *Scymnus subvillosus* (Goeze,1777)** (Coccinellidae) **Synonym(s):** subvillosus Goeze,1777; fasciatus Fourcroy,1785; minutissimus Villiers,1789; aurantiacus Panzer,1819; pygmaea Brullé,1832; quadrillum Redtenbacher,1844; transversepustulatus Mulsant,1850; fulvicollis Sahlberg,1913
- 1308. *Stethorus punctillum* Weise,1891** (Coccinellidae) **Synonym(s):** punctillum Weise,1891
- 1309. *Vibidia duodecimguttata* (Poda,1761)** (Coccinellidae) **Synonym(s):** duodecimguttata Poda,1761

Curculionidae

- 1310. *Cionus olivieri* Rosenschöld,1838** (Curculionidae) **Synonym(s):** olivieri Rosenschöld,1838
- 1311. *Coniatus tamarisci* (Fabricius,1787)** (Curculionidae) **Synonym(s):** tamarisci Fabricius,1787
- 1312. *Coniocleonus nigrosuturatus* (Goeze,1777)** (Curculionidae) **Synonym(s):** nigrosuturatus Goeze,1777; melanographus Fahraeus,1842; albirostris Chevrolat,1873
- 1313. *Cyphocleonus (Neocyphocleonus) dealbatus* (Gmelin,1790)** (Curculionidae) **Synonym(s):** dealbatus Gmelin,1790
- 1314. *Hypera farinosa* Boheman,1842** (Curculionidae) **Synonym(s):** farinosa Boheman,1842
- 1315. *Hypera jucundus* Capiomont,1868** (Curculionidae) **Synonym(s):** jucundus Capiomont,1868
- 1316. *Hypera meles* (Fabricius,1792)** (Curculionidae) **Synonym(s):** meles Fabricius,1792
- 1317. *Hypera variabilis* (Herbst,1795)** (Curculionidae) **Synonym(s):** variabilis Herbst,1795
- 1318. *Hypera viciae* (Gyllenhal,1813)** (Curculionidae) **Synonym(s):** viciae Gyllenhal,1813
- 1319. *Larinus jaceae* (Fabricius,1775)** (Curculionidae) **Synonym(s):** jaceae Fabricius,1775
- 1320. *Larinus latus* (Herbst,1784)** (Curculionidae) **Synonym(s):** latus Herbst,1784
- 1321. *Larinus minutus* Gyllenhal,1836** (Curculionidae) **Synonym(s):** minutus Gyllenhal,1836
- 1322. *Larinus onopordi* (Fabricius,1787)** (Curculionidae) **Synonym(s):** onopordi Fabricius,1787
- 1323. *Larinus turbinatus* Gyllenhal,1836** (Curculionidae) **Synonym(s):** turbinatus Gyllenhal,1836
- 1324. *Lixus (Callistolix) cylindrus* (Fabricius,1781)** (Curculionidae) **Synonym(s):** cylindrus Fabricius,1781; cylindricus Fabricius,1787; acupictus A.Villa & B.Villa,1833; albopictus Reitter,1892
- 1325. *Lixus bardanae* (Fabricius,1787)** (Curculionidae) **Synonym(s):** bardanae Fabricius,1787
- 1326. *Lixus cardui* Olivier,1807** (Curculionidae) **Synonym(s):** cardui Olivier,1807
- 1327. *Lixus elegantulus* Boheman,1843** (Curculionidae) **Synonym(s):** elegantulus Boheman,1843
- 1328. *Lixus scolapax* Boheman,1836** (Curculionidae) **Synonym(s):** scolapax Boheman,1836

Dermestidae

- 1329. *Anthrenus (s.str.) pimpinellae* (Fabricius,1775)** (Dermestidae) **Synonym(s):** pimpinellae Fabricius,1775; scrophulariae Fourcroy,1785 nec Linn.,1758
- 1330. *Attagenus (s.str.) simonis* Reitter,1881** (Dermestidae) **Synonym(s):** simonis Reitter,1881

Dytiscidae

- 1331. *Agabus (Gaurodytes) bipustulatus* (Linnaeus,1767)** (Dytiscidae) **Synonym(s):** bipustulatus Linnaeus,1767
- 1332. *Agabus (Gaurodytes) dilatatus* (Brullé,1832)** (Dytiscidae) **Synonym(s):** dilatatus Brullé,1832
- 1333. *Cybister (Scaphinectes) lateralimarginalis* (De Geer,1774)** (Dytiscidae) **Synonym(s):** lateralimarginalis De Geer,1774
- 1334. *Deronectes parvicollis* (Schaum,1864)** (Dytiscidae) **Synonym(s):** parvicollis Schaum,1864

- 1335. Hygrotus (Coelambus) lernaesus (Schaum, 1857)** (Dytiscidae) Synonym(s): lernaesus Schaum, 1857
- 1336. Nebrioporus airumulus (Kolenati, 1845)** (Dytiscidae) Synonym(s): airumulus Kolenati, 1845
- 1337. Platambus lunulatus (Fischer von Waldheim, 1829)** (Dytiscidae) Synonym(s): lunulatus Fischer von Waldheim, 1829
- 1338. Scarodytes halensis (Fabricius, 1787)** (Dytiscidae) Synonym(s): halensis Fabricius, 1787
- 1339. Stictotarsus griseostriatus (De Geer, 1774)** (Dytiscidae) Synonym(s): griseostriatus De Geer, 1774

Elateridae

- 1340. Drasterius bimaculatus (Rossi, 1790)** (Elateridae) Synonym(s): bimaculatus Rossi, 1790; binotatus Rossi, 1792; pallipes Küster, 1848; quadrisignatus Küster, 1849; fenestratus Küster, 1851; variegatus Küster, 1851; propinquus Desbrochers, 1869; brevisculus Desbrochers, 1869; anticus Reitter, 1890; apicalis Reitter, 1890; basalis Reitter, 1890; diluticollis Reitter, 1890; dorsalis Reitter, 1890; lateralis Reitter, 1890; montandoni Buysson, 1895; sexsignatus Buysson, 1895; trisignatus Chobaut, 1897; angulosepictus Buysson, 1900; cantheriatus Buysson, 1900; latepictus Buysson, 1900; lineatobasalis Fuente, 1903; wachsmanni Reitter, 1905; anticonotatus Buysson, 1912; bisbisignatus Buysson, 1913; #levantinus Roubal, 1924; bengasinus Binaghi, 1941
- 1341. Zorochros alysidotus (Kiesenwetter, 1858)** (Elateridae) Synonym(s): alysidotus Kiesenwetter, 1858

Glaphyridae

- 1342. Amphicoma (Eulasia) arctos (Pallas, 1781)** (Glaphyridae) Synonym(s): arctos Pallas, 1781; martes Frivaldsky, 1845; armeniaca Reitter, 1890; aurantiaca Reitter, 1890; subfasciatula Reitter, 1903; anatolica Reitter, 1903
- 1343. Amphicoma (Pygopleurus) koniae Petrovitz, 1957** (Glaphyridae) Synonym(s): koniae Petrovitz, 1957; vulpoides Petrovitz, 1968
- 1344. Amphicoma (Pygopleurus) sexualis Petrovitz, 1968** (Glaphyridae) Synonym(s): sexualis Petrovitz, 1968; muliebris Petrovitz, 1968
- 1345. Amphicoma (Rudeulasia) hybrida (Reitter, 1890)** (Glaphyridae) Synonym(s): hybrida Reitter, 1890; agricola Reitter, 1890; ithae Reitter, 1903
- 1346. Amphicoma (Rudeulasia) pulchra (Reitter, 1890)** (Glaphyridae) Synonym(s): pulchra Reitter, 1890; kurdistanica Petrovitz, 1968
- 1347. Amphicoma (Rudeulasia) straussi Ganglbauer, 1905** (Glaphyridae) Synonym(s): straussi Ganglbauer, 1905; #viridis Petrovitz, 1968
- 1348. Amphicoma (Vittateulasia) vittata (Fabricius, 1775)** (Glaphyridae) Synonym(s): vittata Fabricius, 1775; lineata Faldermann, 1835; strigata Waltl, 1838; smyrnensis Castelnau, 1840; syriaca Kollar & Redtenbacher, 1843; africana Reitter, 1890; chrysura Reitter, 1890; decorata Reitter, 1890; semifulva Reitter, 1890; lateritia Reitter, 1903; pseudochrysura Miksic, 1960; persica Petrovitz, 1963
- 1349. Glaphyrus (s.str.) festivus Ménétériés, 1836** (Glaphyridae) Synonym(s): festivus Ménétériés, 1836; rufipennis Gory, 1884; equestris Champenois, 1898
- 1350. Glaphyrus (s.str.) micans Faldermann, 1835** (Glaphyridae) Synonym(s): micans Faldermann, 1835; persicus Pic, 1947; purpureus Pic, 1947; euphraticus Mitter, 1990
- 1351. Glaphyrus (s.str.) oxypterus (Pallas, 1771)** (Glaphyridae) Synonym(s): oxypterus Pallas, 1771; acuminatus Lepechin, 1774; uralensis Gmelin, 1788; vittatus Herbst, 1790; incertus Pic, 1947
- 1352. Glaphyrus (s.str.) sequensi Reitter, 1903** (Glaphyridae) Synonym(s): sequensi Reitter, 1903
- 1353. Glaphyrus (s.str.) superbus Champenois, 1898** (Glaphyridae) Synonym(s): superbus Champenois, 1898; straussi Reitter, 1903

Helophoridae

- 1354. Helophorus abeillei Guillebeau, 1896** (Helophoridae) Synonym(s): abeillei Guillebeau, 1896
- 1355. Helophorus aquaticus (Linnaeus, 1758)** (Helophoridae) Synonym(s): aquaticus Linnaeus, 1758
- 1356. Helophorus brevipalipis Bedel, 1881** (Helophoridae) Synonym(s): brevipalipis Bedel, 1881
- 1357. Helophorus discrepans Rey, 1885** (Helophoridae) Synonym(s): discrepans Rey, 1885
- 1358. Helophorus frater Orchymont, 1926** (Helophoridae) Synonym(s): frater Orchymont, 1926
- 1359. Helophorus maculatus Motschoulsky, 1860** (Helophoridae) Synonym(s): maculatus Motschoulsky, 1860
- 1360. Helophorus micans Falderman, 1835** (Helophoridae) Synonym(s): micans Falderman, 1835

Histeridae

- 1361. Hister quadrimaculatus Linnaeus, 1758** (Histeridae) Synonym(s): quadrimaculatus Linnaeus, 1758; gagates Illiger, 1807; aethiops Heer, 1841
- 1362. Saprinus chalcites (Illiger, 1807)** (Histeridae) Synonym(s): chalcites Illiger, 1807
- 1363. Saprinus concinnus (Gebler, 1830)** (Histeridae) Synonym(s): concinnus Gebler, 1830
- 1364. Saprinus externus (Fischer von Waldheim, 1823)** (Histeridae) Synonym(s): externus Fischer von Waldheim, 1823
- 1365. Saprinus georgicus Marseul, 1862** (Histeridae) Synonym(s): georgicus Marseul, 1862
- 1366. Saprinus maculatus (Rossi, 1792)** (Histeridae) Synonym(s): maculatus Rossi, 1792
- 1367. Saprinus niger Motschulsky, 1849** (Histeridae) Synonym(s): niger Motschulsky, 1849
- 1368. Saprinus semipunctatus (Fabricius, 1792)** (Histeridae) Synonym(s): semipunctatus Fabricius, 1792; caerulescens Hoffmann, 1803
- 1369. Saprinus steppensis Marseul, 1862** (Histeridae) Synonym(s): steppensis Marseul, 1862
- 1370. Saprinus stussineri Reitter, 1909** (Histeridae) Synonym(s): stussineri Reitter, 1909
- 1371. Saprinus submarginatus Sahlberg, 1913** (Histeridae) Synonym(s): submarginatus Sahlberg, 1913
- 1372. Saprinus subnitescens Bickhardt, 1909** (Histeridae) Synonym(s): subnitescens Bickhardt, 1909

Hydrophilidae

- 1373. Berosus (Enoplurus) spinosus (Steven, 1808)** (Hydrophilidae) Synonym(s): spinosus Steven, 1808
- 1374. Enochrus (Lumetus) bicolor (Fabricius, 1792)** (Hydrophilidae) Synonym(s): bicolor Fabricius, 1792
- 1375. Hydrophilus piceus (Linnaeus, 1758)** (Hydrophilidae) Synonym(s): piceus Linnaeus, 1758
- 1376. Laccobius (Dimorpholaccobius) obscuratus Rottenberg, 1874** (Hydrophilidae) Synonym(s): obscuratus Rottenberg, 1874
- 1377. Laccobius (Dimorpholaccobius) simulatrix Orchymont, 1932** (Hydrophilidae) Synonym(s): simulatrix Orchymont, 1932
- 1378. Laccobius (Dimorpholaccobius) striatulus (Fabricius, 1801)** (Hydrophilidae) Synonym(s): striatulus Fabricius, 1801
- 1379. Laccobius (Dimorpholaccobius) sulcatulus Reitter, 1909** (Hydrophilidae) Synonym(s): sulcatulus Reitter, 1909
- 1380. Laccobius (Dimorpholaccobius) syriacus Guillebeau, 1896** (Hydrophilidae) Synonym(s): syriacus Guillebeau, 1896
- 1381. Laccobius (Microlaccobius) gracilis Motschoulsky, 1855** (Hydrophilidae) Synonym(s): gracilis Motschoulsky, 1855

Kateretidae

- 1382. Brachyleptus discolor Reitter, 1896** (Kateretidae) Synonym(s): discolor Reitter, 1896
- 1383. Brachyleptus quadratus (Sturm, 1844)** (Kateretidae) Synonym(s): quadratus Sturm, 1844

Lucanidae

- 1384. Dorcus parallelopipedus (Linnaeus, 1758)** (Lucanidae) Synonym(s): parallelopipedus Linnaeus, 1758; bipunctatus Schrank, 1798
- 1385. Lucanus (s.str.) ibericus Motschoulsky, 1845** (Lucanidae) Synonym(s): ibericus Motschoulsky, 1845; curtulus Motschoulsky, 1845; barbarossa Burmeister, 1847 nec Fabr., 1801; minor Burmeister, 1847; orientalis Kraatz, 1860; piger Motschoulsky, 1870; syriacus Motschoulsky, 1870; tenebrosus Motschoulsky, 1870; intermedius Motschoulsky, 1870; caspica Semenov, 1901; ravinii Schatzmayr, 1923; #hibericus Sabatinelli, 1977

Meloidae

- 1386. Cerocoma (Metacerocoma) festiva Faldermann, 1837** (Meloidae) Synonym(s): festiva Faldermann, 1837

- 1387. *Hycleus fuscus* (Olivier, 1811)** (Meloidae) **Synonym(s):** fuscus Olivier, 1811; deleta Marseul, 1870; galatiensis Escherich, 1899; alpha Sumakov, 1913; beta Sumakov, 1913; circascutellaris Pic, 1914; iota Sumakov, 1930; zeta Sumakov, 1930
- 1388. *Hycleus scabiosae* (Olivier, 1811)** (Meloidae) **Synonym(s):** scabiosae Olivier, 1811; euphratica Marseul, 1870; marseuli Ballion, 1878; alienigera Heyden, 1883; maracadensis Dokhtouff, 1889; auliensis Pic, 1901; sicheri Fleischer, 1921; eichleri Mader, 1927; transcaspensis Pic, 1928; delta Sumakov, 1930; epsilon Sumakov, 1930
- 1389. *Lydus unicolor* Reitter, 1887** (Meloidae) **Synonym(s):** unicolor Reitter, 1887; glabricollis Escherich, 1896; halbhuberi Escherich, 1896; bitlisiensis Pic, 1901; signatithorax Pic, 1902
- 1390. *Meloe* (*Eurymeloe*) *mediterraneus* J. Müller, 1925** (Meloidae) **Synonym(s):** mediterraneus J. Müller, 1925
- 1391. *Meloe* (*Taphromeloe*) *erythrocnemus* Pallas, 1782** (Meloidae) **Synonym(s):** erythrocnemus Pallas, 1782; corallipes Gebler, 1847
- 1392. *Mylabris* (*Eumylabris*) *cincta* Olivier, 1811** (Meloidae) **Synonym(s):** cincta Olivier, 1811; tiflensis Billberg, 1813; matthesi Faldermann, 1837; bicolor Waltl, 1838; taeniata Waltl, 1838; tricingulata Redtenbacher, 1850; jugatoria Reiche, 1865; soubironi Pic, 1921; #cincat Kaszab, 1968
- 1393. *Mylabris* (*Eumylabris*) *fabricii* Sumakov, 1924** (Meloidae) **Synonym(s):** decimpunctata Petagna, 1787 nec Fabr., 1781; forti Mulsant, 1857; fabricii Sumakov, 1924
- 1394. *Mylabris* (*s.str.*) *quadripunctata* (Linnaeus, 1767)** (Meloidae) **Synonym(s):** quadripunctata Linnaeus, 1767; melanura Pallas, 1781; decimpunctata Fabricius, 1781; octopunctata Olivier, 1811; adamsi Fischer von Waldheim, 1824; armeniaca Faldermann, 1837; restricta Motschoulsky, 1849; maldinesi Chevrolat, 1865
- 1395. *Mylabris* (*s.str.*) *variabilis* (Pallas, 1781)** (Meloidae) **Synonym(s):** cichorii Linnaeus, 1767; variabilis Pallas, 1781; lacera Fischer von Waldheim, 1827; mutans Guérin de Ménéville, 1834; hypocrita Mulsant, 1857; similis Mulsant, 1857; disrupta Baudi, 1878; erivanica Pic, 1901
- 1396. *Nemognatha* (*s.str.*) *chrysomelina* (Fabricius, 1775)** (Meloidae) **Synonym(s):** chrysomelina Fabricius, 1775; flavipes Ménétériés, 1849; nigripes Suffrian, 1853; asiatica Motschoulsky, 1872; maculicollis Fairmaire, 1875; unipunctata Beaufregard, 1890; akbesiana Pic, 1897; atripennis Chobaut, 1898; #chrysomelira Özbek & Szaloki, 1998
- 1397. *Stenodera* (*s.str.*) *caucasica* (Pallas, 1781)** (Meloidae) **Synonym(s):** caucasica Pallas, 1781; sexmaculata Fabricius, 1794; sexpunctata Eschscholtz, 1818
- 1398. *Stenodera* (*Stenoderina*) *anatolica* (Frivaldsky, 1884)** (Meloidae) **Synonym(s):** anatolica Frivaldsky, 1884
- 1399. *Teratolytta kulzeri* Kaszab, 1958** (Meloidae) **Synonym(s):** kulzeri Kaszab, 1958
- 1400. *Teratolytta vanensis* Kaszab, 1968** (Meloidae) **Synonym(s):** vanensis Kaszab, 1968

Melyridae

- 1401. *Chionotopus humeralis* (Reiche & Saulcy, 1857)** (Melyridae) **Synonym(s):** humeralis Reiche & Saulcy, 1857
- 1402. *Malachius aeneus* (Linnaeus, 1758)** (Melyridae) **Synonym(s):** aeneus Linnaeus, 1758
- 1403. *Malachius bipustulatus* (Linnaeus, 1758)** (Melyridae) **Synonym(s):** bipustulatus Linnaeus, 1758

Nitidulidae

- 1404. *Meligethes ater* Brisout, 1868** (Nitidulidae) **Synonym(s):** ater Brisout, 1868
- 1405. *Meligethes buduensis* Ganglbauer, 1899** (Nitidulidae) **Synonym(s):** buduensis Ganglbauer, 1899
- 1406. *Meligethes diversus* Schilsky, 1893** (Nitidulidae) **Synonym(s):** diversus Schilsky, 1893
- 1407. *Meligethes egenus* Erichson, 1845** (Nitidulidae) **Synonym(s):** egenus Erichson, 1845
- 1408. *Meligethes hladili* Jelinek, 1982** (Nitidulidae) **Synonym(s):** hladili Jelinek, 1982
- 1409. *Meligethes jordanis* Jelinek & Spornraft, 1979** (Nitidulidae) **Synonym(s):** jordanis Jelinek & Spornraft, 1979
- 1410. *Meligethes maurus* Sturm, 1845** (Nitidulidae) **Synonym(s):** maurus Sturm, 1845
- 1411. *Meligethes tauricus* Jelinek & Spornraft, 1979** (Nitidulidae) **Synonym(s):** tauricus Jelinek & Spornraft, 1979

Ripiphoridae

- 1412. *Ptilophorus dufouri* (Latreille, 1817)** (Ripiphoridae) **Synonym(s):** dufouri Latreille, 1817; steveni Fischer von Waldheim, 1829; frivaldskyi Guérin de Ménéville, 1838; boryi Lucas, 1849; striolata Nowicki, 1873

Scarabaeidae

- 1413. *Anisoplia (Autanisoplia) austriaca* (Herbst,1783) (Scarabaeidae) Synonym(s):** austriaca Herbst,1783; bulgarica Sachareva-Stoilova,1954; bulgaricola Machatschke,1957; balcanica Miksic,1959 nec Reitt.,1889; miksici Baraud,1991
- 1414. *Anisoplia (Chaetopteroplia) segetum* (Herbst,1783) (Scarabaeidae) Synonym(s):** segetum Herbst,1783; campestris Herbst,1783; fruticola Fabricius,1787; volhynica Roubal,1931
- 1415. *Anisoplia (s.str.) agricola* (Poda,1761) (Scarabaeidae) Synonym(s):** agricola Poda,1761; cyathigera Scopoli,1763; crucifera Herbst,1790; conjuncta Schilsky,1888; deleta Schilsky,1888; aetolica Apfelbeck,1909
- 1416. *Cetonia (s.str.) aurata* (Linnaeus,1761) (Scarabaeidae) Synonym(s):** aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicoruscus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948
- 1417. *Chromovalgus peyroni* (Mulsant & Wachanru,1852) (Scarabaeidae) Synonym(s):** peyroni Mulsant & Wachanru,1852
- 1418. *Gymnopleurus flagellatus* (Fabricius,1787) (Scarabaeidae) Synonym(s):** flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934
- 1419. *Oryctes (s.str.) nasicornis* (Linnaeus,1758) (Scarabaeidae) Synonym(s):** nasicornis Linnaeus,1758
- 1420. *Oxythyrea cinctella* (Schaum,1841) (Scarabaeidae) Synonym(s):** albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917
- 1421. *Polyphylla (s.str.) fullo* (Linnaeus,1758) (Scarabaeidae) Synonym(s):** fullo Linnaeus,1758; boryi Brullé,1832; luctuosa Mulsant,1842; marmorata Mulsant,1847; lessinae Reitter,1890; macrocera Reitter,1891
- 1422. *Polyphylla (s.str.) olivieri* (Laporte de Castelnau,1840) (Scarabaeidae) Synonym(s):** olivieri Laporte de Castelnau,1840; abhasica Motschoulsky,1845; caucasica Heyden,1864
- 1423. *Protaetia (Netocia) hungarica* (Herbst,1790) (Scarabaeidae) Synonym(s):** hungarica Herbst,1790
- 1424. *Protaetia (Netocia) trojana* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s):** trojana Gory & Percheron,1833; godet Gory & Percheron,1833; godeti Falderman,1835; magica Harold,1880; kurdistan Nonfried,1892
- 1425. *Protaetia (Potosia) cuprea* (Fabricius,1775) (Scarabaeidae) Synonym(s):** cuprea Fabricius,1775
- 1426. *Protaetia (Potosia) funebris* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s):** funebris Gory & Percheron,1833; exclamationis Faldermann,1835; funesta Ménétériés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000
- 1427. *Rhizotrogus (s.str.) aestivus* (Olivier,1789) (Scarabaeidae) Synonym(s):** aestivus Olivier,1789; bimaculatus Herbst,1790; inanis Brahm,1790; gracilis Frölich,1792; maculicollis Zubkov,1833; incertus Mulsant,1842; subvittatus Mulsant,1842; faldermanni Reiche,1862; nudicollis Dalla Torre,1879; castaneipennis Pic,1926
- 1428. *Scarabaeus (s.str.) pius* (Illiger,1803) (Scarabaeidae) Synonym(s):** pius Illiger,1803; infirmus Fischer von Waldheim,1823; punctulatus Mulsant,1842; subsulcatus Mulsant,1842; digitatus Motschulsky,1849
- 1429. *Sisyphus schaefferi* (Linnaeus,1758) (Scarabaeidae) Synonym(s):** schaefferi Linnaeus,1758
- 1430. *Tanyproctus (s.str.) carbonarius* Faldermann,1835 (Scarabaeidae) Synonym(s):** carbonarius Faldermann,1835
- 1431. *Tropinota (Epicometis) hirta* (Poda,1761) (Scarabaeidae) Synonym(s):** hirta Poda,1761; hirtellus Linnaeus,1767; vestita Say,1825; nigrina Mulsant,1842; subfasciata Mulsant,1842; tonsa Burmeister,1842; crispa Petrovitz,1971

Scirtidae

- 1432. *Cyphon euoplus* Nyholm,1970 (Scirtidae) Synonym(s):** euoplus Nyholm,1970
- 1433. *Cyphon euryceros* Nyholm,1970 (Scirtidae) Synonym(s):** euryceros Nyholm,1970
- 1434. *Cyphon laevipennis* Tournier,1868 (Scirtidae) Synonym(s):** laevipennis Tournier,1868
- 1435. *Cyphon palustris* Thomson,1855 (Scirtidae) Synonym(s):** palustris Thomson,1855
- 1436. *Elodes flavoangularis* Klausnitzer,1990 (Scirtidae) Synonym(s):** flavoangularis Klausnitzer,1990
- 1437. *Elodes improvisa* Klausnitzer,1990 (Scirtidae) Synonym(s):** improvisa Klausnitzer,1990

Silphidae

- 1438. *Aclypea undata* (O.F.Müller,1776) (Silphidae) Synonym(s):** undata O.F.Müller,1776; reticulata Fabricius,1787; cancellata Gmelin,1790; verrucosa Ménétériés,1832; anatolica Kraatz,1876; kindermanni Faust,1877; nitidior Portevin,1926; quadricarinata Portevin,1926
- 1439. *Silpha obscura* Linnaeus,1758 (Silphidae) Synonym(s):** obscura Linnaeus,1758; orientalis Brullé,1832

1440. *Thanatophilus sinuatus* (Fabricius, 1775) (Silphidae) Synonym(s): sinuatus Fabricius, 1775

Staphylinidae

- 1441. *Acylophorus lindbergi* Scheerpeltz, 1958 (Staphylinidae) Synonym(s):** lindbergi Scheerpeltz, 1958
- 1442. *Aleochara bipustulata* (Linnaeus, 1761) (Staphylinidae) Synonym(s):** bipustulata Linnaeus, 1761
- 1443. *Aleochara haematoptera* Kraatz, 1858 (Staphylinidae) Synonym(s):** haematoptera Kraatz, 1858
- 1444. *Aleochara intricata* Mannerheim, 1830 (Staphylinidae) Synonym(s):** intricata Mannerheim, 1830
- 1445. *Aleochara laevigata* Gyllenhal, 1810 (Staphylinidae) Synonym(s):** laevigata Gyllenhal, 1810
- 1446. *Aleochara moesta* Gravenhorst, 1802 (Staphylinidae) Synonym(s):** moesta Gravenhorst, 1802
- 1447. *Gauropterus sanguinipennis* (Kolenati, 1846) (Staphylinidae) Synonym(s):** sanguinipennis Kolenati, 1846
- 1448. *Leptacinus batychnus* (Gyllenhal, 1827) (Staphylinidae) Synonym(s):** batychnus Gyllenhal, 1827
- 1449. *Leptobium gracile* (Gravenhorst, 1802) (Staphylinidae) Synonym(s):** gracile Gravenhorst, 1802; truquii Saulcy, 1865; anale Reitter, 1902; wickleri Koch, 1937
- 1450. *Ocypus olens* (O. Müller, 1764) (Staphylinidae) Synonym(s):** olens O. Müller, 1764; major De Geer, 1774; unicolor Herbst, 1784; macrocephalus Stephens, 1832 (preocc.); meridionalis Fiori, 1894; fulvopilosus Fiori, 1894
- 1451. *Omalius turcicum* Smetana, 1967 (Staphylinidae) Synonym(s):** turcicum Smetana, 1967
- 1452. *Othius lapidicola* Markel & Kiesenwetter, 1848 (Staphylinidae) Synonym(s):** lapidicola Markel & Kiesenwetter, 1848; elongatus Coiffait, 1956
- 1453. *Oxypoda antennata* Bernhauer, 1902 (Staphylinidae) Synonym(s):** antennata Bernhauer, 1902; lindbergi Scheerpeltz, 1958; mystica Fagel, 1971
- 1454. *Philonthus lindbergi* Scheerpeltz, 1958 (Staphylinidae) Synonym(s):** lindbergi Scheerpeltz, 1958
- 1455. *Philonthus quisquiliariformis* Scheerpeltz, 1958 (Staphylinidae) Synonym(s):** quisquiliariformis Scheerpeltz, 1958
- 1456. *Scopaeus chalcodactylus* Kolenati, 1846 (Staphylinidae) Synonym(s):** chalcodactylus Kolenati, 1846
- 1457. *Scopaeus gracilis* (Sperk, 1835) (Staphylinidae) Synonym(s):** gracilis Sperk, 1835
- 1458. *Scopaeus laevigatus* (Gyllenhal, 1827) (Staphylinidae) Synonym(s):** laevigatus Gyllenhal, 1827
- 1459. *Scopaeus tauricus* Frisch, 1997 (Staphylinidae) Synonym(s):** tauricus Frisch, 1997
- 1460. *Stenus butrintensis* Smetana, 1959 (Staphylinidae) Synonym(s):** butrintensis Smetana, 1959
- 1461. *Stenus peripherus* Korge, 1971 (Staphylinidae) Synonym(s):** peripherus Korge, 1971

Tenebrionidae

- 1462. *Adesmia* (s.str.) *fischeri* Faldermann, 1837 (Tenebrionidae) Synonym(s):** fischeri Faldermann, 1837
- 1463. *Blaps tibialis* Reiche & Sauley, 1857 (Tenebrionidae) Synonym(s):** tibialis Reiche & Sauley, 1857
- 1464. *Ctenopus* (s.str.) *sulphureus* (Linnaeus, 1758) (Tenebrionidae) Synonym(s):** sulphureus Linnaeus, 1758; flavus Scopoli, 1763; murinus Herbst, 1783; luteus Geoffroy, 1785; varians Fabricius, 1787; sulphuratus Gmelin, 1790; bicolor Fabricius, 1794; analis Seidlitz, 1896; gilvus Seidlitz, 1896; palpalis Seidlitz, 1896; altaicus Reitter, 1906
- 1465. *Dissonomus substriatus* Reitter, 1898 (Tenebrionidae) Synonym(s):** substriatus Reitter, 1898
- 1466. *Eustenomacridus* (Caucasohelops) *egeuniversitatis* Keskin et al., 2017 (Tenebrionidae) Synonym(s):** egeuniversitatis Keskin et al., 2017
- 1467. *Gonocephalum granulatum* (Fabricius, 1791) (Tenebrionidae) Synonym(s):** granulatum Fabricius, 1791; pusillum Fabricius, 1792; viennense Duftschmid, 1812; muricatum Brullé, 1832; pruinatum Fischer v. Waldheim, 1844; parvulum Lucas, 1846; interstitiale Küster, 1849; nitidulum Küster, 1849; ragusanum Küster, 1849; subnodosum Rey, 1892
- 1468. *Lobodera* (Penthomagus) *iners* Ménétériés, 1832 (Tenebrionidae) Synonym(s):** iners Ménétériés, 1832
- 1469. *Nalassus* (Helopocerodes) *faldermanni* (Faldermann, 1837) (Tenebrionidae) Synonym(s):** faldermanni Faldermann, 1837
- 1470. *Nalassus* (Helopocerodes) *kaszabi* Nabozhenko, 2001 (Tenebrionidae) Synonym(s):** kaszabi Nabozhenko, 2001
- 1471. *Nalassus* (Helopondrus) *schmalfussi* Nabozhenko, 2011 (Tenebrionidae) Synonym(s):** schmalfussi Nabozhenko, 2011
- 1472. *Nalassus* (Helopondrus) *szalokii* Nabozhenko, 2011 (Tenebrionidae) Synonym(s):** szalokii Nabozhenko, 2011

- 1473. Omophlus (s.str.) nigropilosellus Muche, 1964** (Tenebrionidae) **Synonym(s):** nigropilosellus Muche, 1964
- 1474. Opatrum (s.str.) sabulosum (Linnaeus, 1758)** (Tenebrionidae) **Synonym(s):** sabulosum Linnaeus, 1758; rugosum DeGeer, 1775; distinctum A. Villa & J.B. Villa, 1835; intermedium Fischer v. Waldheim, 1844; tricarinatum Motschulsky, 1859; reitteri Schuster, 1915 [ssp.]
- 1475. Tentyria tessulata Tauscher, 1812** (Tenebrionidae) **Synonym(s):** tessulata Tauscher, 1812
- 1476. Zophosis (Oculosis) punctata Brullé, 1832** (Tenebrionidae) **Synonym(s):** punctata Brullé, 1832; ovata Brullé, 1832; algeriana Solier, 1834; barbara Solier, 1834; curta Solier, 1834; gibbicollis Solier, 1834; maillei Solier, 1834; osmanlis Deyrolle, 1867; faldermanni Deyrolle, 1867; kollari Deyrolle, 1867; mediocris Deyrolle, 1867; orientalis Deyrolle, 1867; truquii Deyrolle, 1867; variegata Deyrolle, 1867; vescoi Deyrolle, 1867

Part II

Lepidoptera

Previously 1179 species were listed (Koçak & Kemal, 2012: 22-57).

Butterflies

Argynnidae

- 1477. Aglais urticae (Linnaeus, 1758)** (Argynnidae) **Synonym(s):** urticae Linnaeus, 1758; opima Verity, 1919; variegata Querci, 1932; strandi Verity, 1936.
- 1478. Argynnis (Fabriciana) niobe (Linnaeus, 1758)** (Argynnidae) **Synonym(s):** niobe Linnaeus, 1758
- 1479. Argynnis (Pandoriana) pandora ([Denis & Schiffermüller], 1775)** (Argynnidae) **Synonym(s):** pandora [Denis & Schiffermüller], 1775; maja Cramer, 1775 nec Fabricius, 1775; cynara Fabricius, 1777; cyrnea Schwerda, 1926; transcaucasica Moucha, 1967; deserticola Gross & Ebert, 1975.
- 1480. Argynnis (Speyeria) aglaja (Linnaeus, 1758)** (Argynnidae) **Synonym(s):** aglaja Linnaeus, 1758; charlotta Haworth, 1802; emilia Acerbi, 1802 nec Cr., 1779; caroletta Jermyn, 1827; locuples Verity, 1919 nec Butler, 1879; emilocuples Verity, 1919; locupletata Verity, 1922; montesignum Sagarra, 1926.
- 1481. Argynnis (s.str.) paphia (Linnaeus, 1758)** (Argynnidae) **Synonym(s):** paphia Linnaeus, 1758; valesina Esper, [1798]; magnata Verity, 1919; revelata Verity, 1934; magnifica Verity, 1919; magnificamagnata Verity, 1950.
- 1482. Brenthis daphne (Bergsträsser, 1780)** (Argynnidae) **Synonym(s):** daphne Bergsträsser, 1780; chloris Esper, 1778 nec Fabricius, 1775; epidaphne Fruhstorfer, 1907; nikator Fruhstorfer, 1909; tenuitermaculosa Verity, 1922; syriaca Belter, 1935; anatolica Belter, 1935.
- 1483. Brenthis hecate ([Denis & Schiffermüller], 1775)** (Argynnidae) **Synonym(s):** hecate [Denis & Schiffermüller], 1775; harmothoe Fruhstorfer, 1917; florida Verity, 1919; stricta Verity, 1933.
- 1484. Brenthis mofidii Wyatt, 1968** (Argynnidae) **Synonym(s):** mofidii Wyatt, 1968
- 1485. Euapatura mirza Ebert, 1971** (Argynnidae) **Synonym(s):** mirza Ebert, 1971; iwasei Igarashi, 1971.
- 1486. Euphydryas (Eurodryas) aurinia (Rottemburg, 1775)** (Argynnidae) **Synonym(s):** aurinia Rottemburg, 1775; artemis [Denis & Schiffermüller], 1775; lye Bergsträsser, [1779]; koloswarensis Piller & Mitterpacher, 1783; scotica Robson, 1880; signifera Kane, 1893; anglicana Fruhstorfer, 1917; acedia Fruhstorfer, 1917; pychanpar Lastukhin, 2007
- 1487. Issoria lathonia (Linnaeus, 1758)** (Argynnidae) **Synonym(s):** lathonia Linnaeus, 1758; saturata Röber, 1897; hungarica Aigner-Abafi, 1906; florens Verity, 1916; emiflorens Verity, 1919; attenuata Sagarra, 1926; nigroprivata Verity, 1933.
- 1488. Limenitis (Azuritis) reducta Staudinger, 1901** (Argynnidae) **Synonym(s):** reducta Staudinger, 1901.
- 1489. Melitaea (Cinclidia) collina Lederer, 1861** (Argynnidae) **Synonym(s):** collina Lederer, 1861
- 1490. Melitaea (Cinclidia) ornata Christoph, 1893** (Argynnidae) **Synonym(s):** ornata Christoph, 1893; uralensis Krulikowsky, 1897 nec Evers., 1844; ufensis Krulikowsky, 1902; lokris Fruhstorfer, 1908; telona Fruhstorfer, 1908; amanica Rebel, 1917; emipunica Verity, 1919; punicata Ragusa, 1919; doriae Graves, 1925; nigroggyia Verity, 1939; enoch Higgins, 1941; #asciata Wiltshire, 1946; capreola Varga, 1967; kovacsi Varga, 1967; abbas Gross & Ebert, 1975
- 1491. Melitaea (Cinclidia) phoebe (Goeze, 1779)** (Argynnidae) **Synonym(s):** #phoebe [Denis & Schiffermüller], 1775; phoebe Goeze, 1779; paedotropos Bergsträsser, [1780]; tremulae Piller & Mitterpacher, 1783.
- 1492. Melitaea (Didymaeformis) didyma (Esper, [1779])** (Argynnidae) **Synonym(s):** didyma Esper, [1779]; cytheris Müschen, 1781; neera Fischer de Waldheim, 1840; meridionalis Staudinger, 1861; occidentalis Staudinger, 1861; dalmatina Staudinger, 1861; graeca Staudinger, 1870; jaika Krulikowsky, 1897; kasanskyi Krulikowsky, 1901; mauritanica Oberthür, 1909; mauretanica Oberthür, 1909; patycosana Turati, 1911; nisseni

- Rothschild,1913; interposita Rothschild,1913; oreithya Fruhstorfer,1917; druentia Fruhstorfer,1917; lesora Fruhstorfer,1917; naina Fruhstorfer,1917; tarlonia Fruhstorfer,1917; seilemis Fruhstorfer,1917; marsilia Fruhstorfer,1917; cataprotea Verity,1929; libanotica Belter,1934; montium Belter,1934; variabilis Belter,1934; pontifex Bryk,1940; pfeifferi Bryk,1940; orinomus Rüttimeyer,1942; boschmai Eisner,1942; ibra Higgins,1964; pseudolatonigena Yakovlev,2002
- 1493. *Melitaea (Didymaeformis) perseae* Kollar,[1849]** (Argynnididae) Synonym(s): perseae Kollar,[1849]; caucasica Staudinger,1861; dodgsoni Grose-Smith,1887; kaschtschenkoi Christoph,1889; paphlagonia Fruhstorfer,1917; magnacasta Verity,1929; araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; hafiz Higgins,1941; afghana Heydemann,1954; darius Gross & Ebert,1975; sangdana Eckweiler,1981; jitka Weiss & Major,2000
- 1494. *Melitaea (Didymaeformis) syriaca* Rebel,1905** (Argynnididae) Synonym(s): syriaca Rebel,1905; pseudodidyma Rebel,1905; aabaca Fruhstorfer,1911; bloetei Eisner,1942
- 1495. *Melitaea (s.str.) arduinna* (Fabricius,1787)** (Argynnididae) Synonym(s): arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844; evanescens Staudinger,1886; #fulminans Staudinger,1886; kocaki Wagnere & Gross,1976
- 1496. *Melitaea (s.str.) cinxia* (Linnaeus,1758)** (Argynnididae) Synonym(s): cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.
- 1497. *Nymphalis polychloros* (Linnaeus,1758)** (Argynnididae) Synonym(s): polychloros Linnaeus,1758; testudo Esper,1781; pyrrhomelaena Hübner,1824; pyromelas Freyer,1834; fervida Standfuss,1896.
- 1498. *Nymphalis xanthomelas* (Esper,[1781])** (Argynnididae) Synonym(s): #xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781]
- 1499. *Polygonia (Comma) c-album* (Linnaeus,1758)** (Argynnididae) Synonym(s): c-album Linnaeus,1758; g-album Fourcroy,1785.
- 1500. *Polygonia (Comma) egea* (Cramer,[1775])** (Argynnididae) Synonym(s): egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932.
- 1501. *Thaleropis ionia* (Eversmann,1851)** (Argynnididae) Synonym(s): ionia Eversmann,1851; ammonia Herrich-Schäffer,1851.
- 1502. *Vanessa (Cynthia) cardui* (Linnaeus,1758)** (Argynnididae) Synonym(s): cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; japonica Stichel,1908; universa Verity,1919; takesakiana Kato,1925; jacksoni Clark,1927
- 1503. *Vanessa (s.str.) atalanta* (Linnaeus,1758)** (Argynnididae) Synonym(s): atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczzi Schille,1896; #klimeke Fischer,1896; italica Stichel,1900.

Hesperiidae

- 1504. *Carcharodus (Lavatheria) lavatherae* (Esper,[1783])** (Hesperiidae) Synonym(s): lavatherae Esper,[1783]; australior Verity,1919; pyrenaicus Picard,1948.
- 1505. *Carcharodus (Lavatheria) stauderi* Reverdin,1913** (Hesperiidae) Synonym(s): stauderi Reverdin,1913; fulvissima Verity,1925; obscurata Verity,1925; romei Rothschild,1933; rungsi Picard,1950
- 1506. *Carcharodus (Reverdinus) flocciferus* (Zeller,1847)** (Hesperiidae) Synonym(s): flocciferus Zeller,1847; altheae Hübner,[1803] nec Esp.,[1783]; imperator Hemming,1934; alchymillae Hemming,1936; autumnalis Verity,1940.
- 1507. *Carcharodus (Reverdinus) orientalis* Reverdin,1913** (Hesperiidae) Synonym(s): orientalis Reverdin,1913; centralanatolica Pfeiffer,1927; #aestatis Graves,1928; aestatis Verity,1928; postorientalis Verity,1928; maccabaeus Hemming,1932.
- 1508. *Carcharodus (s.str.) alceae* (Esper,[1780])** (Hesperiidae) Synonym(s): alceae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustalis Verity,1924; corsicus Picard,1948.
- 1509. *Eogenes alcides* Herrich-Schäffer,[1852]** (Hesperiidae) Synonym(s): alcides Herrich-Schäffer,[1852]
- 1510. *Erynnis (Hesperopegasus) marloyi* (Boisduval,[1834])** (Hesperiidae) Synonym(s): marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849].
- 1511. *Erynnis (s.str.) tages* (Linnaeus,1758)** (Hesperiidae) Synonym(s): tages Linnaeus,1758; morio Scopoli,1763; geryon Rottemburg,1775; subclarus Verity,1921.
- 1512. *Hesperia comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928.
- 1513. *Muschampia nomas* (Lederer,1855)** (Hesperiidae) Synonym(s): nomas Lederer,1855
- 1514. *Muschampia poggei* (Lederer,1858)** (Hesperiidae) Synonym(s): poggei Lederer,1858; ioan B.C.S.Warren,1926
- 1515. *Muschampia proteides* (F.Wagner,1929)** (Hesperiidae) Synonym(s): proteides F.Wagner,1929; lycaonius F.Wagner,1929; sovietica Sichel,1964; lycaonius Benjamini & Avni,2001 [misident.]; #lycaomius Benjamini & Avni,2001
- 1516. *Muschampia tersa* Evans,1949** (Hesperiidae) Synonym(s): tersa Evans,1949

- 1517. *Ochlodes venatus* (Bremer & Grey,[1852])** (Hesperiidae) **Synonym(s):** *venatus* Bremer & Grey,[1852]
- 1518. *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) **Synonym(s):** *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 1519. *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954.
- 1520. *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 1521. *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) **Synonym(s):** *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 1522. *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 1523. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) **Synonym(s):** *sidae* Esper,[1784]
- 1524. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) **Synonym(s):** *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 1525. *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) **Synonym(s):** *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 1526. *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) **Synonym(s):** *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1527. *Thymelicus hyrax* (Lederer,1861)** (Hesperiidae) **Synonym(s):** *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 1528. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) **Synonym(s):** *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 1529. *Thymelicus novus* (Reverdin,1916)** (Hesperiidae) **Synonym(s):** *novus* Reverdin,1916
- 1530. *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) **Synonym(s):** *sylvestris* Poda,1761; *flava* Brännich,1763; *linea* Müller,1764; *thauamas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905

Libytheidae

- 1531. *Libythea* (s.str.) *celtis* (Laicharting,1782)** (Libytheidae) **Synonym(s):** *celtis* Laicharting,1782

Lycaenidae

- 1532. *Callophrys danchenkoi* Zhdanko,1998** (Lycaenidae) **Synonym(s):** *danchenkoi* Zhdanko,1998
- 1533. *Callophrys herculeana* Pfeiffer,1927** (Lycaenidae) **Synonym(s):** *herculeana* Pfeiffer,1927
- 1534. *Callophrys mystaphia* Miller,[1913]** (Lycaenidae) **Synonym(s):** *mystaphia* Miller,[1913]
- 1535. *Callophrys paulae* Pfeiffer,1932** (Lycaenidae) **Synonym(s):** *paulae* Pfeiffer,1932; *?alpicola* Koçak,1989
- 1536. *Celastrina argiolus* (Linnaeus,1758)** (Lycaenidae) **Synonym(s):** *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 1537. *Chilades* (Freyeria) *trochylus* (Freyer,[1843])** (Lycaenidae) **Synonym(s):** *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
- 1538. *Cigaritis acamas* (Klug,1834)** (Lycaenidae) **Synonym(s):** *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
- 1539. *Cigaritis uighurica* Kemal & Koçak,2005** (Lycaenidae) **Synonym(s):** *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005; *ottostaudingeri* Weidenhoffer & Bozano,2007
- 1540. *Cupido* (s.str.) *minimus* (Fuessly,1775)** (Lycaenidae) **Synonym(s):** *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.
- 1541. *Cupido* (s.str.) *osiris* (Meigen,[1829])** (Lycaenidae) **Synonym(s):** *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 1542. *Cupido* (s.str.) *staudingeri* (Christoph,1873)** (Lycaenidae) **Synonym(s):** *staudingeri* Christoph,1873
- 1543. *Glaucopsyche* (Iolana) *lessei* Bernardi,1964** (Lycaenidae) **Synonym(s):** *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977
- 1544. *Glaucopsyche* (s.str.) *alexis* (Poda,1761)** (Lycaenidae) **Synonym(s):** *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.

- 1545. *Lampides boeticus* (Linnaeus, 1767)** (Lycaenidae) **Synonym(s):** boeticus Linnaeus, 1767; damoetes Fabricius, 1775; coluteae Fuessly, 1775; pisorum Fourcroy, 1785; boedicus Borkhausen, 1788; #baeticus Latreille, 1809; armeniensis Gerhard, 1886; bagus Distant, 1886
- 1546. *Leptotes pirthous* (Linnaeus, 1767)** (Lycaenidae) **Synonym(s):** pirthous Linnaeus, 1767; telicanus Lang, 1789; tetrica Sagarra, 1925.
- 1547. *Lycaena (Alciphronia) alciphron* (Rottemburg, 1775)** (Lycaenidae) **Synonym(s):** alciphron Rottemburg, 1775; lampetie [Denis & Schiffermüller], 1775; hiere Fabricius, 1787.
- 1548. *Lycaena (Heodes) virgaureae* (Linnaeus, 1758)** (Lycaenidae) **Synonym(s):** virgaureae Linnaeus, 1758; armeniaca A. Bang-Haas, 1906; chrysorhoas Fruhstorfer, 1917; balcanicola Graves, 1928.
- 1549. *Lycaena (Loweia) tityrus* (Poda, 1761)** (Lycaenidae) **Synonym(s):** tityrus Poda, 1761; acrion [Brünnich], 1763; orientalis Staudinger, 1881; argentifex Balint, 1990.
- 1550. *Lycaena (Margelycaena) euphratica* (Eckweiler, 1989)** (Lycaenidae) **Synonym(s):** euphratica Eckweiler, 1989
- 1551. *Lycaena (Palaeochrysophanus) candens* (Herrich-Schäffer, [1845])** (Lycaenidae) **Synonym(s):** candens Herrich-Schäffer, [1845]
- 1552. *Lycaena (Thersamonia) asabinus* (Gerhard, [1850])** (Lycaenidae) **Synonym(s):** #helius Herrich-Schäffer, [1851]; asabinus Herrich-Schäffer, [1852].
- 1553. *Lycaena (Thersamonia) kefersteinii* (Gerhard, [1850])** (Lycaenidae) **Synonym(s):** kefersteinii Gerhard, [1850]; phaeton Freyer, [1850]; #ochimus Herrich-Schäffer, [1851]; ochimus Herrich-Schäffer, [1852].
- 1554. *Lycaena (Thersamonia) kurdistanica* (Riley, 1921)** (Lycaenidae) **Synonym(s):** kurdistanica Riley, 1921
- 1555. *Lycaena (Thersamonia) lampon* (Lederer, 1870)** (Lycaenidae) **Synonym(s):** lampon Lederer, 1870
- 1556. *Lycaena (Thersamonia) thetis* (Klug, 1834)** (Lycaenidae) **Synonym(s):** thetis Klug, 1834.
- 1557. *Lycaena (s.str.) phlaeas* (Linnaeus, 1761)** (Lycaenidae) **Synonym(s):** phlaeas Linnaeus, 1761; virgaureae Fourcroy, 1785 nec Linn., 1758; eleus Fabricius, 1798; aestivus Zeller, 1850; schmidtii Gerhard, 1853
- 1558. *Phengaris arion* (Linnaeus, 1758)** (Lycaenidae) **Synonym(s):** arion Linnaeus, 1758; telegone Bergsträßer, 1779; telegones Bergsträßer, 1779; marners Bergsträßer, 1779; arctophoni Bergsträßer, 1779; arcina Fruhstorfer, 1910; eutyphron Fruhstorfer, 1915; microchroa Verity, 1948; gelriae Lempke, 1956
- 1559. *Phengaris rebeli* (Hirschke, 1904)** (Lycaenidae) **Synonym(s):** rebeli Hirschke, 1904; coerulea Vorbrodt, 1912; latimargo Courvoisier, 1913; alpicola Beuret, 1949; cruciata Beuret, 1949; gadmensis Beuret, 1949; magnalpicola Beuret, 1949.
- 1560. *Plebejus (Kretania) carmon* (Gerhard, [1851])** (Lycaenidae) **Synonym(s):** carmon Gerhard, [1851, November]; eurypilus Freyer, [1851, December].
- 1561. *Plebejus (Lycaeides) idas* (Linnaeus, 1761)** (Lycaenidae) **Synonym(s):** idas Linnaeus, 1761; leodorus Esper, 1782; acreon Fabricius, 1787; amphion Fabricius, 1793.
- 1562. *Plebejus (Plebejides) nichollae* (Elwes, 1901)** (Lycaenidae) **Synonym(s):** nichollae Elwes, 1901
- 1563. *Plebejus (Plebejides) zephyrinus* (Christoph, 1884)** (Lycaenidae) **Synonym(s):** zephyrinus Christoph, 1884
- 1564. *Plebejus (s.str.) argus* (Linnaeus, 1758)** (Lycaenidae) **Synonym(s):** argus Linnaeus, 1758; aegon Denis & Schiffermüller, 1775; plouharnelensis Oberthür, 1926; pulchraphilonome Verity, 1931.
- 1565. *Polyommatus (Agriades (s.str.)) pyrenaicus* (Boisduval, 1840)** (Lycaenidae) **Synonym(s):** pyrenaicus Boisduval, 1840; #pyrenicus Naderi, 2003
- 1566. *Polyommatus (Albulina (Plebejidea)) loewii* (Zeller, 1847)** (Lycaenidae) **Synonym(s):** loewii Zeller, 1847; empyrea Gerhard, [1851]; gigas Staudinger, 1871; #robusta Turati & Fiori, 1930; germaniciae Pfeiffer, 1932; dzhegamati Sheljuzhko, 1934.
- 1567. *Polyommatus (Albulina (Plebejidea)) rosei* (Eckweiler, 1989)** (Lycaenidae) **Synonym(s):** rosei Eckweiler, 1989
- 1568. *Polyommatus (Albulina (Vacciniina)) alcedo* (Christoph, 1877)** (Lycaenidae) **Synonym(s):** alcedo Christoph, 1877
- 1569. *Polyommatus (Albulina (Vacciniina)) morgianus* (Kirby, 1871)** (Lycaenidae) **Synonym(s):** hyrcana Lederer, 1869 nec Feld., 1860; morgiana Kirby, 1871.
- 1570. *Polyommatus (Aricia (Eumedonia)) eumedon* (Esper, [1780])** (Lycaenidae) **Synonym(s):** chiron Rottemburg, 1775 nec Fabr., 1775; eumedon Esper, [1780]; osiris O. Bang-Haas, 1927 nec Hopff., 1855; rumeliensis Eitschberger & Stein., 1975; jeanensis Eitschberger & Stein., 1975; kagizmanensis Koçak, 1980.
- 1571. *Polyommatus (Aricia (Ultraaricia)) crassipunctus* (Christoph, 1893)** (Lycaenidae) **Synonym(s):** crassipunctus Christoph, 1893; #crassipunctata Seitz, 1909.
- 1572. *Polyommatus (Aricia (s.str.)) agestis* ([Denis & Schiffermüller], 1775)** (Lycaenidae) **Synonym(s):** medon Hufnagel, 1766 nec Linn., 1763; alexis Rottemburg, 1775 nec Poda, 1761; agestis [Denis & Schiffermüller], 1775; astrarche Bergsträßer, [1779].
- 1573. *Polyommatus (Aricia (s.str.)) artaxerxes* (Fabricius, 1793)** (Lycaenidae) **Synonym(s):** artaxerxes Fabricius, 1793.

- 1574. Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): haigi Dantchenko & Lukhtanov,2002
- 1575. Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae) Synonym(s): pseudactis Forster,1960
- 1576. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) Synonym(s): alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002.
- 1577. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) Synonym(s): dantchenkoi Lukhtanov, Wiemers & Meusemann,2003
- 1578. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): demavendi Pfeiffer,1938; #demaventi de Lesse,1960
- 1579. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): eriwanensis Forster,1960
- 1580. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Synonym(s): ripartii Freyer,[1830].
- 1581. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) Synonym(s): antidolus Rebel,1901
- 1582. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae) Synonym(s): kurdistanicus Forster,1961
- 1583. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) Synonym(s): menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.
- 1584. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) Synonym(s): mithridates Staudinger,1878
- 1585. Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851])** (Lycaenidae) Synonym(s): #hopferi Herrich-Schäffer,[August,1851] (uninominal); hopfferi Gerhard,[November,1851]; hopfferi Herrich-Schäffer,31.December,1851]; hadjina Heyne,[1895]; malatiae Forster,1961.
- 1586. Polyommatus (s.str. (Agrodiaetus (Damaia))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.
- 1587. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) Synonym(s): wagneri Forster,1956
- 1588. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) Synonym(s): baytopi De Lesse,1959
- 1589. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal,2001** (Lycaenidae) Synonym(s): igisizilim Koçak & Kemal,2001
- 1590. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenius (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): iphigenia Herrich-Schäffer,[1847]
- 1591. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) Synonym(s): vanensis De Lesse,1957
- 1592. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) altivagans (Forster,1956)** (Lycaenidae) Synonym(s): altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003
- 1593. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) anticarmon (Koçak,1983)** (Lycaenidae) Synonym(s): anticarmon Koçak,1983; charmieuxi Pagés,1994
- 1594. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) huberti (Carbonell,1993)** (Lycaenidae) Synonym(s): huberti Carbonell,1993
- 1595. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) ninae (Forster,1956)** (Lycaenidae) Synonym(s): ninae Forster,1956
- 1596. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) pierceae (Lukhtanov & Dantchenko,2002)** (Lycaenidae) Synonym(s): pierceae Lukhtanov & Dantchenko,2002; #rierceae Lukhtanov & Dantchenko,2002
- 1597. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): surakovi Dantchenko & Lukhtanov,1994; sekercioglu Dantchenko & Lukhtanov,2002
- 1598. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicola (Koçak,1977)** (Lycaenidae) Synonym(s): turcicola Koçak,1977; #turcicolus Nazari,2003
- 1599. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): turcicus Koçak,1977
- 1600. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) zapvadi (Carbonell,1993)** (Lycaenidae) Synonym(s): zapvadi Carbonell,1993

- 1601. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger, 1899)** (Lycaenidae) Synonym(s): cyaneus Staudinger, 1899; pseudocyaneus Forster, 1956.
- 1602. Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov, 2002)** (Lycaenidae) Synonym(s): kanduli Dantchenko & Lukhtanov, 2002
- 1603. Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer, 1861)** (Lycaenidae) Synonym(s): antiochena Lederer, 1861
- 1604. Polyommatus (s.str. (Cyaniris)) bellis (Freyer, [1842])** (Lycaenidae) Synonym(s): bellis Freyer, [1842]
- 1605. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg, 1775)** (Lycaenidae) Synonym(s): bellargus Rottemburg, 1775; thetis Rottemburg, 1775 nec Dru., 1773; adonis Denis & Schiffermüller, [1775]; salacia Bergsträßer, 1779; venilia Bergsträßer, 1779; hyacinthus Lewin, 1795; urania Gerhard, [1851]; persemagna Verity, 1937; arentissima Verity, 1937; arens Verity, 1937; arentior Verity, 1937; anteaarentior Verity, 1937; parabellargus Verity, 1939; shakla Higgins, 1958
- 1606. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer, [1852])** (Lycaenidae) Synonym(s): corydonius Herrich-Schäffer, [1852]
- 1607. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): daphnis [Denis & Schiffermüller], 1775; endymion [Denis & Schiffermüller], 1775 nec Fabricius, 1775; meleager Esper, 1778; dalmatina Wagner, 1909.
- 1608. Polyommatus (s.str. (Neolysandra)) alticola (Christoph, 1893)** (Lycaenidae) Synonym(s): alticola Christoph, 1893; alexander Higgins, 1981
- 1609. Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian, 1980** (Lycaenidae) Synonym(s): fatima Eckweiler & Schurian, 1980
- 1610. Polyommatus (s.str. (Neolysandra)) ponticus (Courvoisier, 1911)** (Lycaenidae) Synonym(s): ponticus Courvoisier, 1911
- 1611. Polyommatus (s.str. (Plebicula)) amandus (Schneider, 1792)** (Lycaenidae) Synonym(s): icarius Esper, 1789 nec Rottemburg, 1775; amandus Schneider, 1792
- 1612. Polyommatus (s.str. (Sublysandra)) aedon (Christoph, 1877)** (Lycaenidae) Synonym(s): aedon Christoph, 1877
- 1613. Polyommatus (s.str. (Thersitesia)) thersites (Canterer, [1835])** (Lycaenidae) Synonym(s): thersites Canterer, [1835]; chapmani Ball, 1914; meridiana Verity, 1919.
- 1614. Polyommatus (s.str.) buzulmavi Carbonell, 1991** (Lycaenidae) Synonym(s): buzulmavi Carbonell, 1991
- 1615. Polyommatus (s.str.) icarus (Rottemburg, 1775)** (Lycaenidae) Synonym(s): argus Poda, 1761 nec Linn., 1758; alexis Scopoli, 1763 nec Pda, 1761; thetis Esper, 1777 nec Dru., 1773; icarus Rottemburg, 1775; pampholyge Bergsträßer, 1779; candybus Bergsträßer, 1779; candiope Bergsträßer, 1779; candaon Bergsträßer, 1779; oceanus Bergsträßer, 1779; fusciole Fourcroy, 1785; icarinus Scriba, 1795; pusillus Gerhard, 1851; celina Austaut, 1879; neglectus Stradomsky & Arzanov, 1999
- 1616. Pseudophilotes vicrama (Moore, 1865)** (Lycaenidae) Synonym(s): vicrama Moore, 1865
- 1617. Quercusia quercus (Linnaeus, 1758)** (Lycaenidae) Synonym(s): quercus Linnaeus, 1758; longicauda Riley, 1921
- 1618. Rubrapterus bavius (Eversmann, 1832)** (Lycaenidae) Synonym(s): bavius Eversmann, 1832
- 1619. Satyrium (Armenia) ledereri (Boisduval, 1848)** (Lycaenidae) Synonym(s): ledereri Boisduval, 1848
- 1620. Satyrium (Nordmannia) abdominalis (Gerhard, [1850])** (Lycaenidae) Synonym(s): abdominalis Gerhard, [1850]; gerhardi Staudinger, [1895]; alboabdominalis Pfeiffer, 1938; persica Riley, 1939; #gerhardti Wiltshire, 1943; elta Higgins, 1964.
- 1621. Satyrium (Nordmannia) armenum (Rebel, 1901)** (Lycaenidae) Synonym(s): armenum Rebel, 1901
- 1622. Satyrium (Nordmannia) marcidum (Riley, 1921)** (Lycaenidae) Synonym(s): marcidum Riley, 1921
- 1623. Satyrium (Nordmannia) zabni Oorschot & Brink, 1991** (Lycaenidae) Synonym(s): #zabni Higgins, 1964; zabni Oorschot & Brink, 1991.
- 1624. Satyrium (Strymonidia) spini (Fabricius, 1787)** (Lycaenidae) Synonym(s): #spini [Denis & Schiffermüller], 1775; lynceus Esper, [1779] nec Drury, 1773; spini Fabricius, 1787; cerasi Herbst, 1804 nec Fabricius, 1787; #albosparsa Oberthür, 1910; anaticus De Lattin, 1950.
- 1625. Satyrium (Strymonidia) w-album (Knoch, 1782)** (Lycaenidae) Synonym(s): w-album Knoch, 1782; cerasi Fabricius, 1787; majuscula Jachontov, 1911.
- 1626. Tarucus (s.str.) balkanicus (Freyer, [1843])** (Lycaenidae) Synonym(s): balkanicus Freyer, [1843]; #balkanicus Röber, 1897
- 1627. Tomares callimachus (Eversmann, 1848)** (Lycaenidae) Synonym(s): callimachus Eversmann, 1848; epiphania Boisduval, 1848; #dentata Staudinger, [1892]
- 1628. Tomares romanovi (Christoph, 1882)** (Lycaenidae) Synonym(s): romanovi Christoph, 1882

- 1629. *Turanana cytis* (Christoph,1877)** (Lycaenidae) Synonym(s): *cytis* Christoph,1876
1630. *Turanana endymion* (Freyer,[1850]) (Lycaenidae) Synonym(s): *endymion* Freyer,[1850];
#panagaea Herrich-Schäffer,[1851]; *endymion* Gerhard,[1851]; *panagaea* Herrich-Schäffer,[1852]

Papilionidae

- 1631. *Archon apollinaris* (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907
1632. *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926.
1633. *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
1634. *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
1635. *Parnassius* (Driopa) *mnemosyne* (Linnaeus,1758) (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
1636. *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
1637. *Zerynthia* (Allancastris) *deyrollei* (Oberthür,1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.

Pieridae

- 1638. *Anthocharis cardamines* (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
1639. *Anthocharis damone* Boisduval,1836 (Pieridae) Synonym(s): *damone* Boisduval,1836
1640. *Anthocharis grueneri* Herrich-Schäffer,[1851] (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
1641. *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
1642. *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
1643. *Colias* (Eriocolias) *thisoa* Ménétriés,1832 (Pieridae) Synonym(s): *thisoa* Ménétriés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989.
1644. *Colias* (Neocolias) *aurorina* Herrich-Schäffer,[1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer,[1850]; *#alba* Rühl,[1893]; *#aurantiaca* Rühl,[1893]; *deserticola* Verity,[1909]; *#cleopatra* Kemal,2015
1645. *Colias* (Neocolias) *chlorocoma* Christoph,1888 (Pieridae) Synonym(s): *chlorocoma* Christoph,1888
1646. *Colias* (s.str.) *alfacariensis* Ribbe,1905 (Pieridae) Synonym(s): *alfacariensis* Ribbe,1905
1647. *Euchloe* (Elphinstonia) *penia* (Freyer,[1852]) (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
1648. *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
1649. *Gonepteryx* (s.str.) *farinosa* (Zeller,1847) (Pieridae) Synonym(s): *farinosa* Zeller,1847
1650. *Gonepteryx* (s.str.) *rhamni* (Linnaeus,1758) (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
1651. *Leptidea duponcheli* (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
1652. *Leptidea sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyrus* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
1653. *Pieris* (Artogeia) *bowdeni* Eitschberger,[1984] (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
1654. *Pieris* (Artogeia) *ergane* (Geyer,[1828]) (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
1655. *Pieris* (Artogeia) *krueperi* Staudinger,1860 (Pieridae) Synonym(s): *krueperi* Staudinger,1860
1656. *Pieris* (Artogeia) *mannii* (Mayer,1851) (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.

- 1657. *Pieris (Artogeia) persis* Verity, 1922** (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961.
- 1658. *Pieris (Artogeia) pseudorapae* Verity, 1908** (Pieridae) Synonym(s): *pseudorapae* Verity, 1908
- 1659. *Pieris (Artogeia) rapae* (Linnaeus, 1758)** (Pieridae) Synonym(s): *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929.
- 1660. *Pieris (s.str.) brassicae* (Linnaeus, 1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus, 1758; *chariclea* Stephens, 1827; *#venata* Verity, 1908; *cyniphia* Turati, 1924.
- 1661. *Pontia callidice* (Hübner, [1800])** (Pieridae) Synonym(s): *callidice* Hübner, [1800]; *callidice* Esper, [1803].
- 1662. *Pontia chloridice* (Hübner, [1813])** (Pieridae) Synonym(s): *russiae* Esper, [1784] *nec russiae* Esper, [1783]; *chloridice* Hübner, [1813]; *#aestuosa* Staudinger, 1901; *albidice* Staudinger, 1901 *nec Oberthür*, 1881.
- 1663. *Pontia edusa* (Fabricius, 1777)** (Pieridae) Synonym(s): *edusa* Fabricius, 1777; *belidice* Ochsenheimer, 1808; *persica* Bienert, 1869; *#nitida* Verity, [1908].
- 1664. *Zegris eupheme* (Esper, [1804])** (Pieridae) Synonym(s): *eupheme* Esper, [1804]; *erithoe* Eversmann, 1832; *tschudica* Herrich-Schäffer, [1851].

Satyridae

- 1665. *Arethusana arethusa* ([Denis & Schiffermüller], 1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller], 1775; *erythia* Hübner, 1805; *pontica* Heyne, [1895]; *sultana* Wagner, 1929; *hakkarica* Koçak, 1975
- 1666. *Brintesia circe* (Fabricius, 1775)** (Satyridae) Synonym(s): *circe* Fabricius, 1775; *proserpina* Denis & Schiffermüller, 1775; *maga* Fruhstorfer, 1909; *venefica* Fruhstorfer, 1909; *gabala* Gaillard, 1959; *maladetta* Varin, 1962.
- 1667. *Chazara (Neochazara) anthe* (Hoffmannsegg, 1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg, 1804; *persephone* Hübner, 1805; *anthe* Ochsenheimer, 1807.
- 1668. *Chazara (s.str.) bischoffi* (Herrich-Schäffer, [1846])** (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer, [1846]
- 1669. *Chazara (s.str.) briseis* (Linnaeus, 1764)** (Satyridae) Synonym(s): *briseis* Linnaeus, 1764; *daedale* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958.
- 1670. *Chazara (s.str.) egina* (Staudinger, [1892])** (Satyridae) Synonym(s): *egina* Staudinger, [1892]; *aisha* Rose, 1986.
- 1671. *Coenonympha (s.str.) glycerion* (Borkhausen, 1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller], 1775 *nec Dru.*, 1773; *amyntas* auctorum; *glycerion* Borkhausen, 1788; *hero* Fabricius, 1793 *nec* Linnaeus, 1761; *manto* Schrank, 1801; *mandane* Kirby, 1862; *tiphonides* Staudinger, 1901.
- 1672. *Coenonympha (s.str.) leander* (Fabricius, 1787)** (Satyridae) Synonym(s): *#leander* Esper, [1784]; *leander* Fabricius, 1787
- 1673. *Coenonympha (s.str.) pamphilus* (Linnaeus, 1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus, 1758; *menalcas* Poda, 1761; *nephele* Hufnagel, 1766; *marginata* Heyne, 1894; *orantia* Fruhstorfer, 1908; *scota* Verity, 1911; *infrarasa* Verity, 1926; *julducica* Verity, 1926; *asiaemontium* Verity, 1926; *euxina* Verity, 1926; *posteuxina* Verity, 1926; *londonii* Verity, 1926; *neolyllus* De Lattin, 1950
- 1674. *Coenonympha (s.str.) saadi* (Kollar, [1849])** (Satyridae) Synonym(s): *saadi* Kollar, [1849]; *iphias* Eversmann, 1851.
- 1675. *Esperarge (s.str.) clymene* (Fabricius, 1787)** (Satyridae) Synonym(s): *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819].
- 1676. *Hipparchia (Neohipparchia) fatua* (Freyer, 1844)** (Satyridae) Synonym(s): *fatua* Freyer, 1844; *sichaea* Lederer, 1857; *insularis* Turati, 1929; *elineata* Verity, 1937; *infracastanea* Verity, 1938; *kosswigi* De Lattin, 1950.
- 1677. *Hipparchia (Neohipparchia) parisatis* (Kollar, [1849])** (Satyridae) Synonym(s): *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000.
- 1678. *Hipparchia (Neohipparchia) statilinus* (Hufnagel, 1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel, 1766; *fauna* Sulzer, 1776 *nec Drury*, 1773; *allionia* Fabricius, 1781; *actaea* sensu Villers, 1789; *arachne* Esper, 1789 *nec* Denis & Schiff., 1775; *allionii* Hübner, 1826, etc.
- 1679. *Hipparchia (Parahipparchia) pellucida* (Stauder, 1924)** (Satyridae) Synonym(s): *pellucida* Stauder, 1924; *cotys* Jachontov, 1935; *hesselbarthi* Kudrna, 1976.
- 1680. *Hipparchia (s.str.) syriaca* (Staudinger, 1871)** (Satyridae) Synonym(s): *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959.
- 1681. *Hyponephele (s.str. (Ereminephele)) naricoides* Gross, 1977** (Satyridae) Synonym(s): *naricoides* Gross, 1977
- 1682. *Hyponephele (s.str. (Iranonephele)) kocaki* Eckweiler, 1978** (Satyridae) Synonym(s): *kocaki* Eckweiler, 1978
- 1683. *Hyponephele (s.str. (Tengrinephele)) cadusia* (Lederer, 1869)** (Satyridae) Synonym(s): *cadusia* Lederer, 1869

- 1684. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846]) (Satyridae)**
Synonym(s): wagneri Herrich-Schäffer,[1846]; schmidtii Bang-Haas,1927.
- 1685. Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae)** Synonym(s): lupina Costa,[1836]
- 1686. Hyponephele (s.str.) lycaon (Rottemburg,1775) (Satyridae)** Synonym(s): lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800; rufomaculata Korb,2005
- 1687. Hyponephele (s.str.) lycaonoides Weiss,1978 (Satyridae)** Synonym(s): lycaonoides Weiss,1978; #lycaonides Nazari,2003
- 1688. Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996 (Satyridae)** Synonym(s): zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000
- 1689. Kirinia (Melike) roxelana (Cramer,[1777]) (Satyridae)** Synonym(s): roxelana Cramer,[1777]; #anatolica Koçak,1989
- 1690. Lasiommata maera (Linnaeus,1758) (Satyridae)** Synonym(s): maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.
- 1691. Lasiommata megera (Linnaeus,1767) (Satyridae)** Synonym(s): megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellator Verity,1923; pallidedepulverata Verity,1923.
- 1692. Lasiommata menava Moore,1865 (Satyridae)** Synonym(s): menava Moore,1865.
- 1693. Maniola (Telmessiola) telmessia (Zeller,1847) (Satyridae)** Synonym(s): telmessia Zeller,1847; pallescens Butler,1868; kurdistan Heyne,1894; oreas Le Cerf,1912; maniolides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekasii Kattulas & Koutsafikis,1978.
- 1694. Maniola (s.str.) jurtina (Linnaeus,1758) (Satyridae)** Synonym(s): jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.
- 1695. Melanargia (Parce) russiae (Esper,[1784]) (Satyridae)** Synonym(s): russiae Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800]; varalauko Korb,2005
- 1696. Melanargia (Turcargia) hylata (Ménétriés,1832) (Satyridae)** Synonym(s): hylata Ménétriés,1832
- 1697. Melanargia (Turcargia) syriaca (Oberthür,1894) (Satyridae)** Synonym(s): syriaca Oberthür,1894
- 1698. Pararge aegeria (Linnaeus,1758) (Satyridae)** Synonym(s): aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908.
- 1699. Proterebia afra (Fabricius,1787) (Satyridae)** Synonym(s): afra Fabricius,1787
- 1700. Pseudochazara (Achazara) anthelea (Hübner,[1824]) (Satyridae)** Synonym(s): anthelea Hübner,[1824]; atavirensis Coutsis,1973.
- 1701. Pseudochazara (s.str.) beroe (Freyer,[1843]) (Satyridae)** Synonym(s): beroe Freyer,[1843]
- 1702. Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846]) (Satyridae)** Synonym(s): geyeri Herrich-Schäffer,[1846]; aristonius Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978
- 1703. Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846]) (Satyridae)** Synonym(s): mamurra Herrich-Schäffer,[1846]; sintenisi Staudinger,[1896]
- 1704. Pseudochazara (s.str.) pelopea (Klug,1832) (Satyridae)** Synonym(s): pelopea Klug,1832
- 1705. Satyrus (Asatyrus (s.str.)) iranica Schwingenschuss,1939 (Satyridae)** Synonym(s): iranica Schwingenschuss,1939; kyros Gross & Ebert,1975.
- 1706. Satyrus (s.str.) favonius Staudinger,[1892] (Satyridae)** Synonym(s): favonius Staudinger,[1892]
- 1707. Satyrus (s.str.) parthicus Lederer,1869 (Satyridae)** Synonym(s): parthicus Lederer,1869; pimpla sensu Wiltshire,1957

Moths

Adelidae

- 1708. Nemophora erebna Kemal & Koçak,2006 (Adelidae)** Synonym(s): erebna Kemal & Koçak,2006
- 1709. Nemophora fasciella (Fabricius,1775) (Adelidae)** Synonym(s): fasciella Fabricius,1775; schiffermillerella [Denis & Schiffermüller],1775; fascia Haworth,1828; schiffermuellerella Treitschke,1833; annae Zeller,1853; purpureus Stainton,1867

Alucitidae

- 1710. Alucita klimeschi Scholz,1997 (Alucitidae)** Synonym(s): klimeschi Scholz,1997

Arctiidae

- 1711. Andala semiramis (Staudinger, 1892)** (Arctiidae) Synonym(s): semiramis Staudinger, 1892; brandti Daniel, 1949
- 1712. Arctia (Epicallia) marchandi De Freina, 1983** (Arctiidae) Synonym(s): marchandi De Freina, 1983.
- 1713. Arctia (Eucharia) festiva (Hufnagel, 1766)** (Arctiidae) Synonym(s): festiva Hufnagel, 1766; hebe Linnaeus, 1767; interrogationis Ménétériés, 1863; sartha Staudinger, 1886; nivea O. Bang-Haas, 1927; ragusai Stauder, 1928; arafati De Freina, 1997
- 1714. Arctia (s.str.) caja (Linnaeus, 1758)** (Arctiidae) Synonym(s): caja Linnaeus, 1758; erinacea Retzius, 1783; phantasma Niepelt, 1905; lusitanica Spuler, 1906; confluens Rebel, 1910 nec Rom., 1884; rebeli Wnukowsky, 1929.
- 1715. Axiopoenia karelini Ménétériés, 1863** (Arctiidae) Synonym(s): karelini Ménétériés, 1863; transcaucasia Sheljuzhko, 1926; manissadjiani O. Bang-Haas, 1927.
- 1716. Chelis reticulata (Christoph, 1887)** (Arctiidae) Synonym(s): reticulata Christoph, 1887
- 1717. Cymbalophora rivularis (Ménétériés, 1832)** (Arctiidae) Synonym(s): rivularis Ménétériés, 1832; dannehli Dannehl, 1929.
- 1718. Diaphora mendica (Linnaeus, 1761)** (Arctiidae) Synonym(s): #mendica Clerck, 1759; mendica Linnaeus, 1761; rustica Hübner, [1791]
- 1719. Euplagia quadripunctaria (Poda, 1761)** (Arctiidae) Synonym(s): quadripunctaria Poda, 1761; hera Linnaeus, 1767; magna Spuler, 1910 nec Hol., 1897; latefasciata Bubacek, 1915.
- 1720. Euplagia splendidior (Tams, 1922)** (Arctiidae) Synonym(s): splendidior Tams, 1922; tkatshukovi Sheljuzhko, 1935.
- 1721. Lacydes spectabilis (Tauscher, 1806)** (Arctiidae) Synonym(s): spectabilis Tauscher, 1806; intercissa Freyer, 1842.
- 1722. Manulea (s.str.) complana (Linnaeus, 1758)** (Arctiidae) Synonym(s): complana Linnaeus, 1758; ochrocephala Fourcroy, 1785; sericea Gregson, 1860; molybdeola Guenée, 1861; balcanica Daniel, 1939.
- 1723. Manulea (s.str.) palliatella (Scopoli, 1763)** (Arctiidae) Synonym(s): palliatella Scopoli, 1763; unita [Denis & Schiffermüller], 1775; paleola Hübner, [1808]; gilveola Ochsenheimer, 1810; vitellina Treitschke, 1834; flaveola Rambur, 1866.
- 1724. Ocnogyna (Somatrichia) anatolica Witt, 1980** (Arctiidae) Synonym(s): anatolica Witt, 1980
- 1725. Ocnogyna (s.str.) loewii (Zeller, 1846)** (Arctiidae) Synonym(s): #löwii Zeller, 1846; loewii Zeller, 1846; clathrata Lederer, 1855; andresi Draudt, 1931.
- 1726. Paidia (s.str.) sp.** Synonym(s): -
- 1727. Phragmatobia fuliginosa (Linnaeus, 1758)** (Arctiidae) Synonym(s): fuliginosa Linnaeus, 1758; fervida Staudinger, 1871 nec Walk., 1855; lurida Rothschild, 1910; monticola Daniel, 1970 nec Reiss., 1934
- 1728. Phragmatobia placida (Frivaldsky, 1835)** (Arctiidae) Synonym(s): placida Frivaldsky, 1835
- 1729. Rhyparia purpurata (Linnaeus, 1758)** (Arctiidae) Synonym(s): purpurata Linnaeus, 1758; purpurea Linnaeus, 1767; uralensis Spuler, 1906; barteli Krulikowsky, 1909.
- 1730. Tyria jacobaeae (Linnaeus, 1758)** (Arctiidae) Synonym(s): jacobaeae Linnaeus, 1758; senecionis Godart, 1823; confluens Schultz, 1908.
- 1731. Utetheisa (s.str.) pulchella (Linnaeus, 1758)** (Arctiidae) Synonym(s): pulchella Linnaeus, 1758; pulchra [Denis & Schiffermüller], 1775; thyter Butler, 1877; shyama Bhattacharjee & Gupta, 1969; menoni Bhattacharjee & Gupta, 1969.

Autostichidae

- 1732. Apiletria endopercna (Meyrick, 1936)** (Autostichidae) Synonym(s): endopercna Meyrick, 1936
- 1733. Aprominta kyra (Gozmany, 1961)** (Autostichidae) Synonym(s): kyra Gozmany, 1961
- 1734. Holcopogon bubulcellus (Staudinger, 1859)** (Autostichidae) Synonym(s): bubulcellus Staudinger, 1859; pulverulellus Constant, 1865; barbata Walsingham, 1900.
- 1735. Oegoconia caradjai Popescu-Gorj & Capuse, 1965** (Autostichidae) Synonym(s): caradjai Popescu-Gorj & Capuse, 1965
- 1736. Symmoca (s.str.) pyrrhella Ragonot, 1895** (Autostichidae) Synonym(s): pyrrhella Ragonot, 1895; zeitunella Rebel, 1902; straminella Gozmany, 1986

Brachodidae

- 1737. *Brachodes appendiculatus* (Esper,[1783])** (Brachodidae) Synonym(s): *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *gerassimovii* Kozhantschikov,1923
- 1738. *Brachodes buxeus* Kallies,2001** (Brachodidae) Synonym(s): *buxeus* Kallies,2001
- 1739. *Brachodes candefactus* (Lederer,1858)** (Brachodidae) Synonym(s): *candefacta* Lederer,1858; *diacona* Lederer,1858

Brahmaeidae

- 1740. *Brahmaea* (s.str.) *ledereri* Rogenhofer,1873** (Brahmaeidae) Synonym(s): *ledereri* Rogenhofer,1873; *zaba* De Freina,1982

Carposinidae

- 1741. *Carposina scirrhosella* Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemeş,1968

Choreutidae

- 1742. *Choreutis muhabbet* Koçak,2008** (Choreutidae) Synonym(s): *muhabbet* Koçak,2008

Cimeliidae

- 1743. *Axia* (*Epicimelia*) *theresia* (Korb,1900)** (Cimeliidae) Synonym(s): *theresia* Korb,1900

Coleophoridae

- 1744. *Coleophora albipennella* Staudinger,1879** (Coleophoridae) Synonym(s): *albipennella* Staudinger,1879
- 1745. *Coleophora amethystinella* Ragonot,1885** (Coleophoridae) Synonym(s): *amethystinella* Ragonot,1885; *metallica* Toll,1961
- 1746. *Coleophora armeniae* Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak,1991
- 1747. *Coleophora bagorella* (Falkovitsh,1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh,1977; *capusiella* Nemeş,2003
- 1748. *Coleophora bivittella* Staudinger,1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879
- 1749. *Coleophora cracella* (Vallot,1835)** (Coleophoridae) Synonym(s): *cracella* Vallot,1835; *lugduniella* Stainton,1859
- 1750. *Coleophora iranella* Toll,1959** (Coleophoridae) Synonym(s): *#agramella* Rebel,1935; *iranella* Toll,1959; *agramella* Baldizzone,1982
- 1751. *Coleophora kuehnella* (Goeze,1783)** (Coleophoridae) Synonym(s): *kuehnella* Goeze,1783; *lamellifera* Geoffroy,1785; *lamellatella* De Villiers,1789; *palliatella* Zincken,1813; *palliipennella* Treitschke,1833; *enervatella* Zeller,1849; *auricigrandella* Bruand,[1851]
- 1752. *Coleophora lixella* Zeller,1849** (Coleophoridae) Synonym(s): *lixella* Zeller,1849
- 1753. *Coleophora malatiella* Toll,1952** (Coleophoridae) Synonym(s): *malatiella* Toll,1952
- 1754. *Coleophora onopordiella* Zeller,1849** (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemeş,2003
- 1755. *Coleophora quadristraminella* Toll,1961** (Coleophoridae) Synonym(s): *quadristraminella* Toll,1961; *pontica* Reznik,1984
- 1756. *Coleophora trifolii* (Curtis,1832)** (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861.
- 1757. *Coleophora wockeella* Zeller,1849** (Coleophoridae) Synonym(s): *wockeella* Zeller,1849; *fumigatella* Caradja,1920; *italiae* Toll,1960

Cosmopterigidae

- 1758. Eteobalea sumptuosella (Lederer, 1855)** (Cosmopterigidae) Synonym(s): sumptuosella Lederer, 1855; amseli Osthelder, 1940
- 1759. Eteobalea tririvella (Staudinger, 1871)** (Cosmopterigidae) Synonym(s): tririvella Staudinger, 1871; kasyi Riedl, 1965.

Cossidae

- 1760. Azygophleps regia (Staudinger, 1892)** (Cossidae) Synonym(s): regia Staudinger, 1892; #regina Wiltshire, 1957
- 1761. Cossulus argentatus (Staudinger, 1887)** (Cossidae) Synonym(s): argentatus Staudinger, 1887; araxes De Freina, 1982
- 1762. Cossulus lena Yakovlev, 2008** (Cossidae) Synonym(s): lena Yakovlev, 2008
- 1763. Cossus cossus (Linnaeus, 1758)** (Cossidae) Synonym(s): cossus Linnaeus, 1758; unguiculatus Fabricius, 1794; ligniperda Fabricius, 1794
- 1764. Dyspessa cerberus Daniel, 1939** (Cossidae) Synonym(s): cerberus Daniel, 1939
- 1765. Dyspessa hethitica Daniel, 1932** (Cossidae) Synonym(s): hethitica Daniel, 1932; #hetithica De Freina, 1981
- 1766. Dyspessa salicicola (Eversmann, 1848)** (Cossidae) Synonym(s): salicicola Eversmann, 1848
- 1767. Dyspessa stroehlei Yakovlev, 2008** (Cossidae) Synonym(s): stroehlei Yakovlev, 2008
- 1768. Dyspessa ulula (Borkhausen, 1790)** (Cossidae) Synonym(s): ulula Borkhausen, 1790; hepialica Borkhausen, 1790; hepialina Hübner, 1792; marmorata Rambur, 1858; fuscula Staudinger, 1892; affinis Rothschild, 1917; maroccana Rothschild, 1917; pallida Rothschild, 1917 nec Roth., 1912.
- 1769. Dyspessacossus fereidun (Groum-Grshimailo, 1895)** (Cossidae) Synonym(s): fereidun Groum-Grshimailo, 1895; firdusi Wagner, 1937.
- 1770. Isoceras huberi Eitschberger & Ströhle, 1987** (Cossidae) Synonym(s): huberi Eitschberger & Ströhle, 1987
- 1771. Paracossulus thrips (Hübner, [1818])** (Cossidae) Synonym(s): thrips Hübner, [1818]; fuchsiana Eversmann, 1832; kindermanni Freyer, 1836.
- 1772. Phragmacossia territa Staudinger, 1878** (Cossidae) Synonym(s): territa Staudinger, 1878; transcaspica Grum-Grshimailo, 1895
- 1773. Semagystia cuhensis De Freina, 1994** (Cossidae) Synonym(s): cuhensis De Freina, 1994
- 1774. Zeuzera pyrina (Linnaeus, 1761)** (Cossidae) Synonym(s): pyrina Linnaeus, 1761; hypocastani Poda, 1761; aesuli Linnaeus, 1767; hilaris Fourcroy, 1785; octopunctata Boisduval, 1832; decipiens Kirby, 1892

Ctenuchidae

- 1775. Amata hakkariana (De Freina, 1982)** (Ctenuchidae) Synonym(s): hakkariana De Freina, 1982
- 1776. Dysauxes (s.str.) famula (Freyer, 1836)** (Ctenuchidae) Synonym(s): famula Freyer, 1836; hyalina Freyer, 1845; ragusaria Zickert, 1904; herthina Stauder, 1921; burgeffi Draudt, 1931; taurica Draudt, 1931; pseudoservula Naufock, 1933; pontica Friese, 1959; sofia De Laever, 1983; lucana De Laever, 1983.

Douglasiidae

- 1777. Tinagma anchusellum (Benander, 1936)** (Douglasiidae) Synonym(s): anchusellum Benander, 1936

Drepanidae

- 1778. Cilix asiatica A. Bang-Haas, 1907** (Drepanidae) Synonym(s): asiatica A. Bang-Haas, 1907; depalpata Strand, 1913
- 1779. Watsonalla binaria (Hufnagel, 1767)** (Drepanidae) Synonym(s): binaria Hufnagel, 1767; falcata Fabricius, 1775; falcularia De Villers, 1789; falcatalis Haworth, 1802; uncula Hübner, [1802]

Elachistidae

1780. *Elachista pollutella* (Duponchel, 1844) (Elachistidae) Synonym(s): *pollutella* Duponchel, 1844

Epermeniidae

1781. *Epermenia (Calotripis) insecurella* (Stainton, 1849) (Epermeniidae) Synonym(s): *insecurella* Stainton, 1849; *dentosella* Stainton, 1851; *iniquellus* Wocke, 1867; *plumbeella* Rebel, 1915; *kruegerella* Schawerda, 1921.

Ethmiidae

- 1782. *Ethmia amasina* (Staudinger, 1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger, 1879
- 1783. *Ethmia aurifluella* (Hübner, [1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner, [1810]; *albarracinella* Ragonot, 1882; *helvetica* Müller-Rutz, 1922; *cambyes* Wiltshire, 1947
- 1784. *Ethmia bipunctella* (Fabricius, 1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius, 1775; *echiella* [Denis & Schiffermüller], 1775; *hochenwartiella* Rossi, 1790; *griseicostella* Wiltshire, 1947; *euphoria* Kun, 2007
- 1785. *Ethmia candidella* (Alpheraky, 1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky, 1908; *orientella* Caradja, 1931.
- 1786. *Ethmia caradjae* (Rebel, 1907)** (Ethmiidae) Synonym(s): *caradjae* Rebel, 1907; *chosroes* Wiltshire, 1947
- 1787. *Ethmia chrysopyga* (Zeller, 1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910.
- 1788. *Ethmia fumidella* (Wocke, 1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke, 1850; *ardosiella* Caradja, 1931.
- 1789. *Ethmia hakkarica* Koçak, 1986** (Ethmiidae) Synonym(s): *hakkarica* Koçak, 1986
- 1790. *Ethmia pseudoscythrella* (Rebel, 1902)** (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel, 1902
- 1791. *Ethmia similis* Sattler, 1967** (Ethmiidae) Synonym(s): *similis* Sattler, 1967
- 1792. *Ethmia tripunctella* (Staudinger, 1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger, 1879

Gelechiidae

- 1793. *Agnippe lunaki* (Rebel, 1941)** (Gelechiidae) Synonym(s): *lunaki* Rebel, 1941; *penicillata* Amsel, 1961
- 1794. *Agnippe pseudolella* (Christoph, 1888)** (Gelechiidae) Synonym(s): *pseudolella* Christoph, 1888; *cephalella* Caradja, 1920.
- 1795. *Anarsia innoxia* Gregersen & Karsholt, 2017** (Gelechiidae) Synonym(s): *innoxia* Gregersen & Karsholt, 2017
- 1796. *Aristotelia subericinella* (Duponchel, 1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel, 1843; *prohaskaella* Rebel, 1907
- 1797. *Aroga aristotelis* (Millière, [1876])** (Gelechiidae) Synonym(s): *aristotelis* Millière, [1876]; *astragali* Staudinger, 1879; *fulminella* Millière, 1882; *lacertella* Walsingham, 1904; *#aplasticella* Rebel, 1913; *hyrcanella* Toll, 1947
- 1798. *Aroga kurdistan* Derra, 2011** (Gelechiidae) Synonym(s): *kurdistan* Derra, 2011; *#kuristan* Derra, 2011
- 1799. *Aroga velocella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *velocella* Zeller, 1839; *subsequella* Treitschke, 1833; *nebulea* Stephens, 1835; *affiniella* Zetterstedt, [1839]; *tesserella* Zetterstedt, [1839]; *brunnea* Schöyen, 1882; *aterrimella* Rebel, 1889; *peperistis* Meyrick, 1926; *rupicolella* Müller-Rutz, 1934
- 1800. *Bryotropha tachyptilella* (Rebel, 1916)** (Gelechiidae) Synonym(s): *tachyptilella* Rebel, 1916
- 1801. *Carpatolechchia humeralis* (Zeller, 1839)** (Gelechiidae) Synonym(s): *decurella* Haworth, 1812 nec Hübner, [1810]; *humeralis* Zeller, 1839; *lylella* Humpreys & Westwood, 1845; *incretella* Duponchel, [1854]; *pisticella* Nowicki, 1860; *scabra* Staudinger, 1870; *erschoffii* Frey, 1880; *buckwelli* Lucas, 1956; *dumitrescui* Capuse, 1964
- 1802. *Dirhinosisia arnoldiella* (Rebel, 1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel, 1905
- 1803. *Harpagidia magnetella* (Staudinger, [1871])** (Gelechiidae) Synonym(s): *magnetella* Staudinger, [1871]; *pallidibasella* Ragonot, 1895; *melitophanes* Meyrick, 1931
- 1804. *Isophrictis anthemidella* (Wocke, 1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke, 1871; *magna* Amsel, 1935
- 1805. *Isophrictis striatella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *striatella* [Denis & Schiffermüller], 1775; *tanacetella* Schrank, 1802
- 1806. *Metanarsia incertella* (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): *incertella* Herrich-Schäffer, 1861; *longivittella* Rebel, 1914; *halmyropis* Meyrick, 1926; *rhamniferella* Lucas, 1940
- 1807. *Metzneria aprilella* (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer, [1854]; *igneella* Tengström, 1859; *sanguinolentella* De Joannis, 1910
- 1808. *Metzneria artificella* (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer, 1861; *litigiosella* Millière, 1879; *pannonicella* Rebel, 1915

- 1809. *Nothris gregersen* Karsholt & Sumpich, 2015** (Gelechiidae) **Synonym(s):** gregersen Karsholt & Sumpich, 2015
- 1810. *Nothris radiata* (Staudinger, 1879)** (Gelechiidae) **Synonym(s):** radiata Staudinger, 1879
- 1811. *Nothris sabulosella* Rebel, 1935** (Gelechiidae) **Synonym(s):** sabulosella Rebel, 1935
- 1812. *Nothris verbascella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) **Synonym(s):** #verbascella [Denis & Schiffermüller], 1775; verbascella Brahm, 1791; lutarea Haworth, 1828; discretella Rebel, 1889; clarella Amsel, 1935
- 1813. *Pexicopia malvella* (Hübner, [1805])** (Gelechiidae) **Synonym(s):** umbrella auct.; malvella Hübner, [1805]; lutarea Haworth, 1828
- 1814. *Ptocheuusa paupella* (Zeller, 1847)** (Gelechiidae) **Synonym(s):** paupella Zeller, 1847; inulella Curtis, 1850; leucoglypta Meyrick, 1918
- 1815. *Recurvaria leucatella* (Linnaeus, 1761)** (Gelechiidae) **Synonym(s):** #leucattella Clerck, 1759; leucatella Linnaeus, 1761; leucatea Haworth, 1828; albocingulella Duponchel, 1839
- 1816. *Stomopteryx deterrentella* (Zeller, 1847)** (Gelechiidae) **Synonym(s):** deterrentella Zeller, 1847; oblitteratella Turati, 1924; griseella Dufrane, 1955
- 1817. *Stomopteryx gaesata* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** gaesata Meyrick, 1913
- 1818. *Streyella anguinella* (Herrich-Schäffer, 1861)** (Gelechiidae) **Synonym(s):** anguinella Herrich-Schäffer, 1861; ostentella Zerny, 1934
- 1819. *Syncopacma coronillella* (Treitschke, 1833)** (Gelechiidae) **Synonym(s):** coronillella Treitschke, 1833;ournieri Nel, 1998
- 1820. *Syncopacma polychromella* (Rebel, 1902)** (Gelechiidae) **Synonym(s):** polychromella Rebel, 1902; rebeliella Caradja, 1920; argyrobiella Caradja, 1920

Geometridae

- 1821. ?*Gnophos* (*Dicrognophos*) *snelleni* Christoph, 1887** (Geometridae) **Synonym(s):** snelleni Christoph, 1887
- 1822. *Aleucis orientalis* (Staudinger, 1892)** (Geometridae) **Synonym(s):** orientalis Staudinger, 1892
- 1823. *Alsophila hirsutaria* (Fabricius, 1781)** (Geometridae) **Synonym(s):** #aescularia [Denis & Schiffermüller], 1775; hirtaria Fabricius, [1776] nec Linn., 1761; hirsutaria Fabricius, 1781; murinaria Borkhausen, 1794.
- 1824. *Amorphogynia necessaria* (Zeller, 1849)** (Geometridae) **Synonym(s):** necessaria Zeller, 1849; inversarius Rebel, 1903; grupchei Cernelutti, 1986
- 1825. *Aplasta ononaria* (Fuessly, 1783)** (Geometridae) **Synonym(s):** ononaria Fuessly, 1783; rubellata De Villers, 1789; rubicapraria Hübner, 1793; sudataria Hübner, [1817]; faecataria Hübner, [1819]; ononata Bellier, 1861
- 1826. *Aplocera annexata* (Freyer, [1830])** (Geometridae) **Synonym(s):** annexata Freyer, [1830]; boisduvaliata Duponchel, 1831
- 1827. *Aplocera columbata* (Metzner, 1845)** (Geometridae) **Synonym(s):** columbata Metzner, 1845; nomadaria Herrich-Schäffer, 1848
- 1828. *Aplocera numidaria* (Herrich-Schäffer, [1852])** (Geometridae) **Synonym(s):** numidaria Herrich-Schäffer, [1852]
- 1829. *Aplocera obsitaria* (Lederer, 1853)** (Geometridae) **Synonym(s):** obsitaria Lederer, 1853; pseudopallidata Bytinski-Salz & Brandt, 1937
- 1830. *Aplocera opificata* (Lederer, 1870)** (Geometridae) **Synonym(s):** opificata Lederer, 1870; kawrigini Christoph, 1885
- 1831. *Aplocera plagiata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** plagiata Linnaeus, 1758; duplicata Fabricius, 1775; terlineata Goeze, 1781; triplicata Geoffroy, 1785; plagiaria Boisduval, 1840; scotica Richardson, 1952
- 1832. *Apochima flabellaria* (Heeger, 1838)** (Geometridae) **Synonym(s):** flabellaria Heeger, 1838; marmararia Buresch, 1915
- 1833. *Ascotis selenaria* ([Denis & Schiffermüller], 1775)** (Geometridae) **Synonym(s):** #selenaria [Denis & Schiffermüller], 1775; dianaria Hübner, [1817]; #seleneris Okyar & Aytac, 1999
- 1834. *Bellachima diaphanaria* (Püngeler, 1904)** (Geometridae) **Synonym(s):** diaphanaria Püngeler, 1904
- 1835. *Campaea margaritaria* (Linnaeus, 1761)** (Geometridae) **Synonym(s):** margaritaria Linnaeus, 1761; margaritata Linnaeus, 1767; vernaria Hufnagel, 1767; sesquistriaria Knoch, 1781; straminea Retzius, 1783; nayas Fourcroy, 1785; vitriolata Cyrilli, 1787; straminearia De Villers, 1789; rubrociliata Schawerda, 1932
- 1836. *Camptogramma bilineatum* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** bilineata Linnaeus, 1758; brocatella Fourcroy, 1785; dumetata Schrank, 1802; bilinearia Boisduval, 1840; musauria Freyer, 1846; testaceolata Staudinger, 1871
- 1837. *Carsia lythoxylata* (Hübner, [1799])** (Geometridae) **Synonym(s):** lythoxylata Hübner, [1799]; lythoxylaria Boisduval, 1840.
- 1838. *Cataclysmes riguada* (Hübner, [1813])** (Geometridae) **Synonym(s):** riguada Hübner, [1813]

- 1839. *Cataclysmes subtilisparsata* Wehrli, 1932** (Geometridae) **Synonym(s):** *subtilisparsata* Wehrli, 1932; *elbursica* Wagner, 1937
- 1840. *Catarhoe permixtaria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *#permixtaria* Herrich-Schäffer, 1851; *permixtaria* Guenée, [1858]
- 1841. *Catarhoe putridaria* (Herrich-Schäffer, [1852])** (Geometridae) **Synonym(s):** *putridaria* Herrich-Schäffer, [1852]; *bulgariata* Millière, 1868
- 1842. *Catarhoe rubidata* ([Denis & Schiffermüller], 1775)** (Geometridae) **Synonym(s):** *rubidata* [Denis & Schiffermüller], 1775
- 1843. *Charissa* (*Cnestrognophos*) *luticiliata* (Christoph, 1887)** (Geometridae) **Synonym(s):** *luticiliatus* Christoph, 1887
- 1844. *Charissa* (*Cnestrognophos*) *mutilata* (Staudinger, 1879)** (Geometridae) **Synonym(s):** *mutilata* Staudinger, 1879
- 1845. *Charissa* (*Cnestrognophos*) *rjabovi* (Wehrli, 1929)** (Geometridae) **Synonym(s):** *rjabovi* Wehrli, 1929
- 1846. *Charissa* (*Euchrognophos*) *annubilata* (Christoph, 1885)** (Geometridae) **Synonym(s):** *annubilata* Christoph, 1885
- 1847. *Charissa* (*Euchrognophos*) *dubitaria* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *dubitaria* Staudinger, 1892
- 1848. *Charissa* (*Euchrognophos*) *nannodes* (Wehrli, 1936)** (Geometridae) **Synonym(s):** *nannodes* Wehrli, 1936
- 1849. *Charissa* (*Euchrognophos*) *subtaurica* (Wehrli, 1934)** (Geometridae) **Synonym(s):** *#subtaurica* Wehrli, 1932; *subtaurica* Wehrli, 1934
- 1850. *Charissa* (*Kemtrognophos*) *argillata* (Brandt, 1938)** (Geometridae) **Synonym(s):** *argillata* Brandt, 1938
- 1851. *Charissa* (*Kemtrognophos*) *mardinaria* (Staudinger, 1901)** (Geometridae) **Synonym(s):** *mardinaria* Staudinger, 1901
- 1852. *Charissa* (*Kemtrognophos*) *onustaria* (Herrich-Schäffer, [1852])** (Geometridae) **Synonym(s):** *onustaria* Herrich-Schäffer, [1852]; *oneraria* Guenée, [1858]
- 1853. *Charissa* (*Kemtrognophos*) *zeitunaria* (Staudinger, 1901)** (Geometridae) **Synonym(s):** *zeitunaria* Staudinger, 1901
- 1854. *Charissa* (*Organognophos*) *wanensis* (Wehrli, 1936)** (Geometridae) **Synonym(s):** *wanensis* Wehrli, 1936
- 1855. *Charissa* (s.str.) *certhiata* (Rebel & Zerny, 1931)** (Geometridae) **Synonym(s):** *certhiatus* Rebel & Zerny, 1931; *bezengius* Niesiolowski, 1953.
- 1856. *Chesistege korbi* (Bohatsch, 1910)** (Geometridae) **Synonym(s):** *korbi* Bohatsch, 1910
- 1857. *Chiasmia* (*Godonela*) *aestimaria* (Hübner, [1809])** (Geometridae) **Synonym(s):** *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949.
- 1858. *Chiasmia* (*Godonela*) sp.** (Geometridae) **Synonym(s):**
- 1859. *Chiasmia clathrata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *clathrata* Linnaeus, 1758; *almacola* Wehrli, 1934.
- 1860. *Chlorissa asphaleia* Wiltshire, 1966** (Geometridae) **Synonym(s):** *asphaleia* Wiltshire, 1966; *#esphaleia* Scoble, 1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- 1861. *Chloroclysta miata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goeze, 1781; *virgata* Fourcroy, 1785 nec Hufn., 1767; *coraciata* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853
- 1862. *Chloroclysta siterata* (Hufnagel, 1767)** (Geometridae) **Synonym(s):** *siterata* Hufnagel, 1767; *psittacata* [Denis & Schiffermüller], 1775; *rubroviridata* Donovan, 1810; *psittacaria* Boisduval, 1840
- 1863. *Cidaria fulvata* (Forster, 1771)** (Geometridae) **Synonym(s):** *fulvata* Forster, 1771; *cuspidata* Thunberg, 1784
- 1864. *Cleta perpusillaria* (Eversmann, 1847)** (Geometridae) **Synonym(s):** *perpusillaria* Eversmann, 1847
- 1865. *Coenotephria ablutaria* (Boisduval, 1840)** (Geometridae) **Synonym(s):** *ablutaria* Boisduval, 1840; *probaria* Herrich-Schäffer, 1852; *ruficinctaria* Guenée, [1858]; *ochrearia* Staudinger, 1901
- 1866. *Colotois pennaria* (Linnaeus, 1761)** (Geometridae) **Synonym(s):** *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809
- 1867. *Costaconvexa polygrammata* (Borkhausen, 1794)** (Geometridae) **Synonym(s):** *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
- 1868. *Crocallis* (s.str.) *inexpectata* Warnecke, 1940** (Geometridae) **Synonym(s):** *inexpectata* Warnecke, 1940
- 1869. *Crocallis* (s.str.) *loebeli* Stadie & Fiebig, 2014** (Geometridae) **Synonym(s):** *loebeli* Stadie & Fiebig, 2014
- 1870. *Crocallis* (s.str.) *rothei* Stadie & Fiebig, 2014** (Geometridae) **Synonym(s):** *rothei* Stadie & Fiebig, 2014

- 1871. *Cyclophora linearia* (Hübner,[1799])** (Geometridae) **Synonym(s):** zonata Fourcroy,1785; De luteolaria Villers,1789; linearia Hübner,[1799]; strabonaria Zeller,1851
- 1872. *Cyclophora puppillaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** puppillaria Hübner,[1799]; nolaria Hübner,1809; gyrata Hübner,[1813]; gyraria Treitschke,1827; mirtalis Costa,1834; calaritana Turati,1911; asiaeminoris Amsel,1935; granti L.B.Prout,1935
- 1873. *Cyclophora quercimontaria* (Bastelberger,1897)** (Geometridae) **Synonym(s):** quercimontaria Bastelberger,1897; nigrosparsaria Scoble,1999; privataria Scoble,1999
- 1874. *Dasycorsa modesta* (Staudinger,1879)** (Geometridae) **Synonym(s):** modesta Staudinger,1879
- 1875. *Docirava mundata* (Staudinger,1892)** (Geometridae) **Synonym(s):** mundata Staudinger,1892
- 1876. *Docirava mundulata* (Guenée,[1858])** (Geometridae) **Synonym(s):** mundulata Guenée,[1858]; submundulata Staudinger,1892
- 1877. *Docirava musculata* (Staudinger,1892)** (Geometridae) **Synonym(s):** musculata Staudinger,1892
- 1878. *Drepanopterula limaria* (Christoph,1885)** (Geometridae) **Synonym(s):** limaria Christoph,1885
- 1879. *Dyscia* (*Calodyscia*) *innocentaria* (Christoph,1885)** (Geometridae) **Synonym(s):** innocentaria Christoph,1885; #innocentana Pugaev & Zolotuhin,2006
- 1880. *Dyscia* (*s.str.*) *conspersaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** conspersaria [Denis & Schiffermüller],1775; cuniculina Hübner,1790; cunicularia Esper,1803; turturaria Boisduval,1840; #conspersana Pugaev & Zolotuhin,2006
- 1881. *Dyscia* (*s.str.*) *lentiscaria* (Donzel,1837)** (Geometridae) **Synonym(s):** lentiscaria Donzel,1837; agacles Oberthür,1923
- 1882. *Ellicrinia cordiaria* (Hübner,1790)** (Geometridae) **Synonym(s):** cordiaria Hübner,1790
- 1883. *Ellicrinia subcordaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** tritomata Fischer de Waldheim,1840; subcordaria Herrich-Schäffer,[1852]; anicularia Eversmann,1852; freitagaria Möschler,1854; subcordata Herrich-Schäffer,1861.
- 1884. *Enanthyperythra legataria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** legataria Herrich-Schäffer,[1852]
- 1885. *Ennomos* (*Deuteronomos*) *fraxineti* Wiltshire,1947** (Geometridae) **Synonym(s):** effractarius sensu Wehrli,1934; fuscantaria sensu Wiltshire,1946; fraxineti Wiltshire,1947
- 1886. *Ennomos* (*Deuteronomos*) *quercarius* (Hübner,[1813])** (Geometridae) **Synonym(s):** quercaria Hübner,[1813]
- 1887. *Euphyia frustata* (Treitschke,1828)** (Geometridae) **Synonym(s):** frustata Treitschke,1828; muscosata Donzel,1837
- 1888. *Euphyia scopulata* (Brandt,1938)** (Geometridae) **Synonym(s):** scopulata Brandt,1938
- 1889. *Eupithecia breviculata* (Donzel,1837)** (Geometridae) **Synonym(s):** breviculata Donzel,1837; anatolica Schwingenschuss,1939 [ssp.]; georgica Vojnits,1977 [ssp.]
- 1890. *Eupithecia denticulata* (Treitschke,1828)** (Geometridae) **Synonym(s):** denticulata Treitschke,1828
- 1891. *Eupithecia distinctaria* Herrich-Schäffer,[1848]** (Geometridae) **Synonym(s):** distinctaria Herrich-Schäffer,[1848]; constrictata Guenée,[1858]; sextiata Dardoin & Millière,1867; piemonticola Schwingenschuss,1954
- 1892. *Eupithecia extremata* (Fabricius,1787)** (Geometridae) **Synonym(s):** extremata Fabricius,1787; glaucomicata Mann,1855; hangayi Vojnits,1977.
- 1893. *Eupithecia gratiosata* Herrich-Schäffer,1861** (Geometridae) **Synonym(s):** gratiosata Herrich-Schäffer,1861; subseparata Christoph,1885
- 1894. *Eupithecia gueneata* Millière,1862** (Geometridae) **Synonym(s):** gueneata Millière,1862; busambraria Ragusa,1889
- 1895. *Eupithecia icterata* (De Villers,1789)** (Geometridae) **Synonym(s):** icterata De Villers,1789; oxydata Treitschke,1828; cognata Stephens,1831; ligustigata Donzel,1838; ferrugata Duponchel,1842; #ligusticata Dietze,1910
- 1896. *Eupithecia limbata* Staudinger,1879** (Geometridae) **Synonym(s):** limbata Staudinger,1879; irritaria Staudinger,1892; kueppersi Vojnits,1973
- 1897. *Eupithecia oblongata* (Thunberg,1784)** (Geometridae) **Synonym(s):** #centaureata [Denis & Schiffermüller],1775; oblongata Thunberg,1784; boloniensis Fourcroy,1875; centralisata Staudinger,1892; chinae Vojnits,1977.
- 1898. *Eupithecia silenicolata* Mabille,1867** (Geometridae) **Synonym(s):** silenicolata Mabille,1867
- 1899. *Eupithecia venosata* (Fabricius,1787)** (Geometridae) **Synonym(s):** venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799; comparanda Vojnits,1981
- 1900. *Eupithecia vulgata* (Haworth,[1809])** (Geometridae) **Synonym(s):** vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933
- 1901. *Glossotrophia* (*Libanonia*) *sacraria* (A.Bang-Haas,1910)** (Geometridae) **Synonym(s):** sacraria A.Bang-Haas,1910
- 1902. *Glossotrophia* (*s.str.*) *diffinaria* L.B.Prout,1913** (Geometridae) **Synonym(s):** luridata Staudinger,1871 nec Zell.; diffinaria L.B.Prout,1913

- 1903. *Gnopharmia irakensis* Wehrli, 1938** (Geometridae) Synonym(s): *irakensis* Wehrli, 1938
- 1904. *Gnophos (Dicrognophos) gorgatus* Brandt, 1938** (Geometridae) Synonym(s): *gorgata* Brandt, 1938
- 1905. *Gnophos (Dicrognophos) pseudosnelleni* Rjabov, 1964** (Geometridae) Synonym(s): *pseudosnelleni* Rjabov, 1964
- 1906. *Gnophos (Dicrognophos) sartatus* Treitschke, 1827** (Geometridae) Synonym(s): *sartata* Treitschke, 1827; *syriaca* Thierry-Mieg, 1916.
- 1907. *Heliomata glarearia* (Brahm, 1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller], 1775; *glarearia* Brahm, 1791.
- 1908. *Holoterpna pruinosa* (Staudinger, 1898)** (Geometridae) Synonym(s): *pruinosa* Staudinger, 1898
- 1909. *Idaea aversata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *aversata* Linnaeus, 1758; *remutata* Linnaeus, 1758; *lividata* Clerck, 1759; *trilineata* Hufnagel, 1767; *grisata* Fabricius, [1776]; *murinata* Fabricius, 1794; *aversaria* Hübner, [1799]; *fuliginata* Haworth, 1809; *latifasciaria* Heydenreich, 1851.
- 1910. *Idaea camparia* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer, [1851]; *camparia* Herrich-Schäffer, [1852]; *europaea* Wehrli, 1934.
- 1911. *Idaea degeneraria* (Hübner, [1799])** (Geometridae) Synonym(s): *degeneraria* Hübner, [1799]; *degenerata* Treitschke, 1828; *floridaria* Turati, 1913
- 1912. *Idaea dimidiata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel, 1767; *scutulata* [Denis & Schiffermüller], 1775; *antitaurica* Wehrli, 1931 nec Wehrli, 1931; *tauricola* Wehrli, 1934.
- 1913. *Idaea filicata* (Hübner, [1799])** (Geometridae) Synonym(s): *filicata* Hübner, [1799]; *filicaria* Duponchel, 1830; *levequei* Leraut, 2005
- 1914. *Idaea humiliata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel, 1767; *osseata* [Denis & Schiffermüller], 1775; *ossearia* Hübner, [1799]
- 1915. *Idaea ochrata* (Scopoli, 1763)** (Geometridae) Synonym(s): *ochrata* Scopoli, 1763; *#ochreatea* [Denis & Schiffermüller], 1775; *corrigata* Fabricius, 1781; *ochrearia* Schrank, 1802 nec Ross, 1794; *sicula* Zeller, 1847; *accretata* Fuchs, 1901
- 1916. *Idaea ossiculata* (Lederer, 1871)** (Geometridae) Synonym(s): *ossiculata* Lederer, 1871
- 1917. *Idaea politaria* (Hübner, [1799])** (Geometridae) Synonym(s): *politata* Hübner, 1793 nec Fabr., 1781; *politaria* Hübner, [1799]; *#abmarginata* Bohatsch, 1885; *mundipennis* W. Warren, 1898; *abmarginata* Staudinger, 1901
- 1918. *Idaea proclivata* (Fuchs, 1902)** (Geometridae) Synonym(s): *proclivata* Fuchs, 1902; *osthelderi* Wehrli, 1932
- 1919. *Idaea rufaria* (Hübner, [1799])** (Geometridae) Synonym(s): *rufaria* Hübner, [1799]; *ochridana* Silbernagel, 1944
- 1920. *Idaea rusticata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller], 1775; *mustelata* Rambur, 1866.
- 1921. *Idaea sp.n.*** (Geometridae) Synonym(s): -
- 1922. *Idaea sylvestraria* (Hübner, [1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner, [1799]; *marginepunctata* Stephens, 1831 nec Gz., 1781; *straminata* Treitschke, 1835 nec Bkh., 1794; *grammicaria* Boisduval, 1840; *circellata* Guenée, 1858; *folognearia* Staudinger, 1863; *graciliata* Mann, 1867; *shiskensis* Matsumura, 1925; *minuta* Heydemann, 1933
- 1923. *Idaea trigeminata* (Haworth, [1809])** (Geometridae) Synonym(s): *trigeminata* Haworth, [1809]; *reversata* Treitschke, 1828; *reversaria* Duponchel, 1830.
- 1924. *Isturgia hopfferaria* (Staudinger, 1879)** (Geometridae) Synonym(s): *hopfferaria* Staudinger, 1879
- 1925. *Isturgia murinaria* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller], 1775; *nubecularia* Villers, 1789; *myosaria* Esper, [1806]; *cineraria* Duponchel, 1829; *buffonaria* Millière, 1855
- 1926. *Larentia clavaria* Haworth, [1809]** (Geometridae) Synonym(s): *clavaria* Haworth, [1809]; *pallidata* Staudinger, 1901
- 1927. *Larerannis marginaria* (Fabricius, 1777)** (Geometridae) Synonym(s): *marginaria* Fabricius, 1777; *testacea* Retzius, 1783; *testacearia* De Villers, 1789; *progemmaria* Hübner, [1799]; *capreolaria* Esper, 1801 nec [Den. & Schiff.], 1775; *luctuaria* Haworth, 1809; *connectaria* Haworth, 1809; *stictaria* Haworth, 1809
- 1928. *Lehmannodes guneyi* (Riemis, 1992)** (Geometridae) Synonym(s): *guneyi* Riemis, 1992
- 1929. *Lithostege farinata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *farinata* Hufnagel, 1767; *illibata* [Denis & Schiffermüller], 1775; *nivearia* Hübner, [1799]; *albaria* Turton, 1802; *bachmutensis* L.B. Prout, 1938
- 1930. *Lithostege flavicornata* (Zeller, 1847)** (Geometridae) Synonym(s): *flavicornata* Zeller, 1847
- 1931. *Lithostege palaestinensis* Amsel, 1935** (Geometridae) Synonym(s): *palaestinensis* Amsel, 1935; *ali* Wiltshire, 1941.
- 1932. *Lomaspilis bithynica* Wehrli, 1954** (Geometridae) Synonym(s): *bithynica* Wehrli, 1954
- 1933. *Lycia hirtaria* (Linnaeus, 1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck, 1759; *hirtaria* Linnaeus, 1761; *eremita* Scopoli, 1763; *atomaria* Hufnagel, 1767 nec Linn., 1758; *hirtipennis* Retzius, 1783; *congeneraria* Hübner, 1799; *fumaria* Haworth, 1809; *hanoviensis* Heymons, 1891

- 1934. *Lycia zonaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787
- 1935. *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 1936. *Minoa murinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *murinata* Scopoli,1763; *sordidata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799
- 1937. *Nebula* sp.1** (Geometridae) **Synonym(s):** -
- 1938. *Nebula* sp.2** (Geometridae) **Synonym(s):** -
- 1939. *Neognopharmia stevenaria* (Boisduval,1840)** (Geometridae) **Synonym(s):** *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 1940. *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *divergaria* Staudinger,1892
- 1941. *Nychiodes (Eunychiodes) variabila* Brandt,1938** (Geometridae) **Synonym(s):** *variabila* Brandt,1938; *#variabilis* auct.
- 1942. *Nychiodes (Fritzwagneria) rayatica* Wiltshire,1957** (Geometridae) **Synonym(s):** *rayatica* Wiltshire,1957
- 1943. *Nychiodes (s.str.) obscuraria* (De Villers,1789)** (Geometridae) **Synonym(s):** *obscuraria* De Villers,1789; *obscurata* Borkhausen,1794; *lividaria* Hübner,[1799]
- 1944. *Odezia atrata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887; *meridionalis* Reisser,1935
- 1945. *Odontognophos zacharius* (Staudinger,1879)** (Geometridae) **Synonym(s):** *zacharia* Staudinger,1879
- 1946. *Opisthograptis luteolata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 1947. *Orthonama obstipata* (Fabricius,1794)** (Geometridae) **Synonym(s):** *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemma* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 1948. *Orthostixis calcularia* Lederer,1853** (Geometridae) **Synonym(s):** *calcularia* Lederer,1853
- 1949. *Orthostixis cribraria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *cribraria* Hübner,[1799].
- 1950. *Oulobophora externaria* (Herrich-Schäffer,[1848])** (Geometridae) **Synonym(s):** *#externata* Herrich-Schäffer,1843; *externaria* Herrich-Schäffer,[1848]
- 1951. *Ourapteryx malatyensis* Wehrli,1936** (Geometridae) **Synonym(s):** *malatyensis* Wehrli,1936; *#malatyana* Wehrli,1936 [Tafel II].
- 1952. *Pasiphila rectangularata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocericeata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
- 1953. *Peribatodes rhomboidarius* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemma* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
- 1954. *Peribatodes umbrarius* (Hübner,[1809])** (Geometridae) **Synonym(s):** *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 1955. *Perizoma flavofasciata* (Thunberg,1792)** (Geometridae) **Synonym(s):** *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] nec Viller,1789.
- 1956. *Perizoma lugdunaria* (Herrich-Schäffer,1855)** (Geometridae) **Synonym(s):** *lugdunaria* Herrich-Schäffer,1855
- 1957. *Phaiogramma etruscaria* (Zeller,1849)** (Geometridae) **Synonym(s):** *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903
- 1958. *Phaselia serrularia* (Eversmann,1847)** (Geometridae) **Synonym(s):** *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.
- 1959. *Phigalia pedaria* (Fabricius,1787)** (Geometridae) **Synonym(s):** *#pilosaria* [Denis & Schiffermüller],1775; *pedaria* Fabricius,1787; *hyemaria* Borkhausen,1794; *extinctaria* Standfuss,1847.
- 1960. *Philereme transversata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *transversata* Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775.
- 1961. *Protorhoe corollaria* (Herrich-Schäffer,[1848])** (Geometridae) **Synonym(s):** *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935.
- 1962. *Protorhoe unicata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *unicata* Guenée,[1858]; *avetianae* Vardikyan,1974
- 1963. *Proutictis artesiaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *artesiaria* [Denis & Schiffermüller],1775

- 1964. *Pseudopanthera syriacata* (Guenée,1858)** (Geometridae) **Synonym(s):** syriacata Guenée,1858; #syriacaria Wiltshire,1958
- 1965. *Ramitia kufrana* E.Seven,2016** (Geometridae) **Synonym(s):** kufrana E.Seven,2016
- 1966. *Rhodometra sacraria* (Linnaeus,1767)** (Geometridae) **Synonym(s):** sacraria Linnaeus,1767; labda Cramer,1777; sacralis Thunberg,1784; fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistel,1856; labdaria Guenée,[1858];
- 1967. *Rhodostrophia (Asiotrophia) auctata* (Staudinger,1879)** (Geometridae) **Synonym(s):** auctata Staudinger,1879
- 1968. *Rhodostrophia (Pellonia) vibicaria* (Linnaeus,1761)** (Geometridae) **Synonym(s):** #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria De Villers,1789.
- 1969. *Rhodostrophia (Pydna) badiaria* (Freyer,[1841])** (Geometridae) **Synonym(s):** badiaria Freyer,[1841]; telaria Herrich-Schäffer,[1847]; cervinaria Herrich-Schäffer,[1847]; praecanaria Eversmann,1847; pollenaria Freyer,1854.
- 1970. *Rhodostrophia (Pydna) bahara* Brandt,1938** (Geometridae) **Synonym(s):** bahara Brandt,1938
- 1971. *Rhodostrophia (s.str.) discopunctata* Amsel,1935** (Geometridae) **Synonym(s):** tabidaria auct. nec Zell.,1847; discopunctata Amsel,1935
- 1972. *Rhodostrophia (s.str.) sieversi* (Christoph,1882)** (Geometridae) **Synonym(s):** sieversi Christoph,1882
- 1973. *Rhodostrophia (s.str.) terrestraria* (Lederer,1869)** (Geometridae) **Synonym(s):** terrestraria Lederer,1869
- 1974. *Rhodostrophia cuprinaria* (Christoph,1876)** (Geometridae) **Synonym(s):** cuprinaria Christoph,1876; phaenicearia Hampson,1907.
- 1975. *Scopula beckeraria* (Lederer,1853)** (Geometridae) **Synonym(s):** beckeraria Lederer,1853; pseudoafghana Ebert,1965
- 1976. *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** decorata [Denis & Schiffermüller],1775; cinerata Fabricius,1781; violata Thunberg,1784; caeruleata Gmelin,1790; decoraria Hübner,[1799]; ornataria Esper,[1806]; armeniaca Thierry-Mieg,1916
- 1977. *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** #elisabetharia Heydenreich,1851; immistaria Herrich-Schäffer,[1852]
- 1978. *Scopula immorata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** immorata Linnaeus,1758; contaminata Scopoli,1763; graminata Hufnagel,1767; festucaria Brahm,1791 nec Hbn.,1790; fuscata Fabricius,1794 nec Hfn.,1767; immoraria Hübner,[1799]; serenata Turati,1905; myrtillata Dadd,1911
- 1979. *Scopula incanata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** incanata Linnaeus,1758; variegata Scopoli,1763; mediata Fabricius,1777; planata De Villers,1789; incanaria Hübner,[1825]; mutata Treitschke,1828; mutataria Duponchel,1830; adjunctaria Boisduval,1840; demutaria Bruand,1846
- 1980. *Scopula marginepunctata* (Goeze,1781)** (Geometridae) **Synonym(s):** marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria Joannis,1891; #marginipunctata Rothschild,1914; britonaria Oberthür,1917; subatrata Wagner,1919; #insubrica Vorbrod,1930
- 1981. *Scopula ochraceata* (Staudinger,1901)** (Geometridae) **Synonym(s):** ochraceata Staudinger,1901
- 1982. *Scopula orientalis* (Alpheraky,1876)** (Geometridae) **Synonym(s):** orientalis Alpheraky,1876; #magna L.B.Prout,1913; #orientata Wardikyan,1970
- 1983. *Scopula ornata* (Scopoli,1763)** (Geometridae) **Synonym(s):** ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785.
- 1984. *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** rubiginata Hufnagel,1767; rubricata [Denis & Schiffermüller],1775; vittata Thunberg,1784; domialla Fourcroy,1785; variata De Villers,1789; #rubricaria Hübner,[1799]; subangularia Herrich-Schäffer,1839
- 1985. *Scopula submutata* (Treitschke,1828)** (Geometridae) **Synonym(s):** submutata Treitschke,1828; submutaria Boisduval,1840; submutulata Rebel,1902; pseudhonestata Wehrli,1926
- 1986. *Scopula tessellaria* (Boisduval,1840)** (Geometridae) **Synonym(s):** tessellaria Boisduval,1840; pulverulentaria Selys-Longchamps,1844; tabianaria Turati,1905; proutiana Sheljuzhko,1955 [ssp.]; guillaumei Leraut,2005
- 1987. *Scopula transcaspica* L.B.Prout,1935** (Geometridae) **Synonym(s):** transcaspica L.B.Prout,1935
- 1988. *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** chenopodiata Linnaeus,1758; limitata Scopoli,1763; zonata Hufnagel,1767; olivaceofasciata Retzius,1783; chenopodiaria Haworth,1809; mensuraria sensu Duponchel,1829
- 1989. *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937)** (Geometridae) **Synonym(s):** elbursica Bytinski-Salz & Brandt,1937
- 1990. *Scotopteryx kuznetzovi* (Vardikjan,1957)** (Geometridae) **Synonym(s):** kuznetzovi Vardikjan,1957
- 1991. *Scotopteryx nebulata* (A.Bang-Haas,1907)** (Geometridae) **Synonym(s):** nebulata A.Bang-Haas,1907
- 1992. *Scotopteryx subvicinaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** subvicinaria Staudinger,1892

- 1993. *Scotopteryx vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919; *roesleri* Vojnits,1973
- 1994. *Selenia lunularia* (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
- 1995. *Selidosema plumarium* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829.
- 1996. *Siona lineata* (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799]
- 1997. *Stamnodes depeculata* (Lederer,1870)** (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 1998. *Stegania dilectaria* (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
- 1999. *Stueningia wolfi* Hausmann,1993** (Geometridae) Synonym(s): *wolfi* Hausmann,1993
- 2000. *Synopsia sociaria* (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
- 2001. *Synopsidia phasidaria* (Rogenhofer,1873)** (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873
- 2002. *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903; *obsoleta* Skala,1913; *major* Warnecke,1930; *ochracea* Kolossow,1936; *approximata* Lempke,1949; *tangens* Lempke,1949; *fasciata* Hartweg,1951
- 2003. *Thetidia persica* Hausmann,1996** (Geometridae) Synonym(s): *persica* Hausmann,1996
- 2004. *Thetidia smaragdaria* (Fabricius,1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 2005. *Triphosa dubitata* (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
- 2006. *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840; *multistriga* Oberthür,1910
- 2007. *Xanthorhoe inconsiderata* (Staudinger,1892)** (Geometridae) Synonym(s): *inconsiderata* Staudinger,1892

Gracillariidae

- 2008. *Aspilapteryx* (s.str.) *tringipennella* (Zeller,1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843
- 2009. *Caloptilia alchimiella* (Scopoli,1763)** (Gracillariidae) Synonym(s): *alchimiella* Scopoli,1763; *crucifera* Fourcroy,1785; *swederella* Thunberg,1788; *thunbergella* Fabricius,1794; *franckella* Hübner,1796; *thunbergii* Haworth,1828; *hilaripennella* Treitschke,1833; *sardiniella* Amsel,1936
- 2010. *Caloptilia stigmatella* (Fabricius,1781)** (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876

Heliodinidae

- 2011. *Heliodines roesella* (Linnaeus,1758)** (Heliodinidae) Synonym(s): *roesella* Linnaeus,1758

Hepialidae

- 2012. *Triodia amasina* (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]

Lasiocampidae

- 2013. *Chondrostega palaestranum* Staudinger,1892** (Lasiocampidae) Synonym(s): *palaestranum* Staudinger,1892
- 2014. *Chondrostega pastranum* Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858
- 2015. *Lasiocampa eversmanni* (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 2016. *Lasiocampa grandis* (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891; *salomonis* Staudinger,[1892]

- 2017. *Lasiocampa trifolii* ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): #trifolii [Denis & Schiffermüller],1775; medicaginis Borkhausen,1793; ratamae Herrich-Schäffer,1851; bathseba Staudinger,1891; maculosa Rogenhofer,1891
- 2018. *Malacosoma castrensis* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): castrensis Linnaeus,1758; ksziezopolskii Sheljuzhko,1943
- 2019. *Malacosoma franconicum* ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): #franconica [Denis & Schiffermüller],1775; grandiella Boisduval,1840
- 2020. *Malacosoma neustrium* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): neustria Linnaeus,1758; annularis Fourcroy,1785; unicolor Cyrilli,1787; bilineatus Haworth,1803
- 2021. *Malacosoma primum* (Staudinger,1887)** (Lasiocampidae) Synonym(s): primum Staudinger,1887; vulpes Hampson,1900
- 2022. *Pachypasa otus* (Drury,[1773])** (Lasiocampidae) Synonym(s): #otus Drury,[1770]; otus Drury,[1773]
- 2023. *Phyllodesma* (s.str.) *tremulifolium* (Hübner,[1810])** (Lasiocampidae) Synonym(s): betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; danieli De Lajonquière,1963; #tremulifolium De Freina,1999

Lecithoceridae

- 2024. *Eurodachtha nigralba* Gozmany,1978** (Lecithoceridae) Synonym(s): nigralba Gozmany,1978
- 2025. *Odites* (Gozmaniola) *kollarella* (Costa,[1836])** (Lecithoceridae) Synonym(s): kollarella Costa,[1836]; walkenaerana Duponchel,1835; luteella Duponchel,1840; flavedinella Heydenreich,1851

Lemoniidae

- 2026. *Lemonia pia* Püngeler,1902** (Lemoniidae) Synonym(s): pia Püngeler,1902

Lymantriidae

- 2027. *Euproctis chrysorrhoea* (Linnaeus,1758)** (Lymantriidae) Synonym(s): chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803; xanthorrhoea Oberthür,1916 nec Koll.,[1844]
- 2028. *Euproctis melania* (Staudinger,1892)** (Lymantriidae) Synonym(s): melania Staudinger,1892; melaniodes Strand,1910; #melaina De Freina,1999.
- 2029. *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoequisti Bryk,1942; variabilis Bryk,1949
- 2030. *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926
- 2031. *Ocnerogya amanda* Staudinger,[1892]** (Lymantriidae) Synonym(s): amanda Staudinger,[1892]
- 2032. *Orgyia dubia* (Tauscher,1806)** (Lymantriidae) Synonym(s): dubia Tauscher,1806; judaea Staudinger,1901; interrupta Grum-Grshimailo,1890; seleniaca Fischer de Waldheim,1824; transcaspica Krulikowsky,1906; oblitterata Strand,1910; isolatella Strand,1910; deserticola Powell,1916; orana Powell,1916; aurea Oberthür,1922; intermedia Turati,1936 (preocc.)
- 2033. *Parocneria detrita* (Esper,[1785])** (Lymantriidae) Synonym(s): detrita Esper,[1785]; orientalis Schwingenschuss,1939; orientis Daniel,1963
- 2034. *Parocneria terebinthi* (Freyer,[1838])** (Lymantriidae) Synonym(s): terebinthi Freyer,[1838]; unicolor Staudinger,[1895]
- 2035. *Parocneria terebynthina* (Staudinger,[1895])** (Lymantriidae) Synonym(s): terebynthina Staudinger,[1895]; insolita Brandt,1938
- 2036. *Polymona lapidicola* (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): lapidicola Herrich-Schäffer,[1852]

Noctuidae

- 2037. *Abrostola agnorista* Dufay,1956** (Noctuidae) Synonym(s): agnorista Dufay,1956
- 2038. *Abrostola clarissa* (Staudinger,1900)** (Noctuidae) Synonym(s): clarissa Staudinger,1900
- 2039. *Abrostola triplasia* (Linnaeus,1758)** (Noctuidae) Synonym(s): triplasia Linnaeus,1758; trigemina Werneburg,1864.

- 2040. *Acantholipes regularis* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *regularis* Hübner,[1813]
- 2041. *Acontia (Emmelia) trabealis* (Scopoli,1763)** (Noctuidae) **Synonym(s):** *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 2042. *Acontia (s.str.) lucida* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 2043. *Acontia (Uracontia) titania* (Esper,[1798])** (Noctuidae) **Synonym(s):** *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 2044. *Acontiola lascivalis* (Lederer,1855)** (Noctuidae) **Synonym(s):** *lascivalis* Lederer,1855
- 2045. *Acontiola moldavicola* (Herrich-Schäffer,[1851])** (Noctuidae) **Synonym(s):** *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1923
- 2046. *Acronicta (Subacronicta) megacephala* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 2047. *Acronicta (Triaena) aceris* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *aceris* Linnaeus,1758; *infuscata* Haworth,1809; *paradoxa* Boisduval,1829
- 2048. *Acronicta (Triaena) pasiphae* Draudt,1936** (Noctuidae) **Synonym(s):** *pasiphae* Draudt,1936
- 2049. *Acronicta (Triaena) psi* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *psi* Linnaeus,1758
- 2050. *Acronicta (Viminia) euphorbiae* (Denis,1785)** (Noctuidae) **Synonym(s):** *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946.
- 2051. *Acronicta (Viminia) rumicis* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 2052. *Aedophron phlebophora* Lederer,1858** (Noctuidae) **Synonym(s):** *phlebophora* Lederer,1858; *monotonia* Amsel,1935
- 2053. *Aedophron rhodites* (Eversmann,1851)** (Noctuidae) **Synonym(s):** *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852].
- 2054. *Agrochola (Alpichola) egorovi* (O.Bang-Haas,1934)** (Noctuidae) **Synonym(s):** *egorovi* O.Bang-Haas,1934
- 2055. *Agrochola (Alpichola) janhillmanni* Hacker & Moberg,1989** (Noctuidae) **Synonym(s):** *janhillmanni* Hacker & Moberg,1989
- 2056. *Agrochola (Alpichola) lactiflora* (Draudt,1934)** (Noctuidae) **Synonym(s):** *lactiflora* Draudt,1934
- 2057. *Agrochola (Anchoscelis) humilis* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787; *anatolica* Pinker,1980
- 2058. *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841])** (Noctuidae) **Synonym(s):** *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermanni* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953
- 2059. *Agrochola (Anchoscelis) luteogrisea* (W.Warren,1911)** (Noctuidae) **Synonym(s):** *luteogrisea* W.Warren,1911; *sairtana* Derra,1990
- 2060. *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879)** (Noctuidae) **Synonym(s):** *rupicapra* Staudinger,1879
- 2061. *Agrochola (Frivaldskyola) elami* Benedek & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *elami* Benedek & L.Ronkay,2001
- 2062. *Agrochola (Frivaldskyola) mansueta* (Herrich-Schäffer,[1850])** (Noctuidae) **Synonym(s):** *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901 [ssp.]
- 2063. *Agrochola (Leptologia) lota* (Clerck,1759)** (Noctuidae) **Synonym(s):** *#lota* Clerck,1759; *hippophae* Goeze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876; *abditata* W.Warren,1911; *plumbea* Wiltshire,1941; *convergens* Wiltshire,1946; *schreieri* Hacker & Weigert,1986
- 2064. *Agrochola (Leptologia) schreieri* Hacker & Weigert,1986** (Noctuidae) **Synonym(s):** *schreieri* Hacker & Weigert,1986
- 2065. *Agrochola (Osthelderichola) gratiosa* (Staudinger,1882)** (Noctuidae) **Synonym(s):** *gratiosa* Staudinger,1881
- 2066. *Agrochola (Rufachola) helvola* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759; *sibirica* Staudinger,1882; *#pallascens* W.Warren,1911; *pallascens* Osthelder,1933; *vulpina* De Lattin,1951
- 2067. *Agrochola (s.str.) pistacina* (Goeze,1781)** (Noctuidae) **Synonym(s):** *#lychnidis* [Denis & Schiffermüller],1775; *#pistacina* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulata* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809; *occulta* Hacker,[1997]; *aequalis* Hacker,[1997]
- 2068. *Agrotis (Crassagrotis) bigramma* (Esper,[1790])** (Noctuidae) **Synonym(s):** *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 2069. *Agrotis (Crassagrotis) obesa* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *obesa* Boisduval,1840

- 2070. *Agrotis* (s.str.) *bifurca* Staudinger, 1881** (Noctuidae) **Synonym(s):** *bifurca* Staudinger, 1881; *stabilita* Corti, 1928.
- 2071. *Agrotis* (s.str.) *desertorum* Boisduval, 1840** (Noctuidae) **Synonym(s):** *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842
- 2072. *Agrotis* (s.str.) *exclamationis* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
- 2073. *Agrotis* (s.str.) *ipsilon* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* De Villers, 1789.
- 2074. *Agrotis* (s.str.) *lata* Treitschke, 1835** (Noctuidae) **Synonym(s):** *lata* Treitschke, 1835; *dirempta* Staudinger, 1859; *sabura* Mabille, 1888; *fulva* Turati, 1922; *castellana* Fernandez, 1929; *afflouensis* Corti, 1932
- 2075. *Agrotis* (s.str.) *sardzeana* Brandt, 1941** (Noctuidae) **Synonym(s):** *sardzeana* Brandt, 1941
- 2076. *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (praeocc.); *nigricornis* De Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 2077. *Allophyes* (s.str.) *asiatica* (Staudinger, 1892)** (Noctuidae) **Synonym(s):** *asiatica* Staudinger, 1892
- 2078. *Amephana* *dalmatica* (Rebel, 1919)** (Noctuidae) **Synonym(s):** *dalmatica* Rebel, 1919
- 2079. *Ammoconia* *anonyma* Ronkay & Varga, 1984** (Noctuidae) **Synonym(s):** *anonyma* Ronkay & Varga, 1984
- 2080. *Amphipoea* *oculea* (Linnaeus, 1761)** (Noctuidae) **Synonym(s):** *oculea* Linnaeus, 1761; *nictitans* Linnaeus, 1767; *chrysographa* [Denis & Schiffermüller], 1775; *splendens* Borkhausen, 1792; *myopa* Fabricius, 1794; *cinerago* Fabricius, 1798; *auricula* Donovan, 1807; *erythrostigma* Haworth, 1809; *struvei* Oberthür, 1918.
- 2081. *Amphipyra* (s.str.) *livida* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *livida* [Denis & Schiffermüller], 1775; *scotophila* Hübner, [1788]; *cupreina* Bryk, 1949
- 2082. *Amphipyra* (s.str.) *micans* Lederer, 1857** (Noctuidae) **Synonym(s):** *micans* Lederer, 1857; *frivaldskyi* Mocsaý, 1896
- 2083. *Amphipyra* (s.str.) *molybdea* Christoph, 1867** (Noctuidae) **Synonym(s):** *molybdea* Christoph, 1867; *submicans* Kuznetsov, 1958
- 2084. *Amphipyra* (s.str.) *stix* Herrich-Schäffer, [1850]** (Noctuidae) **Synonym(s):** *stix* Herrich-Schäffer, [1850]; *#styx* Staudinger, 1879.
- 2085. *Amphipyra* (s.str.) *tetra* (Fabricius, 1787)** (Noctuidae) **Synonym(s):** *tetra* Fabricius, 1787
- 2086. *Amphipyra* (s.str.) *tragopoginis* (Clerck, 1759)** (Noctuidae) **Synonym(s):** *#tragopoginis* Clerck, 1759; *luciola* Hufnagel, 1766; *repressus* Grote, 1871
- 2087. *Anthracia* *eriopoda* (Herrich-Schäffer, [1851])** (Noctuidae) **Synonym(s):** *eriopoda* Herrich-Schäffer, [1851]; *sareptae* Guenée, 1852; *eriopodoides* Strand, 1916
- 2088. *Antitype* *chionodes* Boursin, 1968** (Noctuidae) **Synonym(s):** *chionodes* Boursin, 1968
- 2089. *Antitype* *jonis* (Lederer, 1865)** (Noctuidae) **Synonym(s):** *jonis* Lederer, 1865; *amasina* Staudinger, 1901
- 2090. *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *anceps* [Denis & Schiffermüller], 1775; *sordida* Borkhausen, 1792; *infesta* Ochsenheimer, 1816; *renardii* Boisduval, 1829; *engelhardtii* Durlloo, 1889; *pyxina* A. Bang-Haas, 1910; *siegeli* Berio, 1985; *sassanidica* Hacker, 1990; *mazeli* Lutran, 1993
- 2091. *Apamea* (s.str.) *crenata* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *crenata* Hufnagel, 1766; *rurea* Fabricius, 1775; *alopocurus* Esper, [1788]; *combusta* Hübner, [1808]; *hirticornus* Haworth, 1812; *corsa* Schawerda, 1928
- 2092. *Apamea* (s.str.) *epomidion* (Haworth, 1809)** (Noctuidae) **Synonym(s):** *charactera* auct. nec [Denis & Schiff.], 1775; *epomidion* Haworth, 1809
- 2093. *Apamea* (s.str.) *ferrago* (Eversmann, 1837)** (Noctuidae) **Synonym(s):** *ferrago* Eversmann, 1837
- 2094. *Apamea* (s.str.) *furva* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *#furva* [Denis & Schiffermüller], 1775
- 2095. *Apamea* (s.str.) *lateritia* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *lateritia* Hufnagel, 1766; *molochina* Hübner, [1803].
- 2096. *Apamea* (s.str.) *leucodon* (Eversmann, 1837)** (Noctuidae) **Synonym(s):** *leucodon* Eversmann, 1837; *bidens* Eversmann, 1852; *anatolica* Rebel, 1933
- 2097. *Apamea* (s.str.) *monoglypha* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *polyodon* Linnaeus, 1761 nec Cl., 1759; *monoglypha* Hufnagel, 1766.
- 2098. *Apamea* (s.str.) *oblonga* (Haworth, [1809])** (Noctuidae) **Synonym(s):** *oblonga* Haworth, [1809]; *abjecta* Hübner, [1813].
- 2099. *Apamea* (s.str.) *platinea* (Treitschke, 1825)** (Noctuidae) **Synonym(s):** *platinea* Treitschke, 1825; *grisea* Toulouchkov, 1951 nec Stgr., 1889; *toulouchkoffi* Koçak, 1980.

- 2100. *Apamea (s.str.) polyglypha* (Staudinger,1892) (Noctuidae) Synonym(s):** polyglypha Staudinger,1892
- 2101. *Apamea (s.str.) remissa* (Hübner,[1809]) (Noctuidae) Synonym(s):** remissa Hübner,[1809]
- 2102. *Apamea (s.str.) sordens* (Hufnagel,1766) (Noctuidae) Synonym(s):** sordens Hufnagel,1766; basilinea [Denis & Schiffermüller],1775; marmorosa Esper,[1788]; nebulosa Vieweg,1790; cinefacta Graeser,1889 nec Gte.,1881; grisea Staudinger,1889; basistriga Staudinger,1892; alacra Dannehl,1933
- 2103. *Apamea (s.str.) syriaca* (Osthelder,1933) (Noctuidae) Synonym(s):** syriaca Osthelder,1933; #albida Osthelder,1933; tallosi Kovacs & Varga,1969.
- 2104. *Archanara (Globia) algae* (Esper,[1789]) (Noctuidae) Synonym(s):** algae Esper,[1789]; cannae Ochsenheimer,1816; russa Eversmann,1847
- 2105. *Arenostola unicolor* W.Warren,1914 (Noctuidae) Synonym(s):** unicolor W.Warren,1914
- 2106. *Argyrospila succinea* (Esper,[1798]) (Noctuidae) Synonym(s):** succinea Esper,[1798]; maculata Eversmann,1842; olivacea A.Bang-Haas,1910
- 2107. *Atethmia centrigo* (Haworth,[1809]) (Noctuidae) Synonym(s):** centrigo Haworth,[1809].
- 2108. *Autographa gamma* (Linnaeus,1758) (Noctuidae) Synonym(s):** gamma Linnaeus,1758; messmeri Schädewald,1992; voelkeri Schädewald,1992.
- 2109. *Autographa jota* (Linnaeus,1758) (Noctuidae) Synonym(s):** jota Linnaeus,1758; protea Stoll,1782; inscripta Esper,1787; gammaaurina Haworth,1809; percontationis Ochsenheimer,1816; aurigutta Hübner,[1821]; ancora Freyer,1832; bartholomaei Ménétériés,1859; anatolica Schwingenschuss,1938
- 2110. *Autophila (Cheiropheles) chamaepheles* Boursin,1940 (Noctuidae) Synonym(s):** chamaepheles Boursin,1940
- 2111. *Autophila (Cheiropheles) ligaminosa* (Eversmann,1851) (Noctuidae) Synonym(s):** ligaminosa Eversmann,1851; caucasica Herz,1904.
- 2112. *Autophila (s.str.) asiatica* (Staudinger,1888) (Noctuidae) Synonym(s):** asiatica Staudinger,1888; amseli Draudt,1936
- 2113. *Autophila (s.str.) banghaasi* Boursin,1940 (Noctuidae) Synonym(s):** banghaasi Boursin,1940
- 2114. *Autophila (s.str.) dilucida* (Hübner,[1808]) (Noctuidae) Synonym(s):** dilucida Hübner,[1808]; praeclara Schawerda,1918; argentea Caradja,1930; trioniceki Reisser,1958.
- 2115. *Autophila (s.str.) libanotica* (Staudinger,1901) (Noctuidae) Synonym(s):** libanotica Staudinger,1901; osthelderi Boursin,1940; libanopsis Boursin,1962.
- 2116. *Behounekia freyeri* (Frivaldsky,1835) (Noctuidae) Synonym(s):** freyeri Frivaldsky,1835; linthea Freyer,1842; orontii Herrich-Schäffer,[1851]; senescens Eversmann,1856; #linthea Lederer,1870
- 2117. *Brandtina albonigra* Bytinski-Salz & Brandt,1937 (Noctuidae) Synonym(s):** albonigra Bytinski-Salz & Brandt,1937; noacki Boursin,1967
- 2118. *Bryomima carducha* Staudinger,1900 (Noctuidae) Synonym(s):** carducha Staudinger,1900
- 2119. *Bryomima defreina* Hacker,[1987] (Noctuidae) Synonym(s):** defreina Hacker,[1987]
- 2120. *Bryomima hakkariensis* De Freina & Hacker,1985 (Noctuidae) Synonym(s):** hakkariensis De Freina & Hacker,1985
- 2121. *Bryophilopsis roederi* (Standfuss,1892) (Noctuidae) Synonym(s):** roederi Standfuss,1892
- 2122. *Calamia staudingeri* Warnecke,1941 (Noctuidae) Synonym(s):** staudingeri Warnecke,1941
- 2123. *Callistege mi* (Clerck,1759) (Noctuidae) Synonym(s):** #mi Clerck,1759; graminis Hufnagel,1766; albolineata Goeze,1781; litterata Cyrali,1787 nec Sc.,1763
- 2124. *Callopietria latreillei* (Duponchel,1827) (Noctuidae) Synonym(s):** latreillei Duponchel,1827; quieta Treitschke,1826; roseitulum Walker,[1858]; rakoto Viette,1865; rechingeri Koutsaftikis,1973.
- 2125. *Calophasia lunula* (Hufnagel,1766) (Noctuidae) Synonym(s):** lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.
- 2126. *Calophasia opalina* (Esper,[1796]) (Noctuidae) Synonym(s):** casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stauder,1923.
- 2127. *Calymma communimacula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s):** communimacula [Denis & Schiffermüller],1775
- 2128. *Caradrina (Boursinidrina) parvaspersa* (Boursin,1936) (Noctuidae) Synonym(s):** parvaspersa Boursin,1936
- 2129. *Caradrina (Boursinidrina) pseudadelpha* (Boursin,1939) (Noctuidae) Synonym(s):** pseudadelpha Boursin,1939
- 2130. *Caradrina (Boursinidrina) rjabovi* (Boursin,1936) (Noctuidae) Synonym(s):** rjabovi Boursin,1936; pseudovicina Boursin,1939
- 2131. *Caradrina (Boursinidrina) surchica* (Boursin,1937) (Noctuidae) Synonym(s):** surchica Boursin,1937
- 2132. *Caradrina (Eremodrina) doleropsis* (Boursin,1939) (Noctuidae) Synonym(s):** doleropsis Boursin,1939; doleropsis Boursin,1940.
- 2133. *Caradrina (Eremodrina) draudti* (Boursin,1936) (Noctuidae) Synonym(s):** draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940

- 2134. Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) **Synonym(s):** gilva Donzel,1837; molisana Dannehl,1929
- 2135. Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) **Synonym(s):** inumbrata Staudinger,1900; inumbratella Pinker,1980
- 2136. Caradrina (Eremodrina) salzi (Boursin,1936)** (Noctuidae) **Synonym(s):** salzi Boursin,1936
- 2137. Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) **Synonym(s):** vicina Staudinger,1870; perspicua W.Warren,1911
- 2138. Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) **Synonym(s):** boursini F.Wagner,1936
- 2139. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) **Synonym(s):** clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovsky,1909; teidovolans Pinker,1974; pinkeri Kobes,1975
- 2140. Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) **Synonym(s):** flavirena Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980
- 2141. Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) **Synonym(s):** fulvafusca Hacker,2004
- 2142. Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) **Synonym(s):** poecila Boursin,1939
- 2143. Caradrina (Paradrina) wulschlegeli (Püngeler,1903)** (Noctuidae) **Synonym(s):** wulschlegeli Püngeler,1903
- 2144. Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) **Synonym(s):** albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912
- 2145. Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) **Synonym(s):** aspersa Rambur,1834; anceps Herrich-Schäffer,1849; culoti Turati,1913; predotae Schawerda,1934; alfacaria Draudt,1934; pujoli Agenjo,1954; buddenbrocki Gross,1956; proverai Berio,1977
- 2146. Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae) **Synonym(s):** montana Bremer,1861; apatetica Püngeler,1914; sachalinensis Matsumura,1925; melancholica Draudt,1934; kaolina Bryk,1949
- 2147. Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) **Synonym(s):** terrea Freyer,[1840]; ustirena Boisduval,1840
- 2148. Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) **Synonym(s):** morpheus Hufnagel,1766; pulla Beckwith,1794 nec Esp.,[1785]; sepii Hübner,[1803]; dresnaya D.Lucas,1933; alpina Hartig,[1938]
- 2149. Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** alchymista [Denis & Schiffermüller],1775
- 2150. Catocala (Ephesia) wolffi Hacker,1999** (Noctuidae) **Synonym(s):** wolffi Hacker,1999
- 2151. Catocala (Mormonia) sponsa (Linnaeus,1767)** (Noctuidae) **Synonym(s):** sponsa Linnaeus,1767; rejecta Fischer v. Waldheim,1820; laeta Oberthür,1907; purpurea Oberthür,1922
- 2152. Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) **Synonym(s):** abacta Staudinger,1900; irana Brandt,1938; #iranica Hacker,1986.
- 2153. Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) **Synonym(s):** conversa Esper,[1787]; pasythea Hübner,[1809]; agamos Hübner,[1813]
- 2154. Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) **Synonym(s):** elocata Esper,[1787]; marita Hübner,[1813]; nurus Hübner,[1822]; gitana Mabilie,1885
- 2155. Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** #hymenaea [Denis & Schiffermüller],1775
- 2156. Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) **Synonym(s):** lesbia Christoph,1887
- 2157. Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** lupina Herrich-Schäffer,[1851]; detrita W.Warren,1913
- 2158. Catocala (s.str.) mesopotamica Kuznesov,1903** (Noctuidae) **Synonym(s):** hetaera Staudinger,1895 nec Stgr.,1892; aspasia Staudinger,1897 nec Streck.,1874; mesopotamica Kuznesov,1903
- 2159. Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) **Synonym(s):** neonympha Esper,[1805]
- 2160. Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) **Synonym(s):** nupta Linnaeus,1767; concubina Hübner,[1803]
- 2161. Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) **Synonym(s):** nymphagoga Esper,[1787]; v-nigrum De Villers,1789; tmolia Lederer,1865; vallantini Oberthür,1894
- 2162. Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) **Synonym(s):** puerpera Giorna,1791; amasia Esper,[1804] nec Sm.,1797; pellex Hübner,[1809]; orientalis Staudinger,1877; pudica Moore,1879; rosea Austaut,1884; pallida Alpheraky,1887; romana Schultz,1909; syriaca Schultz,1909; tarbagata Schultz,1909; centralasiae Sheljuzhko,1943 nec Kuzn.,1903
- 2163. Cerapteryx megala (Alpheraky,1882)** (Noctuidae) **Synonym(s):** megala Alpheraky,1882.
- 2164. Chazaria incarnata (Freyer,1838)** (Noctuidae) **Synonym(s):** incarnata Freyer,1838; boisduvali Boisduval,1840.
- 2165. Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) **Synonym(s):** anachoreta Herrich-Schäffer,[1851]; niesiolowskii Koçak,1987

- 2166. Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) **Synonym(s):** alpestris Boisduval,[1837]
- 2167. Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) **Synonym(s):** anatolica Draudt,1936; elegantula Boursin,1945.
- 2168. Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) **Synonym(s):** andereggii Boisduval,[1837]
- 2169. Chersotis (s.str.) capnistis (Lederer,[1870])** (Noctuidae) **Synonym(s):** capnistis Lederer,[1870]; neara Püngeler,1902.
- 2170. Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) **Synonym(s):** fimbriola Esper,[1798]
- 2171. Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) **Synonym(s):** firdussi Schwingenschuss,1937
- 2172. Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) **Synonym(s):** glebosa Staudinger,1900
- 2173. Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) **Synonym(s):** gratissima Corti,1932
- 2174. Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) **Synonym(s):** illauta Draudt,1936
- 2175. Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) **Synonym(s):** caelebs Staudinger,1900 nec Stgr.,1896; juvenis Staudinger,1901; clarivenosa Draudt,1936.
- 2176. Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) **Synonym(s):** laeta Rebel,1904
- 2177. Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) **Synonym(s):** larixia Guenée,1852.
- 2178. Chersotis (s.str.) margaritacea (De Villers,1789)** (Noctuidae) **Synonym(s):** margaritacea De Villers,1789; i-intactum Hübner,[1803]; #abruzzensis Corti & Draudt,1933; espunensis Calle,1982
- 2179. Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) **Synonym(s):** rectangula Fabricius,1787.
- 2180. Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) **Synonym(s):** semna Püngeler,1906
- 2181. Chersotis (s.str.) stenographa Varga,1979** (Noctuidae) **Synonym(s):** stenographa Varga,1979
- 2182. Chloantha hypericii (Fabricius,1787)** (Noctuidae) **Synonym(s):** #hypericii [Denis & Schiffermüller],1775; hypericii Fabricius,1787
- 2183. Cleoceris scoriacea (Esper,[1789])** (Noctuidae) **Synonym(s):** scoriacea Esper,[1789]; capreae Hübner,[1803].
- 2184. Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) **Synonym(s):** opposita Lederer,1870; #obscurior Osthelder,1933.
- 2185. Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) **Synonym(s):** gracilis A.Bang-Haas,1907; syrdaja Hampson,1913.
- 2186. Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) **Synonym(s):** syriaca Bugnion,1837; gentilitia Freyer,1848.
- 2187. Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae) **Synonym(s):** platyzona Lederer,1870; #platyzona Hacker,1990.
- 2188. Conistra (s.str.) chajami Hacker & Weigert,1986** (Noctuidae) **Synonym(s):** chajami Hacker & Weigert,1986
- 2189. Conistra (s.str.) rubiginosa (Scopoli,1763)** (Noctuidae) **Synonym(s):** rubiginosa Scopoli,1763; silene [Denis & Schiffermüller],1775; vaupunctatum Esper,[1786].
- 2190. Conistra (s.str.) vaccinii (Linnaeus,1761)** (Noctuidae) **Synonym(s):** vaccinii Linnaeus,1761; polita [Denis & Schiffermüller],1775; spadicea [Denis & Schiffermüller],1775; nigra A.Bang-Haas,1907
- 2191. Conistra (s.str.) veronicae (Hübner,[1813])** (Noctuidae) **Synonym(s):** veronicae Hübner,[1813]; dolosa Hübner,[1817]; nigrovenosa Preissecker,1913; metria Boursin,1940; camastra Delaever,1979; pseudopolitina Hacker,1990
- 2192. Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) **Synonym(s):** circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005
- 2193. Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae) **Synonym(s):** trapezina Linnaeus,1758; rhombica Hufnagel,1766; badiofasciata Teich,1883; obscura Aurivillius,1888; exigua Butler,1881 [ssp.]; saturata Staudinger,1892
- 2194. Cosmia (Ulmia) affinis (Linnaeus,1767)** (Noctuidae) **Synonym(s):** affinis Linnaeus,1767; palliata Fabricius,1794
- 2195. Cryphia (Bryoleuca) ereptricula (Treitschke,1825)** (Noctuidae) **Synonym(s):** ereptricula Treitschke,1825
- 2196. Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae) **Synonym(s):** petrea Guenée,1852; contristans Lederer,1857; hoerhammeri Schawerda,1927
- 2197. Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; divisa Esper,1791; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; felina Eversmann,1852; oxybiensis Millière,1875; #striata Staudinger,1879; eretina Calberla,1888; raptriculoides Turati,1912; bryophiloides Rothschild,1914; #persica Strand,1915; cretica Reisser,1962

- 2198. *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909)** (Noctuidae) **Synonym(s):** rectilinea W.Warren,1909; mediochracea Bytinski-Salz,1936; insulicola Reisser,1962.
- 2199. *Cryphia (Bryoleuca) seladona* (Christoph,1885)** (Noctuidae) **Synonym(s):** seladona Christoph,1885; umovii auct.
- 2200. *Cryphia (Bryoleuca) thamanaea* (Hampson,1908)** (Noctuidae) **Synonym(s):** thamanaea Hampson,1908
- 2201. *Cryphia (Bryophila) eucharista* Boursin,1960** (Noctuidae) **Synonym(s):** iranica Brandt,1941 nec Schwing.,1937; eucharista Boursin,1960.
- 2202. *Cryphia (Bryophila) maeonis* (Lederer,1865)** (Noctuidae) **Synonym(s):** maeonis Lederer,1865; praecana Christoph,1893; rubellina Staudinger,1900; sordida Staudinger,1900; sabulosa W.Warren,1909.
- 2203. *Cryphia (Bryophila) occidentalis* (Osthelder,1933)** (Noctuidae) **Synonym(s):** occidentalis Osthelder,1933
- 2204. *Cryphia (Bryopsis) amasina* (Draudt,1931)** (Noctuidae) **Synonym(s):** amasina Draudt,1931
- 2205. *Cryphia (Euthales) algae* (Fabricius,1775)** (Noctuidae) **Synonym(s):** algae Fabricius,1775; degener [Denis & Schiffermüller],1775; alni Fabricius,1787; calligrapha Borkhausen,1792; mendacula Hübner,[1813].
- 2206. *Cryphia (s.str.) receptricula* (Hübner,[1803])** (Noctuidae) **Synonym(s):** strigula Borkhausen,1792 nec Thunb.,1788; receptricula Hübner,[1803]; stictica Ménétriés,1859.
- 2207. *Cucullia (s.str.) argentina* (Fabricius,1787)** (Noctuidae) **Synonym(s):** argentina Fabricius,1787; grisea F.Wagner,1931 nec Lch.,1900; anatoliensis Koçak,1980.
- 2208. *Cucullia (s.str.) behouneki* Hacker & L.Ronkay,1988** (Noctuidae) **Synonym(s):** behouneki Hacker & L.Ronkay,1988
- 2209. *Cucullia (s.str.) dracunculi* (Hübner,[1813])** (Noctuidae) **Synonym(s):** dracunculi Hübner,[1813]; incana Eversmann,1842; anthemidis Guenée,1852; linosyridis Fuchs,1903.
- 2210. *Cucullia (s.str.) ronkayi* Hacker & Pinker,1987** (Noctuidae) **Synonym(s):** ronkayi Hacker & Pinker,1987; #ronkay Hacker & Pinker,1987
- 2211. *Cucullia (s.str.) umbratica* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** umbratica Linnaeus,1758; sonchi Heinemann,1859.
- 2212. *Dasypolia (s.str.) altissima* Hacker & Moberg,1988** (Noctuidae) **Synonym(s):** altissima Hacker & Moberg,1988
- 2213. *Dasypolia (s.str.) templi* (Thunberg,1792)** (Noctuidae) **Synonym(s):** templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909.
- 2214. *Dasypolia (s.str.) transcaucasica* L.Ronkay & Varga,1985** (Noctuidae) **Synonym(s):** transcaucasica L.Ronkay & Varga,1985
- 2215. *Desertoplusia bella* (Christoph,1887)** (Noctuidae) **Synonym(s):** bella Christoph,1887
- 2216. *Desertoplusia colornata* Varga & L.Ronkay,1991** (Noctuidae) **Synonym(s):** bella auct. nec Chr.,1887; colornata Varga & L.Ronkay,1991; #colomata Hacker,1992
- 2217. *Diachrysa chrysitis* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** chrysitis Linnaeus,1758
- 2218. *Diarsia florida* (Schmidt,1859)** (Noctuidae) **Synonym(s):** florida Schmidt,1859
- 2219. *Diarsia rubi* (Vieweg,1790)** (Noctuidae) **Synonym(s):** rubi Vieweg,1790; radica Esper,[1790]; bella Borkhausen,1792 nec Linn.,1758; quadratum Hübner,[1813]; posticata Walker,[1858].
- 2220. *Dichagyris (Albocosta) flammata* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** flammata [Denis & Schiffermüller],1775; bimaculata Milliere,1885.
- 2221. *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** candelisequa [Denis & Schiffermüller],1775; sagittifera Hübner,[1813]; piemonticola Schwingenschuss,1954; zapateri Schwingenschuss,1962.
- 2222. *Dichagyris (s.str.) amoena* (Staudinger,1892)** (Noctuidae) **Synonym(s):** amoena Staudinger,1892; flavida Corti & Draudt,1933.
- 2223. *Dichagyris (s.str.) anastasia* (Draudt,1936)** (Noctuidae) **Synonym(s):** anastasia Draudt,1936
- 2224. *Dichagyris (s.str.) argentea* (Kozhantshikov,1930)** (Noctuidae) **Synonym(s):** argentea Kozhantshikov,1930
- 2225. *Dichagyris (s.str.) celebrata* (Alpheraky,1897)** (Noctuidae) **Synonym(s):** celebrata Alpheraky,1897; persiaca Kozhantshikov,1929; armeniaca Kozhantshikov,1930
- 2226. *Dichagyris (s.str.) devota* (Christoph,1884)** (Noctuidae) **Synonym(s):** devota Christoph,1884; turana Staudinger,1892
- 2227. *Dichagyris (s.str.) elbursica* (Draudt,1937)** (Noctuidae) **Synonym(s):** elbursica Draudt,1937
- 2228. *Dichagyris (s.str.) eremicola* (Standfuss,1888)** (Noctuidae) **Synonym(s):** eremicola Standfuss,1888; nigrolineata Corti,1933; dubiosa Draudt,1937
- 2229. *Dichagyris (s.str.) erubescens* (Staudinger,1892)** (Noctuidae) **Synonym(s):** erubescens Staudinger,1892
- 2230. *Dichagyris (s.str.) forficula* (Eversmann,1851)** (Noctuidae) **Synonym(s):** forficula Eversmann,1851
- 2231. *Dichagyris (s.str.) fredii* (Brandt,1938)** (Noctuidae) **Synonym(s):** fredii Brandt,1938

- 2232. *Dichagyris* (s.str.) *leucomelas* Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
- 2233. *Dichagyris* (s.str.) *melanura* (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 2234. *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
- 2235. *Dichagyris* (s.str.) *psammochroa* (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; #*dichroa* Boursin,1940.
- 2236. *Dichagyris* (s.str.) *renigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 nec Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
- 2237. *Dichagyris* (s.str.) *singularis* (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877
- 2238. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901; *albicollaris* Kozhantshikov,1930
- 2239. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856; *nigrolineata* Kozhantshikov,1930
- 2240. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
- 2241. *Dichagyris* (s.str.) *tyrannus* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
- 2242. *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837]
- 2243. *Dichagyris* (Yigoga) *celsicola* (Bellier,1858)** (Noctuidae) Synonym(s): *celsicola* Bellier,1858; *gueddelanea* Oberthür,1918
- 2244. *Dichagyris* (Yigoga) *eureteocles* (Boursin,1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin,1940
- 2245. *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 2246. *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 2247. *Dichagyris* (Yigoga) *gracilis* (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 2248. *Dichagyris* (Yigoga) *latipennis* (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909
- 2249. *Dichagyris* (Yigoga) *nachadira* (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941
- 2250. *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 2251. *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 2252. *Dichagyris* (Yigoga) *romanovi* (Christoph,1885)** (Noctuidae) Synonym(s): *romanovi* Christoph,1885; #*jura* Strand,1915; *karsholti* Fibiger,1990.
- 2253. *Dichagyris* (Yigoga) *signifera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #*signifera* [Denis & Schiffermüller],1775
- 2254. *Dichagyris* (Yigoga) *sincera* (De Freina & Hacker,1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
- 2255. *Dichagyris* (Yigoga) *truculenta* (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
- 2256. *Dichagyris* (Yigoga) *weigerti* Hacker & Varga,1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990
- 2257. *Dichagyris* (Yigoga) *wiltshirei* (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; #*wiltshirei* Ebert & Hacker,2002
- 2258. *Dicycla* oo (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]; *renago* Haworth,1809; #*sulphurea* Staudinger,1901
- 2259. *Drasteria* *cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 2260. *Drasteria* *caucasica* (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
- 2261. *Drasteria* *herzi* (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 2262. *Drasteria* *saisani* (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; #*zaisani* John,1910.
- 2263. *Dysgonia* *algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* De Villiers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912
- 2264. *Earias* *clorana* (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783

- 2265. *Earias insulana* (Boisduval,1833)** (Noctuidae) **Synonym(s):** insulana Boisduval,1833; smaragdinana Zeller,1852; frondosana Walker,1863; xanthophila Walker,1863; siliquana Stainton,1865; simillima Walker,1866; chlorion Rambur,1866; gossypii Frauenfeld,1867; anthophilana Snellen,1879; trigostrigosa Butler,1881
- 2266. *Egira anatolica* (M.Hering,1933)** (Noctuidae) **Synonym(s):** anatolica M.Hering,1933; #metaxys Boursin,1966; #leucomelas Boursin,1966; bulgarica Beshkov,2000
- 2267. *Enargia paleacea* (Esper,[1788])** (Noctuidae) **Synonym(s):** paleacea Esper,[1788]; fulvago Hübner,[1803]; angulago Hatchett,1812
- 2268. *Enargia pinkeri* De Freina & Hacker,1985** (Noctuidae) **Synonym(s):** pinkeri De Freina & Hacker,1985
- 2269. *Epilecta linogrisea* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** linogrisea [Denis & Schiffermüller],1775; lutosa Staudinger,1901.
- 2270. *Episema amasina* (Hampson,1906)** (Noctuidae) **Synonym(s):** #amasina A.Bang-Haas; amasina Hampson,1906
- 2271. *Episema didymogramma* (Boursin,1955)** (Noctuidae) **Synonym(s):** didymogramma Boursin,1955
- 2272. *Episema korsakovi* (Christoph,1885)** (Noctuidae) **Synonym(s):** korsakovi Christoph,1885; paenulata Christoph,1885.
- 2273. *Episema lederi* Christoph,1885** (Noctuidae) **Synonym(s):** lederi Christoph,1885; sareptana Alpheraky,1897; #lederer Wiltshire,1937.
- 2274. *Episema tersa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** tersa [Denis & Schiffermüller],1775; trimacula [Denis & Schiffermüller],1775; swiderskii Kostrowicki,1956.
- 2275. *Eremobia asiatica* Draudt,1936** (Noctuidae) **Synonym(s):** asiatica Draudt,1936
- 2276. *Eublemma (albida-gr.) compunctum* (Lederer,1872)** (Noctuidae) **Synonym(s):** compuncta Lederer,1872; aftob Brandt,1938.
- 2277. *Eublemma (albida-gr.) gratissimum* (Staudinger,1892)** (Noctuidae) **Synonym(s):** albida auct.; gratissima Staudinger,1892; infusca Staudinger,1892; transmittens Christoph,1893; peralba Schawerda,1923.
- 2278. *Eublemma (albida-gr.) hansa* (Herrich-Schäffer,[1851])** (Noctuidae) **Synonym(s):** hansa Herrich-Schäffer,[1851]; maraschensis Osthelder,1933
- 2279. *Eublemma (albida-gr.) stramineum* (Staudinger,1892)** (Noctuidae) **Synonym(s):** straminea Staudinger,1892
- 2280. *Eublemma (bulla-gr.) purum* (Hübner,[1813])** (Noctuidae) **Synonym(s):** pura Hübner,[1813]
- 2281. *Eublemma (bulla-gr.) suppurum* (Staudinger,1892)** (Noctuidae) **Synonym(s):** suppura Staudinger,1892
- 2282. *Eublemma (candidana-gr.) aureolum* Fibiger & Hacker,2002** (Noctuidae) **Synonym(s):** aureola Fibiger & Hacker,2002
- 2283. *Eublemma (candidana-gr.) minutatum* (Fabricius,1794)** (Noctuidae) **Synonym(s):** minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809].
- 2284. *Eublemma (candidana-gr.) ochreolum* (Staudinger,1900)** (Noctuidae) **Synonym(s):** ochreola Staudinger,1900; thurneri Zerny,1936.
- 2285. *Eublemma (candidana-gr.) pulchralis* (De Villers,1789)** (Noctuidae) **Synonym(s):** pulchralis De Villers,1789; candidana Fabricius,1794; minuta Hübner,[1809]; perlana Geyer,[1830]; skafiota Freyer,1845; impura Staudinger,1871
- 2286. *Eublemma (candidana-gr.) wagneri* (Herrich-Schäffer,1851)** (Noctuidae) **Synonym(s):** wagneri Herrich-Schäffer,1851
- 2287. *Eublemma (Glossodice) polygrammum* (Duponchel,[1842])** (Noctuidae) **Synonym(s):** polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; violetta Staudinger,1889.
- 2288. *Eublemma (ostrina-gr.) ostrinum* (Hübner,[1808])** (Noctuidae) **Synonym(s):** ostrina Hübner,[1808]; carthami Herrich-Schäffer,[1851]; aestivalis Guenée,1852; numida Lucas,1849; thasia Koutsaftikis,1973.
- 2289. *Eublemma (pallidula-gr.) pallidulum* (Herrich-Schäffer,1856)** (Noctuidae) **Synonym(s):** pallidula Herrich-Schäffer,1856
- 2290. *Eublemma (parva-gr.) parvum* (Hübner,[1808])** (Noctuidae) **Synonym(s):** parva Hübner,[1808]; rubefacta Mabilie,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902.
- 2291. *Eublemma (rosina-gr.) amoenum* (Hübner,[1803])** (Noctuidae) **Synonym(s):** respersa Hübner,1790 (praeocc.); amoena Hübner,[1803]; bithynica Bethune-Baker,1888.
- 2292. *Eublemma (rosina-gr.) caelestis* (Brandt,1938)** (Noctuidae) **Synonym(s):** caelestis Brandt,1938
- 2293. *Eublemma (rosina-gr.) panonicum* (Freyer,1840)** (Noctuidae) **Synonym(s):** panonica Freyer,1840; kindermannii Boisduval,1840; lenis Eversmann,1844; #panonica Staudinger,1901
- 2294. *Eublemma (rosina-gr.) parallelum* (Freyer,1842)** (Noctuidae) **Synonym(s):** parallela Freyer,1842; concinnula Herrich-Schäffer,1851; #densata W.Warren,1912.
- 2295. *Eublemma (rosina-gr.) purpurinum* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901.
- 2296. *Eublemma (rosina-gr.) pusillum* (Eversmann,1834)** (Noctuidae) **Synonym(s):** pusilla Eversmann,1834; proxima Fischer von Waldheim,1840

- 2297. Eublemma suppunctum (Staudinger, 1892)** (Noctuidae) **Synonym(s):** suppuncta Staudinger, 1892; #suppuncta Hacker, 1988
- 2298. Euchalcia biezankoi (Alberti, 1965)** (Noctuidae) **Synonym(s):** biezankoi Alberti, 1965; #bienzankoi Hacker, [1987].
- 2299. Euchalcia dorsiflava (Standfuss, 1892)** (Noctuidae) **Synonym(s):** dorsiflava Standfuss, 1892
- 2300. Euchalcia emichi (Rogenhofer, 1873)** (Noctuidae) **Synonym(s):** emichi Rogenhofer, 1873
- 2301. Euchalcia hedeia Dufay, 1978** (Noctuidae) **Synonym(s):** hedeia Dufay, 1978; #hedeja Hacker, 1990; aureolineata L. Ronkay & Gyulai, 1997
- 2302. Euchalcia hyrcaniae Dufay, 1963** (Noctuidae) **Synonym(s):** hyrcaniae Dufay, 1963
- 2303. Euchalcia kitchingi Hacker & Ronkay, 1992** (Noctuidae) **Synonym(s):** kitchingi Hacker & Ronkay, 1992
- 2304. Euchalcia siderifera (Eversmann, 1846)** (Noctuidae) **Synonym(s):** siderifera Eversmann, 1846
- 2305. Euchalcia taurica (Osthelder, 1933)** (Noctuidae) **Synonym(s):** taurica Osthelder, 1933
- 2306. Euchalcia viridis (Staudinger, 1901)** (Noctuidae) **Synonym(s):** viridis Staudinger, 1901
- 2307. Euclidia glyphica (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** glyphica Linnaeus, 1758; pratensis Müller, 1764
- 2308. Eugnorisma (Metagnorisma) pontica (Staudinger, 1892)** (Noctuidae) **Synonym(s):** pontica Staudinger, 1892
- 2309. Eugnorisma (s.str.) chaldaica (Boisduval, 1840)** (Noctuidae) **Synonym(s):** chaldaica Boisduval, 1840; caerulea Wagner, 1932 nec Gn., 1852; buraki Koçak, 1983
- 2310. Eugnorisma (s.str.) eminens (Lederer, 1855)** (Noctuidae) **Synonym(s):** eminens Lederer, 1855; excellens Staudinger, 1867
- 2311. Eugnorisma (s.str.) insignata (Lederer, 1853)** (Noctuidae) **Synonym(s):** insignata Lederer, 1853; intermedia Eversmann, 1855.
- 2312. Eugnorisma (s.str.) kurdistanica Hacker, Kuhna & Gross, [1987]** (Noctuidae) **Synonym(s):** #kurdistanica Hacker & Weigert, 1986; kurdistanica Hacker, Kuhna & Gross, [1987]
- 2313. Eugnorisma (s.str.) leuconeura (Hampson, 1918)** (Noctuidae) **Synonym(s):** leuconeura Hampson, 1918; fuliginosa Draudt, 1936.
- 2314. Eugnorisma persago Gyulai & L. Ronkay, 2006** (Noctuidae) **Synonym(s):** persago Gyulai & L. Ronkay, 2006
- 2315. Eulocastra diaphora (Staudinger, 1879)** (Noctuidae) **Synonym(s):** diaphora Staudinger, 1879; triangularis W. Warren, 1888; atribasalis Hampson, 1896; laticincta Staudinger, 1898.
- 2316. Eupsilia transversa (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** transversa Hufnagel, 1766; satellitia Linnaeus, 1767
- 2317. Eutelia adoratrix (Staudinger, 1892)** (Noctuidae) **Synonym(s):** adoratrix Staudinger, 1892
- 2318. Eutelia adulatrix (Hübner, [1813])** (Noctuidae) **Synonym(s):** adulatrix Hübner, [1813]
- 2319. Euxoa (Orosagrotis) difficillima (Draudt, 1937)** (Noctuidae) **Synonym(s):** difficillima Draudt, 1937
- 2320. Euxoa (Orosagrotis) foeda (Lederer, 1855)** (Noctuidae) **Synonym(s):** foeda Lederer, 1855; enitens Corti, 1926; marmorosa Corti, 1927; vanensis Draudt, 1937.
- 2321. Euxoa (Pleonectopoda) hilaris (Freyer, 1838)** (Noctuidae) **Synonym(s):** hilaris Freyer, 1838
- 2322. Euxoa (Pleonectopoda) inclusa Corti, 1931** (Noctuidae) **Synonym(s):** inclusa Corti, 1931
- 2323. Euxoa (Pleonectopoda) rjabovi Kozhantshikov, 1929** (Noctuidae) **Synonym(s):** rjabovi Kozhantshikov, 1929; inclusa Corti, 1931
- 2324. Euxoa (s.str.) anaemica Draudt, 1936** (Noctuidae) **Synonym(s):** anaemica Draudt, 1936
- 2325. Euxoa (s.str.) aquilina ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** aquilina [Denis & Schiffermüller], 1775; fictilis Hübner, [1813]; unicolor Hübner, [1813]; petrina Mayer, 1937.
- 2326. Euxoa (s.str.) basigramma (Staudinger, 1870)** (Noctuidae) **Synonym(s):** basigramma Staudinger, 1870
- 2327. Euxoa (s.str.) birivia ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** birivia [Denis & Schiffermüller], 1775; honnoratina Donzel, 1837; cuprina Staudinger, 1900; sudetica Skala, 1929; caucasica Spuler, 1908; flavisignata Corti, 1932.
- 2328. Euxoa (s.str.) conspicua (Hübner, [1824])** (Noctuidae) **Synonym(s):** conspicua Hübner, [1824]; agricola Boisduval, 1829; lycarum Herrich-Schäffer, 1846; abdita De Joannis, 1891; #indistincta Strand, 1915; osthelderi Corti, 1931; complicata Corti, 1931.
- 2329. Euxoa (s.str.) cos (Hübner, [1824])** (Noctuidae) **Synonym(s):** cos Hübner, [1824]; tephra Boisduval, 1840; nagyagensis Freyer, 1845; vacillans Herrich-Schäffer, [1850]; millierei Staudinger, 1870; cycladum Staudinger, 1871; aphe Mabille, 1885; crimaea A. Bang-Haas, 1906; mesopotamica O. Bang-Haas, 1922; rubra Corti, 1933.
- 2330. Euxoa (s.str.) decora ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** decora [Denis & Schiffermüller], 1775; nebulosa Hübner, [1808]; nivens Hübner, [1821]; simulatrix Hübner, [1824]
- 2331. Euxoa (s.str.) distinguenda (Lederer, 1857)** (Noctuidae) **Synonym(s):** distinguenda Lederer, 1857.

- 2332. *Euxoa* (s.str.) *hastifera* (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 2333. *Euxoa* (s.str.) *heringi* Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 2334. *Euxoa* (s.str.) *homicida* (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 2335. *Euxoa* (s.str.) *luteomixta* (F.Wagner,1932)** (Noctuidae) Synonym(s): *luteomixta* F.Wagner,1932
- 2336. *Euxoa* (s.str.) *nigricans* (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 2337. *Euxoa* (s.str.) *obelisca* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 2338. *Euxoa* (s.str.) *scurrilis* Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937
- 2339. *Euxoa* (s.str.) *segnilis* (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 2340. *Euxoa* (s.str.) *sulcifera* (Christoph,1893)** (Noctuidae) Synonym(s): *sulcifera* Christoph,1893
- 2341. *Euxoa* (s.str.) *temera* (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *deklarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 2342. *Euxoa* (s.str.) *vitta* (Esper,[1789])** (Noctuidae) Synonym(s): *vitta* Esper,[1789]
- 2343. *Exophyla* *rectangularis* (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rctangularis* Lehmann, Hacker et al.,1998
- 2344. *Gortyna* (*Cervyna*) *cervago* Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
- 2345. *Gortyna* (s.str.) *flavago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775; *ochracea* Hübner,1786; *lappae* Donovan,1801; *ochraceago* Howarth,1809; *cinerea* Goossens,1880
- 2346. *Gortyna* (s.str.) *hethitica* Hacker,Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *hethitica* Hacker,Kuhna & Gross,[1987]
- 2347. *Gortyna* (s.str.) *osmana* Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986
- 2348. *Grammodes* *stolida* (Fabricius,1775)** (Noctuidae) Synonym(s): *stolida* Fabricius,1775; *cingularis* Hübner,[1808]; *stupida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 2349. *Hada* *persa* (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa* Alpheraky,1897
- 2350. *Hadena* (*Anepia*) *musculina* (Staudinger,1892)** (Noctuidae) Synonym(s): *musculina* Staudinger,1892; *mayeri* F.Wagner,1931
- 2351. *Hadena* (*Anepia*) *neglecta* Hacker,1992** (Noctuidae) Synonym(s): *neglecta* Hacker,1992
- 2352. *Hadena* (*Anepia*) *perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 2353. *Hadena* (*Anepia*) *syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 2354. *Hadena* (*Anepia*) *wolffi* Hacker,1992** (Noctuidae) Synonym(s): *wolffi* Hacker,1992
- 2355. *Hadena* (*Enterpia*) *laudeti* (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840; *cretacea* Eversmann,1847; *loudeti* Spuler,1907
- 2356. *Hadena* (*Enterpia*) *roseocandida* (Hacker,1996)** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996
- 2357. *Hadena* (*Maschukia*) *pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 2358. *Hadena* (*Pinkericola*) *cappadocia* Hacker,1987** (Noctuidae) Synonym(s): *cappadocia* Hacker,1987
- 2359. *Hadena* (*Pinkericola*) *inexpectata* Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979
- 2360. *Hadena* (*Pinkericola*) *tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
- 2361. *Hadena* (s.str.) *albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 2362. *Hadena* (s.str.) *cavalla* Pinker,1980** (Noctuidae) Synonym(s): *cavalla* Pinker,1980
- 2363. *Hadena* (s.str.) *chrysographa* Hacker,1996** (Noctuidae) Synonym(s): *chrysographa* Hacker,1996
- 2364. *Hadena* (s.str.) *clara* (Staudinger,1901)** (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.

- 2365. *Hadena (s.str.) compta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 2366. *Hadena (s.str.) confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 2367. *Hadena (s.str.) defreina* Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreina* Hacker, Kuhna & Gross,[1987]
- 2368. *Hadena (s.str.) femina* Hacker,1996** (Noctuidae) Synonym(s): *femina* Hacker,1996
- 2369. *Hadena (s.str.) fibigeri* Hacker,1996** (Noctuidae) Synonym(s): *fibigeri* Hacker,1996
- 2370. *Hadena (s.str.) filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
- 2371. *Hadena (s.str.) germaniciae* Boursin,1959** (Noctuidae) Synonym(s): *germaniciae* Boursin,1959
- 2372. *Hadena (s.str.) gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 2373. *Hadena (s.str.) humilis* (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933.
- 2374. *Hadena (s.str.) hyrcanoides* Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996
- 2375. *Hadena (s.str.) impressa* (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 2376. *Hadena (s.str.) lucida* (Brandt,1938)** (Noctuidae) Synonym(s): *lucida* Brandt,1938
- 2377. *Hadena (s.str.) magnifica* Hacker,1996** (Noctuidae) Synonym(s): *magnifica* Hacker,1996
- 2378. *Hadena (s.str.) magnolii* (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 2379. *Hadena (s.str.) melanochoa* (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochoa* Staudinger,1892
- 2380. *Hadena (s.str.) persimilis* Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996
- 2381. *Hadena (s.str.) pfeifferi* (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
- 2382. *Hadena (s.str.) praetermissa* Hacker,1996** (Noctuidae) Synonym(s): *praetermissa* Hacker,1996
- 2383. *Hadena (s.str.) pseudoclara* Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996
- 2384. *Hadena (s.str.) pseudohyrcana* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 2385. *Hadena (s.str.) purpurea* Hacker,1996** (Noctuidae) Synonym(s): *purpurea* Hacker,1996
- 2386. *Hadena (s.str.) ronkayorum* Hacker,1996** (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996
- 2387. *Hadena (s.str.) staudingeri* (F.Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931
- 2388. *Hadena (s.str.) subhyrcana* Hacker,1996** (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996
- 2389. *Hadena (s.str.) thecaphaga* (Draudt,1937)** (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
- 2390. *Hadena (s.str.) tristis* (Draudt,1934)** (Noctuidae) Synonym(s): *tristis* Draudt,1934
- 2391. *Hadena (s.str.) vanensis* Hacker,1996** (Noctuidae) Synonym(s): *vanensis* Hacker,1996
- 2392. *Hadena (s.str.) virescens* Hacker,1996** (Noctuidae) Synonym(s): *virescens* Hacker,1996
- 2393. *Hadena (s.str.) vulcanica* (Turati,1907)** (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 2394. *Hadena (s.str.) wehrlii* (Draudt,1934)** (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
- 2395. *Hadula (Calocestra) colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 2396. *Hadula (Calocestra) hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 2397. *Hadula (Calocestra) latemarginata* (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986.
- 2398. *Hadula (Calocestra) mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 2399. *Hadula (Calocestra) mendica* (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895]
- 2400. *Hadula (Calocestra) odontites* (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 2401. *Hadula (Calocestra) trifolii* (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infra* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 2402. *Haemerosia renalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 2403. *Hecatera bicolorata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.

- 2404. *Hecatera cappa* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *cappa* Hübner,[1809]
- 2405. *Hecatera rhodocharis* (Brandt,1938)** (Noctuidae) **Synonym(s):** *rhodocharis* Brandt,1938
- 2406. *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) **Synonym(s):** *#dysodea* [Denis & Schiffermüller],1775; *ornata* De Villers,1789 nec Sc.,1763; *spinaciae* Vieweg,1790; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910; *faroulti* Rothschild,1914; *antitypina* Rothschild,1914; *africana* Oberthür,1918; *khala* Rungs,1972
- 2407. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 2408. *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) **Synonym(s):** *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 2409. *Heliophobus unicolor* (Alpheraky,1889)** (Noctuidae) **Synonym(s):** *unicolor* Alpheraky,1889
- 2410. *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 2411. *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 2412. *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 2413. *Heptapotamia eustratii* Alpheraky,1882** (Noctuidae) **Synonym(s):** *eustratii* Alpheraky,1882
- 2414. *Heterophysa dumetorum* (Geyer,1834)** (Noctuidae) **Synonym(s):** *dumetorum* Geyer,1834; *rhadama* Milliére,1883; *mutica* Christoph,1885; *griseoviridis* Schwingenschuss,1937
- 2415. *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2416. *Hoplodrina blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 2417. *Hoplodrina levis* (Staudinger,1888)** (Noctuidae) **Synonym(s):** *levis* Staudinger,1888
- 2418. *Hoplodrina octogenaria* (Goeze,1781)** (Noctuidae) **Synonym(s):** *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]; *sericea* Speyer,1867; *alsinides* Constanti,1922; *melendizi* Agenjo,1941
- 2419. *Hoplodrina pfeifferi* (Boursin,1932)** (Noctuidae) **Synonym(s):** *pfeifferi* Boursin,1932.
- 2420. *Hoplodrina respersa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789
- 2421. *Hoplodrina superstes* (Ochsenheimer,1816)** (Noctuidae) **Synonym(s):** *superstes* Ochsenheimer,1816
- 2422. *Hypena munitalis* Mann,1861** (Noctuidae) **Synonym(s):** *munitalis* Mann,1861
- 2423. *Hypena obesalis* Treitschke,1829** (Noctuidae) **Synonym(s):** *obesalis* Treitschke,1829; *crassalis* Hübner,1796
- 2424. *Iranada tarachoides* (Bytinski-Salz & Brandt,1937)** (Noctuidae) **Synonym(s):** *tarachoides* Bytinski-Salz & Brandt,1937
- 2425. *Jodia croceago* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabilie,1868
- 2426. *Lacanobia* (*Dianobia*) *thalassina* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
- 2427. *Lacanobia* (*Diataraxia*) *oleracea* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 2428. *Lacanobia* (*s.str.*) *w-latinum* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
- 2429. *Lamprosticta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *#culta* [Denis & Schiffermüller],1775
- 2430. *Lasionycta draudti* (F.Wagner,1936)** (Noctuidae) **Synonym(s):** *draudti* F.Wagner,1936
- 2431. *Ledereragrotis multifida* (Lederer,1870)** (Noctuidae) **Synonym(s):** *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
- 2432. *Leucania loreyi* (Duponchel,1827)** (Noctuidae) **Synonym(s):** *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 2433. *Leucania punctosa* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *punctosa* Treitschke,1825; *boisduvalii* Duponchel,1827
- 2434. *Leucochlaena hoerhammeri* (Wagner,1931)** (Noctuidae) **Synonym(s):** *hoerhammeri* Wagner,1931

- 2435. *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) **Synonym(s):** muscosa Staudinger,1892; hirsutus Staudinger,1892
- 2436. *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) **Synonym(s):** ledereri Staudinger,1892; discors Staudinger,1892
- 2437. *Lithophane ornitopus* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** ornitopus Hufnagel,1766; rhizolitha [Denis & Schiffermüller],1775; pitzalisi Hartig,1976
- 2438. *Luperina diversa* (Staudinger,1892)** (Noctuidae) **Synonym(s):** diversa Staudinger,1892
- 2439. *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) **Synonym(s):** dumerilii Duponchel,1826; amenata Germar,[1842]; sancta Staudinger,1892; armoricana Culot,1909; aequalis Schawerda,1911; uniformis W.Warren,1911; adriatica Stauder,1913; hirsuta F.Wagner,1931; indistincta Rebel,1933; hartigi L.Ronkay & Varga,1985
- 2440. *Luperina rjabovi* (Kljutschko,1967)** (Noctuidae) **Synonym(s):** rjabovi Kljutschko,1967
- 2441. *Luperina rubella* (Duponchel,1835)** (Noctuidae) **Synonym(s):** mediosignata Turati,1930; sericea Caradja,1932; thurneri Schawerda,1938.
- 2442. *Lycophorus ankarensis* (Rebel,1931)** (Noctuidae) **Synonym(s):** ankarensis Rebel,1931; wichgrafi Corti & Draudt,1933; #ankariensis Hacker,2001
- 2443. *Lygephila* (s.str.) *amasina* (Staudinger,1879)** (Noctuidae) **Synonym(s):** amasina Staudinger,1879; sublutea W.Warren,1913.
- 2444. *Lygephila* (s.str.) *craccae* (Fabricius,1787)** (Noctuidae) **Synonym(s):** #craccae [Denis & Schiffermüller],1775; craccae Fabricius,1787; nigricollis De Villers,1789; riata Rungs,1952; caliginosa Schawerda,1931; herrerae Yela,1990; #craccae Hacker & Kautt,1999.
- 2445. *Lygephila* (s.str.) *ludicra* (Hübner,1790)** (Noctuidae) **Synonym(s):** ludicra Hübner,1790
- 2446. *Lygephila* (s.str.) *pallida* (A.Bang-Haas,1907)** (Noctuidae) **Synonym(s):** pallida A.Bang-Haas,1907
- 2447. *Lygephila* (s.str.) *pastinum* (Treitschke,1826)** (Noctuidae) **Synonym(s):** pastinum Treitschke,1826; astragali Herrich-Schäffer,1851; dilutior Staudinger,1892.
- 2448. *Margelana flavidior* Wagner,1831** (Noctuidae) **Synonym(s):** flavidior Wagner,1831
- 2449. *Megalodes eximia* (Freyer,1845)** (Noctuidae) **Synonym(s):** eximia Freyer,1845
- 2450. *Meganola gigantula* (Staudinger,1879)** (Noctuidae) **Synonym(s):** gigantula Staudinger,1879
- 2451. *Meganola togatulalis* (Hübner,1796)** (Noctuidae) **Synonym(s):** togatulalis Hübner,1796; togatulana Duponchel,1845
- 2452. *Melanchra pisi* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** pisi Linnaeus,1758; rukavaarae Hoffmann,1893; pardoii Agenjo,1945.
- 2453. *Mesapamea* (s.str.) *didyma* (Esper,[1788])** (Noctuidae) **Synonym(s):** didyma Esper,[1788]; secalella Remm,1983.
- 2454. *Mesogona acetosellae* (Goeze,1781)** (Noctuidae) **Synonym(s):** #acetosellae [Denis & Schiffermüller],1775; acetosellae Goeze,1781; vorbrodti Wehrli,1917; grisea Dannehl,1929; pallida Dannehl,1929; segoviensis Calle,1982; #clarescens Calle,1982
- 2455. *Mesoligia furuncula* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** furuncula [Denis & Schiffermüller],1775; spoliaticula [Denis & Schiffermüller],1775; bicoloria De Villers,1789; vinctuncula Hübner,[1803]; humeralis Haworth,1809; terminalis Haworth,1809; rufuncula Haworth,1809
- 2456. *Mesoligia literosa* (Haworth,[1809])** (Noctuidae) **Synonym(s):** literosa Haworth,[1809]; erratricula Hübner,[1813]; onochyna Herrich-Schäffer,1856; subarcta Staudinger,1898; faroulti Rothschild,1914; powelli Oberthür,1918; hispanica Heydemann,1942; minorasia Rezbanyai-Leser,1998; siciliana Rezbanyai-Leser,1998
- 2457. *Metachrostis dardouini* (Boisduval,1840)** (Noctuidae) **Synonym(s):** dardouini Boisduval,1840; velox Treitschke nec Hbn.,[1813]; mendacula Freyer,1841; dilutior Schwingenschuss,1926
- 2458. *Metalopha* (Antholopha) *gloriosa* (Staudinger,1892)** (Noctuidae) **Synonym(s):** gloriosa Staudinger,1892; #intradeleta Osthelder,1933; #extradeleta Osthelder,1933; #grisea Osthelder,1933.
- 2459. *Metopodicha ernesti* Draudt,1936** (Noctuidae) **Synonym(s):** ernesti Draudt,1936; achaemenica Wiltshire,1941
- 2460. *Metoponrhis albirena* (Christoph,1887)** (Noctuidae) **Synonym(s):** albirena Christoph,1887; kisilkumensis Erschoff,1885
- 2461. *Metopoplus boursini* Brandt,1938** (Noctuidae) **Synonym(s):** boursini Brandt,1938
- 2462. *Metopoplus excelsa* (Christoph,1885)** (Noctuidae) **Synonym(s):** excelsa Christoph,1885
- 2463. *Minucia bimaculata* Osthelder,1933** (Noctuidae) **Synonym(s):** bimaculata Osthelder,1933
- 2464. *Mythimna* (Aletia) *l-album* (Linnaeus,1767)** (Noctuidae) **Synonym(s):** l-album Linnaeus,1767; penicillata Moore,1881
- 2465. *Mythimna* (Aletia) *sassanidica* (Hacker,1986)** (Noctuidae) **Synonym(s):** sassanidica Hacker,1986
- 2466. *Mythimna* (Aletia) *sicula* (Treitschke,1835)** (Noctuidae) **Synonym(s):** sicula Treitschke,1835; cyperi Boisduval,1840; dactylidis Boisduval,1840; montium Boisduval,1840; albivena Graslin,1852; fuscilinea Graslin,1852; belgiensis Derenne,1931; bavarica Forster & Wohlfahrt,1971
- 2467. *Mythimna* (Aletia) *vitellina* (Hübner,[1808])** (Noctuidae) **Synonym(s):** vitellina Hübner,[1808]; #vitellena Lederer,1870; decolorata Dannehl,1929; saturator Dannehl,1929; grisescens Dannehl,1929.

- 2468. *Mythimna (Hyphilare) albipuncta* (Fabricius, 1787) (Noctuidae)** **Synonym(s):** #albipuncta [Denis & Schiffermüller, 1775; albipuncta (Fabricius, 1787; rufotincta Wagner, 1921.
- 2469. *Mythimna (Hyphilare) ferrago* (Fabricius, 1787) (Noctuidae)** **Synonym(s):** ferrago Fabricius, 1787; lithargyria Esper, [1788]; grisea Stephens, 1829; anargyria Boisduval, 1840; argyristis Rambur, 1858; meridionalis Dannehl, 1926
- 2470. *Mythimna (Pseudaletia) unipuncta* (Haworth, [1809]) (Noctuidae)** **Synonym(s):** unipuncta Haworth, [1809]; extranea Guenée, 1852; antica Walker, 1856; tseki Koutsaftikis, 1974.
- 2471. *Nezomycta obtusa* Varga & Ronkay, 1991 (Noctuidae)** **Synonym(s):** obtusa Varga & Ronkay, 1991
- 2472. *Nezomycta pusilla* (Püngeler, 1900) (Noctuidae)** **Synonym(s):** pusilla Püngeler, 1900
- 2473. *Noctua (Divaena) haywardi* (Tams, 1926) (Noctuidae)** **Synonym(s):** haywardi Tams, 1926; balcanica Slivov, 1985
- 2474. *Noctua (Euschesis) janthina* ([Denis & Schiffermüller], 1775) (Noctuidae)** **Synonym(s):** janthina [Denis & Schiffermüller], 1775; flavomaculata Goeze, 1781; altica Geoffroy, 1785; latimarginata Röber, 1900; algerica Oberthür, 1918; intermedia Rothschild, 1920
- 2475. *Noctua (Lampra) fimbriata* (Schreber, 1759) (Noctuidae)** **Synonym(s):** fimbriata Schreber, 1759; domiduca Hufnagel, 1766; fimbria Linnaeus, 1767; solani Fabricius, 1787.
- 2476. *Noctua (Latanoctua) orbona* (Hufnagel, 1766) (Noctuidae)** **Synonym(s):** orbona Hufnagel, 1766; subsequa [Denis & Schiffermüller], 1775; caroni Lempke, 1964.
- 2477. *Noctua (Paranoctua) comes* (Hübner, [1813]) (Noctuidae)** **Synonym(s):** orbona Fabricius, 1787 nec Hufn., 1767; comes Hübner, [1813]; adsequa Treitschke, 1825; prosequa Treitschke, 1825; bergensis Sp.-Schn., 1901.
- 2478. *Noctua (Paranoctua) interposita* (Hübner, 1790) (Noctuidae)** **Synonym(s):** interposita Hübner, 1790; consequa Hübner, [1803]; sarmata Rambur, 1871; nigra Pieszczyk, 1908; baraudi Boursin, 1963; lajonquierrei Boursin, 1963; terracotta Boursin, 1963
- 2479. *Noctua (s.str.) janthe* (Borkhausen, 1792) (Noctuidae)** **Synonym(s):** janthe Borkhausen, 1792; algerica Oberthür, 1918; intermedia Rothschild, 1920
- 2480. *Noctua (s.str.) pronuba* (Linnaeus, 1758) (Noctuidae)** **Synonym(s):** pronuba Linnaeus, 1758; connuba Hübner, [1822]; innuba Treitschke, 1825; hoegei Herrich-Schäffer, 1861; nigra Krausse, 1912 nec Piesz., 1908; decolorata Turati, 1923.
- 2481. *Nycteola asiatica* (Krulikovsky, 1904) (Noctuidae)** **Synonym(s):** asiatica Krulikovsky, 1904; populana Patočka, 1953; hungarica Kovacs, 1954.
- 2482. *Nycteola eremostola* Dufay, 1961 (Noctuidae)** **Synonym(s):** eremostola Dufay, 1961
- 2483. *Nycteola revayana* (Scopoli, 1772) (Noctuidae)** **Synonym(s):** revayana Scopoli, 1772; duplana Fabricius, 1777; ilicana Fabricius, 1781; fasciatum Retzius, 1783; punctana Thunberg, 1784; anglica Fourcroy, 1785; rivagana Fabricius, 1787; ramosana Hübner, 1793; undulana Hübner, [1799]; bifasciana Donovan, 1801 nec Hbn., 1787; stonius Curtis, 1829; russiana Duponchel, [1845]; bilineatella Walker, 1866; fuscilana Schmid, 1886; diplographa Hampson, 1905
- 2484. *Nycteola siculana* (Fuchs, 1899) (Noctuidae)** **Synonym(s):** siculana Fuchs, 1899; cuneana Patočka, 1953; pseudodilutana Obratzov, 1954.
- 2485. *Ochropleura leucogaster* (Freyer, 1831) (Noctuidae)** **Synonym(s):** leucogaster Freyer, 1831
- 2486. *Ochropleura plecta* (Linnaeus, 1761) (Noctuidae)** **Synonym(s):** plecta Linnaeus, 1761; unimacula Staudinger, 1859; anderssoni Lampa, 1885; glaucimacula Graeser, [1889]; unupplecta Bryk, 1942.
- 2487. *Odice arcuinna* (Hübner, 1790) (Noctuidae)** **Synonym(s):** arcuinna Hübner, 1790; inamoena Hübner, [1803].
- 2488. *Odice suava* (Hübner, [1813]) (Noctuidae)** **Synonym(s):** suava Hübner, [1813].
- 2489. *Oligia latruncula* ([Denis & Schiffermüller], 1775) (Noctuidae)** **Synonym(s):** latruncula [Denis & Schiffermüller], 1775; aerata Esper, 1790; meretricula Borkhausen, 1792; aethiops Haworth, 1809
- 2490. *Oligia turcia* Rezbanyai-Reser, 1997 (Noctuidae)** **Synonym(s):** turcia Rezbanyai-Reser, 1997
- 2491. *Omphalophana anatolica* (Lederer, 1857) (Noctuidae)** **Synonym(s):** anatolica Lederer, 1857
- 2492. *Omphalophana antirrhinii* (Hübner, [1803]) (Noctuidae)** **Synonym(s):** antirrhinii Hübner, [1803]
- 2493. *Oncocnemis confusa* (Freyer, [1839]) (Noctuidae)** **Synonym(s):** confusa Freyer, [1839].
- 2494. *Oncocnemis exacta* Christoph, 1887 (Noctuidae)** **Synonym(s):** exacta Christoph, 1887; iranica Schwingenschuss, 1937
- 2495. *Oncocnemis fuscipicta* Wiltshire, 1976 (Noctuidae)** **Synonym(s):** fuscipicta Wiltshire, 1976
- 2496. *Oncocnemis strioligera* Lederer, 1853 (Noctuidae)** **Synonym(s):** strioligera Lederer, 1853
- 2497. *Ophiusa lunaris* (Goeze, 1781) (Noctuidae)** **Synonym(s):** #lunaris [Denis & Schiffermüller], 1775; lunaris Goeze, 1781; undosa Goeze, 1781; ventrilabris Fabricius, 1787; tarsiplumalis Hübner, 1796; inconspicua W. Warren, 1913; chosensis Bryk, 1949.
- 2498. *Opigena polygona* (Fabricius, 1787) (Noctuidae)** **Synonym(s):** #polygonal [Denis & Schiffermüller], 1775; polygona Fabricius, 1787; nigrofulva Esper, [1788]; pyramis Borkhausen, 1792; #polygena Hacker & Weigert, 1986
- 2499. *Oria musculosa* (Hübner, [1808]) (Noctuidae)** **Synonym(s):** musculosa Hübner, [1808]; laeta Alpheraky, 1889.

- 2500. *Orthosia (Monima) cerasi* (Fabricius,1775)** (Noctuidae) **Synonym(s):** *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* De Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 2501. *Orthosia (s.str.) incerta* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 2502. *Orthosia rubricosa* (Esper,[1786])** (Noctuidae) **Synonym(s):** *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786].
- 2503. *Pamparama acuta* (Freyer,[1837])** (Noctuidae) **Synonym(s):** *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 2504. *Parexarnis taurica* (Staudinger,1879)** (Noctuidae) **Synonym(s):** *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 2505. *Perigrapha (Opacographa) cilissa* Püngeler,1917** (Noctuidae) **Synonym(s):** *cilissa* Püngeler,1917
- 2506. *Perigrapha (s.str.) i-cinctum* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 2507. *Periphanes (Helivictoria) victorina* (Sodoffsky,1849)** (Noctuidae) **Synonym(s):** *victorina* Sodoffsky,1849
- 2508. *Periphanes (Philareta) treitschkii* (Frivaldszky,1835)** (Noctuidae) **Synonym(s):** *treitschkii* Frivaldszky,1835; *taurica* Herrich-Schäffer,1851
- 2509. *Periphanes (s.str.) delphinii* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 2510. *Phlogophora meticulosa* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 2511. *Phytometra viridaria* (Clerck,1759)** (Noctuidae) **Synonym(s):** *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmann*, Stauder,1915; *latalgira* Schawerda,1924
- 2512. *Plecoptera inquinata* (Lederer,1857)** (Noctuidae) **Synonym(s):** *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 2513. *Plusia festucae* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 2514. *Plusidia cheiranthi* (Tauscher,1809)** (Noctuidae) **Synonym(s):** *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
- 2515. *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 2516. *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) **Synonym(s):** *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 2517. *Polymixis (Brandticola) dubiosa* (Brandt,1938)** (Noctuidae) **Synonym(s):** *dubiosa* Brandt,1938
- 2518. *Polymixis (Parabrachionycha) atossa* (Wiltshire,1941)** (Noctuidae) **Synonym(s):** *atossa* Wiltshire,1941; *limula* Sukhareva,1978 [ssp.]; *derrai* Hacker,1990 [ssp.]; *centralasiae* Hacker & Behounek,1990 [ssp.]
- 2519. *Polymixis (Parabrachionycha) leuconota* (Frivaldszky,1841)** (Noctuidae) **Synonym(s):** *leuconota* Frivaldszky,1841; *leuconota* Herrich-Schäffer,[1850]; *stigmatica* Guenée,1852; *malickyi* Hacker & Fibiger,1993
- 2520. *Polymixis (s.str.) chrysographa* (F.Wagner,1931)** (Noctuidae) **Synonym(s):** *chrysographa* F.Wagner,1931
- 2521. *Polymixis (s.str.) crinomima* (Wiltshire,1946)** (Noctuidae) **Synonym(s):** *crinomima* Wiltshire,1946; *jabaliya* Wiltshire,1987 [ssp.]; *diluta* L.Ronkay, Z.Varga & M.Hreblay,1998 [ssp.]
- 2522. *Polymixis (s.str.) csorbagabori* L.Ronkay, Varga & Hreblay,1998** (Noctuidae) **Synonym(s):** *csorbagabori* L.Ronkay, Varga & Hreblay,1998
- 2523. *Polymixis (s.str.) ivanchiki* Pekarsky,2012** (Noctuidae) **Synonym(s):** *ivanchiki* Pekarsky,2012
- 2524. *Polymixis (s.str.) perchrysa* Hacker & Ronkay,1992** (Noctuidae) **Synonym(s):** *perchrysa* Hacker & Ronkay,1992
- 2525. *Polymixis (s.str.) rosinae* (Bohatsch,1910)** (Noctuidae) **Synonym(s):** *rosinae* Bohatsch,1910; *paradisiaca* Boursin,1944; *gilva* Sukhareva,1976; *paravarga* L.Ronkay,1990; *himalaya* Hacker & Weigert,1990
- 2526. *Polymixis (s.str.) rufocincta* (Geyer,1828)** (Noctuidae) **Synonym(s):** *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 2527. *Polyphaenis monophaeis* Brandt,1938** (Noctuidae) **Synonym(s):** *monophaeis* Brandt,1938; *#unicoloris* Brandt,1938.
- 2528. *Polypogon schwingenschussi* (Wagner,1937)** (Noctuidae) **Synonym(s):** *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937.
- 2529. *Powellinia carthalina* (Christoph,1893)** (Noctuidae) **Synonym(s):** *carthalina* Christoph,1893

- 2530. *Protexarnis confinis* (Staudinger,1881)** (Noctuidae) **Synonym(s):** *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
- 2531. *Pseudenargia deleta* (Osthelder,1933)** (Noctuidae) **Synonym(s):** *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 2532. *Pseudenargia regina* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *regina* Staudinger,1892
- 2533. *Pseudluperina pozzii* (Curo,1883)** (Noctuidae) **Synonym(s):** *pozzii* Curo,1883; *standfussi* Wiskott,1884; *nicaeensis* Culot,1913; *kozhanthshikovi* Püngeler,1914; *amplificata* Hacker,1990
- 2534. *Recophora beata* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *beata* Staudinger,1892
- 2535. *Rhizedra lutosa* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *lutosa* Hübner,[1803]; *crassicornis* Haworth,1809; *pilicornis* Haworth,1812; *vectis* Curtis,1833; *bathyerga* Boie,1835; *?pallidipennis* W.Warren,1911
- 2536. *Rhyacia* (*Anchorhyacia*) *psammia* (Püngeler,1906)** (Noctuidae) **Synonym(s):** *psammia* Püngeler,1906
- 2537. *Rhyacia* (*Epipsilia*) *cervantes* (Reisser,1935)** (Noctuidae) **Synonym(s):** *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975
- 2538. *Rhyacia* (*Epipsilia*) *latens* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 2539. *Rhyacia* (*s.str.*) *helvetina* (Boisduval,1833)** (Noctuidae) **Synonym(s):** *helvetina* Boisduval,1833; *livia* Freyer,1836
- 2540. *Rhyacia* (*s.str.*) *lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *lucipeta* [Denis & Schiffermüller],1775.
- 2541. *Rhyacia* (*s.str.*) *simulans* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
- 2542. *Rhyagla lacernaria* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 2543. *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809
- 2544. *Shargacucullia* (*Prenanthcucullia*) *armena* G.Ronkay & L.Ronkay,1986** (Noctuidae) **Synonym(s):** *armena* G.Ronkay & L.Ronkay,1986
- 2545. *Shargacucullia* (*s.str.*) *barthae* Boursin,1933** (Noctuidae) **Synonym(s):** *barthae* Boursin,1933; *kurthuberi* G.Ronkay, L.Ronkay, P.Gyulai,2011
- 2546. *Shargacucullia* (*s.str.*) *lychnitis* (Rambur,1833)** (Noctuidae) **Synonym(s):** *lychnitis* Rambur,1833
- 2547. *Shargacucullia* (*s.str.*) *thapsiphaga* (Treitschke,1826)** (Noctuidae) **Synonym(s):** *lanceolata* De Villers,1789; *thapsiphaga* Treitschke,1826
- 2548. *Shargacucullia* (*Verbascullia*) *verbasci* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *verbasci* Linnaeus,1758
- 2549. *Sideridis* (*Aneda*) *rivularis* (Fabricius,1775)** (Noctuidae) **Synonym(s):** *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845.
- 2550. *Sideridis* (*Conisania*) *capsivora* (Draudt,1933)** (Noctuidae) **Synonym(s):** *capsivora* Draudt,1933
- 2551. *Sideridis* (*Luteohadena*) *luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990.
- 2552. *Sideridis* (*s.str.*) *lampra* (Schawerda,1913)** (Noctuidae) **Synonym(s):** *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 2553. *Sideridis* (*s.str.*) *turbida* (Esper,[1790])** (Noctuidae) **Synonym(s):** *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 2554. *Simyra dentinosa* Freyer,1839** (Noctuidae) **Synonym(s):** *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 2555. *Spaelotis demavendi* (F.Wagner,1937)** (Noctuidae) **Synonym(s):** *demavendi* F.Wagner,1937
- 2556. *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
- 2557. *Spaelotis senna* (Freyer,1829)** (Noctuidae) **Synonym(s):** *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 2558. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 2559. *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *lucernea* Linnaeus,1758; *dubia* Vorbrodt,1911; *pallida* Schawerda,1933
- 2560. *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) **Synonym(s):** *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.

- 2561. *Tholera cespitis* (Goeze,1781)** (Noctuidae) **Synonym(s):** #cespitis [Denis & Schiffermüller],1775; cespitis Goeze,1781; hordei Schrank,1801; autumnalis Curtis,1827; confinis Stephens,1829; desylessi Boisduval,1840; chloris Milliere,1883; decolor Sohn,1896.
- 2562. *Tholera decimalis* (Poda,1761)** (Noctuidae) **Synonym(s):** decimalis Poda,1761; popularis Fabricius,1775; lolii Esper,[1785]; typicoides Donovan,1811; nervosa Zerny,1927; chebka Rungs,1940
- 2563. *Tholera hilaris* (Staudinger,1901)** (Noctuidae) **Synonym(s):** hilaris Staudinger,1901; gracilis Kostrowicki,1963
- 2564. *Thria robusta* Walker,[1858]** (Noctuidae) **Synonym(s):** anysa auct.; robusta Walker,[1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988
- 2565. *Tiliacea cypreago* (Hampson,1906)** (Noctuidae) **Synonym(s):** cypreago Hampson,1906
- 2566. *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) **Synonym(s):** ni Hübner,[1803]; humilis Walker,1858; extrahens Walker,1858; brassicae Riley,1870; echinocystidis Strecker,1874; deserticola Rothschild,1913
- 2567. *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa De Villers,1789
- 2568. *Ulochlaena hirta* (Hübner,[1813])** (Noctuidae) **Synonym(s):** hirta Hübner,[1813]
- 2569. *Valeria kartalea* Kuhna & Schmitz,1997** (Noctuidae) **Synonym(s):** kartalea Kuhna & Schmitz,1997; thomaswitti Kravchenko, Speidel, Seplyarkaya & Müller,2007; josefmooseri Kravchenko, Speidel, Seplyarkaya & Müller,2007
- 2570. *Valeria oleagina* (Esper,[1786])** (Noctuidae) **Synonym(s):** #oleagina [Denis & Schiffermüller],1775; oleagina Esper,[1786].
- 2571. *Valerietta boursini* De Freina & Hacker,1985** (Noctuidae) **Synonym(s):** boursini De Freina & Hacker,1985
- 2572. *Victrix* (Rasihia) boursini (Draudt,1936)** (Noctuidae) **Synonym(s):** boursini Draudt,1936
- 2573. *Victrix* (Rasihia) hackeri Varga & Ronkay,1991** (Noctuidae) **Synonym(s):** hackeri Varga & Ronkay,1991
- 2574. *Victrix* (Rasihia) tabora (Staudinger,1892)** (Noctuidae) **Synonym(s):** tabora Staudinger,1892
- 2575. *Victrix* (s.str.) artaxias Varga & Ronkay,1989** (Noctuidae) **Synonym(s):** artaxias Varga & Ronkay,1989
- 2576. *Xenophysa huberi* Varga,1989** (Noctuidae) **Synonym(s):** huberi Varga,1989
- 2577. *Xenophysa junctimacula* (Christoph,1887)** (Noctuidae) **Synonym(s):** junctimacula Christoph,1887; cacumena Brandt,1938.
- 2578. *Xestia* (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) **Synonym(s):** c-nigrum Linnaeus,1758; nunatrum Esper,[1786]; singularis Esper,[1786]; degenerata Staudinger,1889; depravata A.Bang-Haas,1912; kurilana Bryk,1942; ignorata Eitschberger,1972.
- 2579. *Xestia* (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) **Synonym(s):** cohaesa Herrich-Schäffer,[1849]
- 2580. *Xestia* (s.str.) ochreago (Hübner,[1809])** (Noctuidae) **Synonym(s):** ochreago Hübner,[1809]; ochrojois Hbn.,[1821]; habichi Rebel,1909.
- 2581. *Xestia* (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) **Synonym(s):** sareptana Herrich-Schäffer,[1851]; iobaphes Boursin,1936
- 2582. *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** exsoleta Linnaeus,1758; exoleta Fabricius,1787; impudica Staudinger,1888; canaria Pinker,1969
- 2583. *Xylena lunifera* W.Warren,1910** (Noctuidae) **Synonym(s):** lunifera W.Warren,1910; #lunigera W.Warren,1910
- 2584. *Xylocampa mustapha* (Oberthür,1910)** (Noctuidae) **Synonym(s):** mustapha Oberthür,1910; mustapha Oberthür,1920
- 2585. *Zekelita* (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) **Synonym(s):** ravalis Herrich-Schäffer,[1852]; revolutalis Zeller,1852; eremialis Swinhoe,1889 nec Walk.,1859; centralis Staudinger,1892; syriacalis Staudinger,1892; extorris W.Warren,1913; #pallida Schawerda,1929; #transcaspica Brandt,1941
- 2586. *Zekelita* (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) **Synonym(s):** antiqualis Hübner,[1809]; mardinalis Staudinger,1892; anatolica F.Wagner,1931; #antiquilis Zukowsky,1941
- 2587. *Zethes brandti* Janzon,1977** (Noctuidae) **Synonym(s):** nemea Brandt,1938 (p.p.); nemea sensu Koçak,1977; brandti Janzon,1977.
- 2588. *Zethes narghisa* Brandt,1938** (Noctuidae) **Synonym(s):** narghisa Brandt,1938

Notodontidae

- 2589. *Cerura* (s.str.) vinula (Linnaeus,1758)** (Notodontidae) **Synonym(s):** vinula Linnaeus,1758; minax Hübner,[1803]; teberdina Kornejev,1939

- 2590. *Clostera curtula* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783
- 2591. *Clostera pigra* (Hufnagel, 1766)** (Notodontidae) **Synonym(s):** *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936
- 2592. *Dicranura ulmi* ([Denis & Schiffermüller], 1775)** (Notodontidae) **Synonym(s):** *#ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939.
- 2593. *Drymonia ruficornis* (Hufnagel, 1766)** (Notodontidae) **Synonym(s):** *ruficornis* Hufnagel, 1766; *confusa* Hufnagel, 1767; *chaonia* [Denis & Schiffermüller], 1775; *roboris* Fabricius, 1777; *ilicis* Fabricius, 1793; *roboreus* Haworth, 1803; *querneus* Haworth, 1803; *concolor* Daniel, 1939; *anadolua* De Freina, 1983
- 2594. *Drymonia velitaris* (Hufnagel, 1766)** (Notodontidae) **Synonym(s):** *velitaris* Hufnagel, 1766; *austera* [Denis & Schiffermüller], 1775; *bifasciata* De Villers, 1789
- 2595. *Furcula bicuspis* (Borkhausen, 1790)** (Notodontidae) **Synonym(s):** *bicuspis* Borkhausen, 1790; *borealis* Boisdual, 1829; *infumata* Staudinger, 1887; *transiens* Krulikowsky, 1909
- 2596. *Furcula interrupta* (Christoph, 1867)** (Notodontidae) **Synonym(s):** *interrupta* Christoph, 1867; *leucotera* Stichel, 1911; *sureyae* Rebel, 1933; *hoeferi* Bytinski-Salz, 1936; *leucotera* Lenek, 1969; *#syreyae* Schintlmeister, 1989.
- 2597. *Harpyia milhauseri* (Fabricius, 1775)** (Notodontidae) **Synonym(s):** *milhauseri* Fabricius, 1775; *terrifica* [Denis & Schiffermüller], 1775; *vidua* Knoch, 1781; *albida* Daniel, 1932
- 2598. *Notodonta tritophus* ([Denis & Schiffermüller], 1775)** (Notodontidae) **Synonym(s):** *#tritophus* [Denis & Schiffermüller], 1775; *phoebe* Siebert, 1790; *perfuscus* Haworth, 1803; *irfana* De Freina, 1983.
- 2599. *Peridea korbi* (Rebel, 1918)** (Notodontidae) **Synonym(s):** *korbi* Rebel, 1918
- 2600. *Phalera bucephala* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *bucephala* Linnaeus, 1758; *lunula* Retzius, 1783 *nec* Hufn., 1766 *non* Strm., 1768.
- 2601. *Pterostoma palpinum* (Linnaeus, 1761)** (Notodontidae) **Synonym(s):** *#palpina* Clerck, 1759; *palpina* Linnaeus, 1761; *caudapiscina* Goeze, 1783; *salicis* Germar, 1812.
- 2602. *Spatalia argentina* ([Denis & Schiffermüller], 1775)** (Notodontidae) **Synonym(s):** *argentina* [Denis & Schiffermüller], 1775
- 2603. *Stauropus fagi* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *fagi* Linnaeus, 1758

Oecophoridae

- 2604. *Agonopterix atomella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) **Synonym(s):** *atomella* [Denis & Schiffermüller], 1775; *atomosa* Haworth, 1811; *pulverella* Hübner, [1824]; *respersella* Treitschke, 1833
- 2605. *Agonopterix ordubadensis* Hannemann, 1959** (Oecophoridae) **Synonym(s):** *ordubadensis* Hannemann, 1959
- 2606. *Agonopterix pallorella* (Zeller, 1839)** (Oecophoridae) **Synonym(s):** *pallorella* Zeller, 1839; *discognitella* Herrich-Schäffer, 1871; *subpallorella* Staudinger, 1871
- 2607. *Agonopterix thapsiella* (Zeller, 1847)** (Oecophoridae) **Synonym(s):** *thapsiella* Zeller, 1847; *feruliphila* Millière, 1866; *linolotella* Lhomme, 1929
- 2608. *Anchinia cristalis* (Scopoli, 1763)** (Oecophoridae) **Synonym(s):** *cristalis* Scopoli, 1763; *verrucella* [Denis & Schiffermüller], 1775; *hepaticella* Hübner, 1796; *verrucea* Haworth, 1811; *cneorella* Hübner, [1813]
- 2609. *Depressaria discipunctella* Herrich-Schäffer, [1854]** (Oecophoridae) **Synonym(s):** *discipunctella* Herrich-Schäffer, [1854]
- 2610. *Depressaria eryngiella* Millière, 1881** (Oecophoridae) **Synonym(s):** *eryngiella* Millière, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936
- 2611. *Depressaria fuscovirgatella* Hannemann, 1967** (Oecophoridae) **Synonym(s):** *fuscovirgatella* Hannemann, 1967; *pagmanella* Amsel, 1972
- 2612. *Depressaria ululana* Rössler, 1866** (Oecophoridae) **Synonym(s):** *ululana* Rössler, 1866
- 2613. *Epicallima einsleri* (Amsel, 1935)** (Oecophoridae) **Synonym(s):** *einsleri* Amsel, 1935
- 2614. *Epicallima formosella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) **Synonym(s):** *formosella* [Denis & Schiffermüller], 1775; *flammella* Duponchel, 1842
- 2615. *Esperia imitatrix* (Zeller, 1847)** (Oecophoridae) **Synonym(s):** *imitatrix* Zeller, 1847
- 2616. *Esperia intermediella* (Stainton, 1867)** (Oecophoridae) **Synonym(s):** *intermediella* Stainton, 1867
- 2617. *Exaeretia ledereri* (Zeller, 1854)** (Oecophoridae) **Synonym(s):** *ledereri* Zeller, 1854; *homochroella* Erschoff, 1874; *xyleuta* Meyrick, 1913; *leviella* Amsel, 1935
- 2618. *Pleurota* (s.str.) *eximia* Lederer, 1861** (Oecophoridae) **Synonym(s):** *eximia* Lederer, 1861; *galaticella* Staudinger, 1880
- 2619. *Pleurota* (s.str.) *issicella* Staudinger, 1880** (Oecophoridae) **Synonym(s):** *issicella* Staudinger, 1880
- 2620. *Pleurota* (s.str.) *metricella* (Zeller, 1847)** (Oecophoridae) **Synonym(s):** *metricella* Zeller, 1847

- 2621. *Pleurota (s.str.) proteella* Staudinger, 1880** (Oecophoridae) **Synonym(s):** *proteella* Staudinger, 1880; *malatya* H. Back, 1973; *atrostriata* Lvovsky, 1992
- 2622. *Pleurota (s.str.) pyropella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) **Synonym(s):** *pyropella* [Denis & Schiffermüller], 1775; *salviella* Herrich-Schäffer, 1854; *subpyropella* Staudinger, 1880
- 2623. *Pleurota (s.str.) uygar* Kemal & Koçak, 2017** (Oecophoridae) **Synonym(s):** *uygar* Kemal & Koçak, 2017

Psychidae

- 2624. *Apteron helicoidea* (Vallot, 1827)** (Psychidae) **Synonym(s):** *helicoidea* Vallot, 1827; *resedella* Vallot, 1843; *helix* Siebold, [1851].
- 2625. *Oiketicoides caucasica* (A. Bang-Haas, 1912)** (Psychidae) **Synonym(s):** *caucasica* A. Bang-Haas, 1912; *subgrisea* Kozhanchikov, 1956.
- 2626. *Oiketicoides lutea* (Staudinger, 1871)** (Psychidae) **Synonym(s):** *lutea* Staudinger, 1871; *sera* Wiskott, 1880; *heylaertsii* Millièrè, 1878; *armena* Heylaerts, 1885
- 2627. *Typhonia lugubris* (Hübner, 1793)** (Psychidae) **Synonym(s):** *lugubris* Hübner, 1793; *ciliaris* Ochsenheimer, 1810; *lugubris* Hübner, [1808] *nec* Fabricius, 1777; *aequalis* Osthelder, 1938

Pterophoridae

- 2628. *Amblyptilia acanthadactyla* (Hübner, [1813])** (Pterophoridae) **Synonym(s):** *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calaminthae* Frey, 1886; *tetralicella* Hofmann, 1895; *phoenicodactyla* Chrétien, 1915
- 2629. *Capperia salanga* Arenberger, 1995** (Pterophoridae) **Synonym(s):** *salanga* Arenberger, 1995
- 2630. *Capperia washbourni* Adamczewski, 1951** (Pterophoridae) **Synonym(s):** *washbourni* Adamczewski, 1951
- 2631. *Cnaemidophorus rhododactylus* (Fabricius, 1787)** (Pterophoridae) **Synonym(s):** *#rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931; *#rhododactylus* Arenberger, 1998
- 2632. *Crombruggia distans* (Zeller, 1847)** (Pterophoridae) **Synonym(s):** *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactucae* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997.
- 2633. *Gillmeria pallidactyla* (Haworth, [1811])** (Pterophoridae) **Synonym(s):** *pallidactyla* Haworth, [1811]; *marginidactylus* Fitch, 1854; *nebulaedactylus* Fitch, 1854; *bertrami* Rössler, 1864; *bischoffi* Zeller, 1867; *cervinidactylus* Packard, 1873; *adustus* Walsingham, 1880; *chapmani* Tutt, 1896; *sachalinensis* Matsumura, 1931.
- 2634. *Merrifieldia malacodactyla* (Zeller, 1847)** (Pterophoridae) **Synonym(s):** *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 2635. *Merrifieldia tridactyla* (Linnaeus, 1758)** (Pterophoridae) **Synonym(s):** *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *icterodactyla* Mann, 1855; *flavella* Chrétien, 1923; *menthae* Chrétien, 1925; *exilidactyla* Buszko, 1975; *neli* Bigot & Picard, 1989
- 2636. *Platyptilia chondrodactyla* Caradja, 1920** (Pterophoridae) **Synonym(s):** *chondrodactyla* Caradja, 1920
- 2637. *Platyptilia farfarella* Zeller, 1867** (Pterophoridae) **Synonym(s):** *farfarella* Zeller, 1867; *molopias* Meyrick, 1906; *periacta* Meyrick, 1910; *claripicta* Fletcher, 1910; *gonodactyla* Hori, 1934 *nec* [Denis & Schiff.], 1775; *petila* Yano, 1963
- 2638. *Platyptilia gonodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) **Synonym(s):** *gonodactyla* [Denis & Schiffermüller], 1775; *megalodactyla* [Denis & Schiffermüller], 1775; *diptera* Sulzer, 1776; *trigonodactyla* Haworth, 1811; *farfara* Gregson, 1885; *albidior* Caradja, 1920
- 2639. *Procapperia linariae* (Chrétien, 1922)** (Pterophoridae) **Synonym(s):** *linariae* Chrétien, 1922; *croatica* Adamczewski, 1951.
- 2640. *Procapperia maculata* (Constant, 1865)** (Pterophoridae) **Synonym(s):** *maculata* Constant, 1865; *croatica* Adamczewski, 1951.
- 2641. *Pterophorus pentadactylus* (Linnaeus, 1758)** (Pterophoridae) **Synonym(s):** *pentadactylus* Linnaeus, 1758; *tridactyla* Scopoli, 1763; *sulphurea* Staudinger, 1880.
- 2642. *Stangeia siceliota* (Zeller, 1847)** (Pterophoridae) **Synonym(s):** *siceliota* Zeller, 1847; *ononidis* Zeller, 1852; *ononydactyla* Bruand, 1858; *siceliotidactyla* Bruand, 1858.
- 2643. *Stenoptilia arida* (Zeller, 1847)** (Pterophoridae) **Synonym(s):** *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *griscens* Schawerda, 1933; *csanadyi* Gozmany, 1959; *picardi* Gibeaux, 1986; *mariaeluisiae* Bigot & Picard, 2001; *inopinata* Bigot & Picard, 2001; *kopetdagi* Zagulyaev, 2002

- 2644. *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) Synonym(s): mannii Zeller,1852; megalochra Meyrick,1927; lucasi Arenberger,1990
- 2645. *Stenoptilia parnasia* Arenberger,1986** (Pterophoridae) Synonym(s): parnasia Arenberger,1986
- 2646. *Stenoptilia pinkeri* Arenberger,1984** (Pterophoridae) Synonym(s): pinkeri Arenberger,1984
- 2647. *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) Synonym(s): obsoleta Zeller,1841; confusa Herrich-Schäffer,1855; desertorum Zeller,1867; gonoscia Meyrick,1922; marrubii Wasserthal,1970.
- 2648. *Wheeleria phlomidis* (Staudinger,1871)** (Pterophoridae) Synonym(s): phlomidis Staudinger,1871
- 2649. *Wheeleria sobeidae* (Arenberger,1981)** (Pterophoridae) Synonym(s): sobeidae Arenberger,1981

Pyalidae

- 2650. *Acritonia comeella* Amsel,1954** (Pyralidae) Synonym(s): comeella Amsel,1954; #comella Akin,2014
- 2651. *Acrobasis advenella* (Zincken,1818)** (Pyralidae) Synonym(s): advenella Zincken,1818; rhenella Stephens,1834; consociella Duponchel,1836; recurvella Guenée,1845
- 2652. *Acrobasis atrisquamella* Ragonot,1887** (Pyralidae) Synonym(s): atrisquamella Ragonot,1887; nigrisquamella Amsel,1954
- 2653. *Acrobasis centunculella* (Mann,1859)** (Pyralidae) Synonym(s): centunculella Mann,1859
- 2654. *Acrobasis consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): consociella Hübner,[1813]; consocialis Hübner,[1825]; tumidella Duponchel,1836; oberthueri Lucas,1914.
- 2655. *Acrobasis dulcella* (Zeller,1848)** (Pyralidae) Synonym(s): dulcella Zeller,1848
- 2656. *Acrobasis fallouella* (Ragonot,1871)** (Pyralidae) Synonym(s): fallouella Ragonot,1871; anatolica Caradja,1910; persella Zerny,1939
- 2657. *Acrobasis glaucella* Staudinger,1859** (Pyralidae) Synonym(s): glaucella Staudinger,1859
- 2658. *Acrobasis repandana* (Fabricius,1798)** (Pyralidae) Synonym(s): repandana Fabricius,1798; tumidella Zincken,1818; zelleri Ragonot,1888.
- 2659. *Acrobasis tumidana* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): tumidana [Denis & Schiffermüller],1775; tumidalis Hübner,[1825]; rubrotibiella Fischer v. Roeslerstamm,1839.
- 2660. *Aeglotis argentalis* (Christoph,1887)** (Pyralidae) Synonym(s): argentalis Christoph,1887
- 2661. *Aglossa asiatica* Erschoff,1871** (Pyralidae) Synonym(s): asiatica Erschoff,1871; abdidalis Christoph,1873; maceralis Chrétien,1891; indistincta Corbet & Tams,1943
- 2662. *Agriphila geniculea* (Haworth,[1811])** (Pyralidae) Synonym(s): geniculea Haworth,[1811]; imistella Hübner,[1813]; angulatellus Duponchel,1836; suspectellus Zeller,1839.
- 2663. *Agriphila inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): inquinatella [Denis & Schiffermüller],1775; ? arbustella Schrank,1802; nevadensis Caradja,1910.
- 2664. *Agriphila tolli* (Bleszynski,1952)** (Pyralidae) Synonym(s): tolli Bleszynski,1952
- 2665. *Anarpia incertalis* (Duponchel,1832)** (Pyralidae) Synonym(s): incertalis Duponchel,1832; pyrenealis Duponchel,1842; incertella Duponchel,[1845]; pyrenaeella Duponchel,[1845]; pyrenaicalis Guenée,1846; phycophanes Meyrick,1937; rupestris Meyrick,1937
- 2666. *Ancylolomia palpella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): palpella [Denis & Schiffermüller],1775; sovinskyi Krulikovskiy,1909
- 2667. *Ancylolomia pectinatella* (Zeller,1847)** (Pyralidae) Synonym(s): pectinatellus Zeller,1847
- 2668. *Ancylosis cinnamomella* (Duponchel,1836)** (Pyralidae) Synonym(s): dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauryella Rag.,1887; byzacaeniella Rag.,1887; roseopennella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924.
- 2669. *Ancylosis faustinella* (Zeller,1867)** (Pyralidae) Synonym(s): faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabille,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952.
- 2670. *Ancylosis hellenica* (Staudinger,1870)** (Pyralidae) Synonym(s): hellenica Staudinger,1870; deliciosella Caradja,1910
- 2671. *Ancylosis maculifera* Staudinger,1870** (Pyralidae) Synonym(s): maculifera Staudinger,1870; ifraneella Lucas,1954.
- 2672. *Ancylosis oblitella* (Zeller,1848)** (Pyralidae) Synonym(s): oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraeella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955.
- 2673. *Ancylosis roscidella* (Eversmann,1844)** (Pyralidae) Synonym(s): roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zohrella Oberthür,1888; carnea W. Warren,1888; bartellella Caradja,1910; benderella Amsel,1961
- 2674. *Ancylosis sareptalla* (Herrich-Schäffer,1861)** (Pyralidae) Synonym(s): sareptalla Herrich-Schäffer,1861; barbella Lederer,1863; albidella Ragonot,1888
- 2675. *Ancylosis xylinella* (Staudinger,1870)** (Pyralidae) Synonym(s): xylinella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929.

- 2676. *Anthophilopsis baphialis* (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *plumbiferalis* Christoph,1877; *#baphiale* Caradja,1916; *#oleaginalis* Amsel,1970
- 2677. *Aporodes floralis* (Hübner,[1809])** (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *sicualis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 2678. *Arsissa divaricella* (Ragonot,1887)** (Pyralidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961
- 2679. *Arsissa ramosella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939
- 2680. *Asalebria (Exophora) exasperata* (Staudinger,1879)** (Pyralidae) Synonym(s): *exasperata* Staudinger,1879; *#exaspersata* Roesler,1988
- 2681. *Asalebria (Exophora) florella* (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862; *chiclanensis* Staudinger,1870; *syriella* Amsel,1954; *joesti* Amsel,1954; *vartianae* Roesler,1969
- 2682. *Asalebria (s.str.) geminella* (Eversmann,1844)** (Pyralidae) Synonym(s): *geminella* Eversmann,1844
- 2683. *Bradyrrhoa (Kasikoparania) mesobaphella* Ragonot,1888** (Pyralidae) Synonym(s): *mesobaphella* Ragonot,1888
- 2684. *Bradyrrhoa (s.str.) gilveolella* (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
- 2685. *Bradyrrhoa (s.str.) imperialella* (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
- 2686. *Bradyrrhoa (s.str.) kesrani* Kemal & Koçak,2017** (Pyralidae) Synonym(s): *kesrani* Kemal & Koçak,2017
- 2687. *Cadra delattinella* Roesler,1965** (Pyralidae) Synonym(s): *delattinella* Roesler,1965
- 2688. *Cadra furcatella* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
- 2689. *Catoptria colchicella* (Lederer,1870)** (Pyralidae) Synonym(s): *colchicellus* Lederer,1870
- 2690. *Catoptria dimorphella* (Staudinger,1881)** (Pyralidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *aetnella* Zerny,1943; *wolfi* Ganey & Hacker,1984
- 2691. *Catoptria falsella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 2692. *Catoptria hilella* (Caradja,1925)** (Pyralidae) Synonym(s): *hilellus* Caradja,1925
- 2693. *Catoptria pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 2694. *Chilo pulverosellus* Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945.
- 2695. *Chrysocrambus craterellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 2696. *Chrysocrambus linetellus* (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 2697. *Chrysocrambus syriellus* (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934
- 2698. *Cornifrons ulceratalis* Lederer,1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 2699. *Crambus pascuellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896.
- 2700. *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 2701. *Cynaeda (Noctuelia) nepticulalis* (Hofmann,[1898])** (Pyralidae) Synonym(s): *nepticulalis* Hofmann,[1898]
- 2702. *Cynaeda (Noctuelia) superba* (Freyer,[1844])** (Pyralidae) Synonym(s): *superba* Freyer,[1844]; *superbalis* Herrich-Schäffer,1848; *petitjeanii* Oberthür,1876
- 2703. *Cynaeda (s.str.) gigantea* (Staudinger,1879)** (Pyralidae) Synonym(s): *#gigantea* Wocke,1871; *gigantea* Staudinger,1879
- 2704. *Cynaeda (Usgentia) vespertalis* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914; *#sordidalis* Zerny,1914.
- 2705. *Dolicharthria bruguieralis* (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *pseudobotys* Rothschild,1913; *similalis* Rothschild,1915; *bahrlutalis* Amsel,1935; *mauretanica* D.Lucas,1949
- 2706. *Dolicharthria punctalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775; *longipedalis* Curtis,1830
- 2707. *Dolicharthria stigmosalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *stigmosalis* Herrich-Schäffer,[1848]

- 2708. *Ecbatania holopyrrhella* (Ragonot,1888)** (Pyralidae) Synonym(s): holopyrrhella Ragonot,1888
- 2709. *Ecpyrrhorhoe diffusalis* (Guenée,1854)** (Pyralidae) Synonym(s): carnealis Dup.,1831 nec Treit.1829; diffusalis Guenée,1854; affusalis Guenée,1854; tenuialis Mann,1862.
- 2710. *Ematheudes varicellus* Ragonot,1887** (Pyralidae) Synonym(s): varicella Ragonot,1887
- 2711. *Endotricha flammealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): flammealis [Denis & Schiffermüller],1775; adustalis Turati,1905; lutealis Turati,1905; carnealis De Lattin,1951
- 2712. *Epactoctena octogenalis* (Lederer,1863)** (Pyralidae) Synonym(s): octogenalis Lederer,1863
- 2713. *Epascestria pustulalis* (Hübner,[1823])** (Pyralidae) Synonym(s): pustulalis Hübner,[1823]; orientalis Caradja,1916
- 2714. *Ephelis cruentalis* (Geyer,[1832])** (Pyralidae) Synonym(s): cruentalis Geyer,[1832]; bourjotalis Duponchel,1833; badialis Treitschke,1835
- 2715. *Ephestia (Anagasta) welseriella* (Zeller,1848)** (Pyralidae) Synonym(s): welseriella Zeller,1848; modestella Lederer,1863; tephriella Lederer,1870; rhenanella Fuchs,1877; suffusella Ragonot,1901; immodestella Rebel,1916; superbella Lucas,1954; capricola Hampson,1927
- 2716. *Ephestia (s.str.) unicolorella* Staudinger,1881** (Pyralidae) Synonym(s): unicolorella Staudinger,1881; personata Gerasimov,1930; intermediella Amsel,1961.
- 2717. *Epiepischnia pseudolydella* Amsel,1954** (Pyralidae) Synonym(s): pseudolydella Amsel,1954
- 2718. *Epischnia albunculella* (Staudinger,1879)** (Pyralidae) Synonym(s): albunculella Staudinger,1879; rhectogramma Meyrick,1937; albunculella Ragonot & Hampson,1901
- 2719. *Epischnia christophori* Ragonot,1887** (Pyralidae) Synonym(s): christophori Ragonot,1887; #chrystophori Noack,1960.
- 2720. *Epischnia illotella* Zeller,1839** (Pyralidae) Synonym(s): illotella Zeller,1839; asteriscella Millière,1873; alfacarella Amsel,1954; #micronella Roesler,1969
- 2721. *Epischnia prodromella* (Hübner,[1799])** (Pyralidae) Synonym(s): prodromella Hübner,[1799]; #prodromella Rebel,1939
- 2722. *Episcythrastis* sp.** (Pyralidae) Synonym(s):
- 2723. *Etiella zinckenella* (Treitschke,1832)** (Pyralidae) Synonym(s): marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinhey,1975.
- 2724. *Euchromius bellus* (Hübner,1796)** (Pyralidae) Synonym(s): bella Hübner,1796; bellalis Hübner,[1825].
- 2725. *Euchromius keredjellus* (Amsel,1949)** (Pyralidae) Synonym(s): keredjella Amsel,1949
- 2726. *Euchromius ocellus* (Haworth,[1811])** (Pyralidae) Synonym(s): ocella Haworth,[1811]; cyrilli Costa,1832; fomiculella Treitschke,1832; texana Robinson,1870; gigantea Turati,1924; quadrii Ahmad, Zaidi & Kamaluddin,1982
- 2727. *Euchromius pulverosus* (Christoph,1887)** (Pyralidae) Synonym(s): pulverosa Christoph,1887; cochlearella Amsel,1949
- 2728. *Euchromius superbellus* (Zeller,1849)** (Pyralidae) Synonym(s): superbellus Zeller,1849; wockeella Zeller,1863; cypriusella Amsel,1958.
- 2729. *Euchromius vinculellus* (Zeller,1847)** (Pyralidae) Synonym(s): vinculellus Zeller,1847; corsicalis Hampson,1919; joiceyella Schmidt,1934; bahrlutella Amsel,1949.
- 2730. *Eurrhysis cacuminalis* (Eversmann,1843)** (Pyralidae) Synonym(s): cacuminalis Eversmann,1843
- 2731. *Euzophera (s.str.) alpherakyella* Ragonot,1887** (Pyralidae) Synonym(s): alpherakyella Ragonot,1887; #alpherakyi Zerny,1914
- 2732. *Euzophera (s.str.) bigella* (Zeller,1848)** (Pyralidae) Synonym(s): bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaeella Moore,1891; immundella Ragonot,1901; angulella Chrétien,1922; renulella Constantini,1922
- 2733. *Euzophera (s.str.) flagella* (Lederer,1869)** (Pyralidae) Synonym(s): flagella Lederer,1869
- 2734. *Euzophera (s.str.) formosella* (Rebel,1910)** (Pyralidae) Synonym(s): formosella Rebel,1910
- 2735. *Euzophera (s.str.) imperfectella* Ragonot,1895** (Pyralidae) Synonym(s): imperfectella Ragonot,1895; xylomorpha Meyrick,1937.
- 2736. *Euzophera (s.str.) luculentella* Ragonot,1888** (Pyralidae) Synonym(s): luculentella Ragonot,1888
- 2737. *Euzophera (s.str.) umbrosella* (Staudinger,1879)** (Pyralidae) Synonym(s): umbrosella Staudinger,1879; albogilvella Ragonot,1887; depauperatella Ragonot,1901.
- 2738. *Euzopherodes lutisignella* (Mann,1869)** (Pyralidae) Synonym(s): lutisignella Mann,1869; leonhardi Rebel,1910; scipionella Turati,1924; battella Turati,1924.
- 2739. *Evergestis boursini* Amsel,1939** (Pyralidae) Synonym(s): boursini Amsel,1939
- 2740. *Evergestis caesialis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): caesialis Herrich-Schäffer,[1849]; saxicolalis Mann,1862
- 2741. *Evergestis flavifuscalis* Rebel,1903** (Pyralidae) Synonym(s): flavifuscalis Rebel,1903

- 2742. *Evergestis frumentalis* (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761; *espanalis* Schawerda,1926
- 2743. *Evergestis mundalis* (Guenée,1854)** (Pyralidae) Synonym(s): *mundalis* Guenée,1854; *submundalis* Millière,1882; *permundalis* Marion,1960
- 2744. *Evergestis nomadalis* (Lederer,1871)** (Pyralidae) Synonym(s): *nomadalis* Lederer,1871
- 2745. *Evergestis pazukii* Alipanah,2018** (Pyralidae) Synonym(s): *pazukii* Alipanah,2018
- 2746. *Evergestis politalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bifascialis* Guenée,1849; *disperalis* Mann,1859; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955
- 2747. *Evergestis segetalis* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *#segetalis* Herrich-Schäffer,1851; *blandalis* Guenée,1854; *segetalis* Herrich-Schäffer,[1855]; *rubidalbalis* Turati,1907
- 2748. *Evergestis subfuscalis* (Staudinger,1870)** (Pyralidae) Synonym(s): *subfuscalis* Staudinger,1870
- 2749. *Evergestis umbrosalis* (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
- 2750. *Faveria orophila* Kemal & Koçak,2017** (Pyralidae) Synonym(s): *orophila* Kemal & Koçak,2017
- 2751. *Galleria mellonella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheela* Dufrane,1930.
- 2752. *Glauccharis euchromiella* (Ragonot,1895)** (Pyralidae) Synonym(s): *euchromiella* Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941.
- 2753. *Gymnancyla leucochrella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855].
- 2754. *Hellula undalis* (Fabricius,1781)** (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 2755. *Homoeosoma sinuellum* (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 2756. *Hyperlais dulcinalis* (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835
- 2757. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *fuliginella* Duponchel,1836; *luridella* Schläger,1845; *ghilianii* Staudinger,1870; *fasciatella* Staudinger,1881; *hulstiella* Ragonot,1887; *griseoanella* Ragonot,1887; *caucasica* Ragonot,1893; *lugubrella* M.Hering,1924; *robustella* Toll,1938
- 2758. *Hypochalcia dignella* (Hübner,1796)** (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]; *insuadella* Ragonot,1893
- 2759. *Hypotia colchicalis* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *anceschii* Turati,1926
- 2760. *Hypsopygia costalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *fimbrialis* [Denis & Schiffermüller],1775; *purpurana* Thunberg,1784; *hyllalis* Walker,1859; *rubrocilialis* Staudinger,1870; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 2761. *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
- 2762. *Isauria dilucidella* (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisesens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 2763. *Keradere lepidella* (Ragonot,1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
- 2764. *Keradere noctivaga* (Staudinger,1879)** (Pyralidae) Synonym(s): *noctivaga* Staudinger,1879
- 2765. *Khorassania alpicola* Kemal & Koçak,2017** (Pyralidae) Synonym(s): *alpicola* Kemal & Koçak,2017
- 2766. *Lambaesia fumosella* (Ragonot,1887)** (Pyralidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887
- 2767. *Lambaesia straminella* (Zerny,1914)** (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphitopis* Meyrick,1937.
- 2768. *Lamoria sapozhnikovi* (Krulikovsky,1909)** (Pyralidae) Synonym(s): *anella* Zincken nec [Denis & Schiff.]; *bipunctatus* Zeller,1848 nec Curt.; *sapozhnikovi* Krulikovsky,1909; *decolor* Caradja,1910; *zelleri* Joannis,1932
- 2769. *Laristania taftanella* (Amsel,1954)** (Pyralidae) Synonym(s): *taftanella* Amsel,1954
- 2770. *Loxostege ayhanana* Kemal & Koçak,2017** (Pyralidae) Synonym(s): *ayhanana* Kemal & Koçak,2017
- 2771. *Loxostege peltaloides* (Rebel,1932)** (Pyralidae) Synonym(s): *peltaloides* Rebel,1932; *halil* Koçak & Kemal,2007
- 2772. *Loxostege wagneri* Zerny,1929** (Pyralidae) Synonym(s): *wagneri* Zerny,1929
- 2773. *Mecyna lutealis* (Duponchel,1833)** (Pyralidae) Synonym(s): *flavalis* De Villers,1789 nec [Denis & Schiff.],1775; *lutealis* Duponchel,1833; *citralis* Herrich-Schäffer,1849; *albarracinensis* Fuchs,1901; *gomagoialis* Amsel,1932

- 2774. *Mecyna marcidalis* (Fuchs,1879)** (Pyralidae) Synonym(s): marcidalis Fuchs,1879 [März]; pontica Staudinger,1879 [1 Nov.,1879]; designatalis Christoph,1887; lotalbalis Caradja,1916; levilinealis Amsel,1935; syriacalis Marion,1955
- 2775. *Mecyna subsequalis* (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): #subsequalis Herrich-Schäffer,1851; subsequalis Herrich-Schäffer,1855; lutulentalis Lederer,1858; consequens Meyrick,1932
- 2776. *Mecyna trinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): trinalis [Denis & Schiffermüller],1775; andalusica Staudinger,1879; tripunctalis Oberthür,1887; anienalis Hartig,1941; joannisalis Marion,1955; maroccanensis Amsel,1956
- 2777. *Megasis* (s.str.) *kocaki* Akın,2016** (Pyralidae) Synonym(s): kocaki Akın,2016
- 2778. *Megasis* (Tsaraphycis) *mimeticella* (Staudinger,1879)** (Pyralidae) Synonym(s): mimeticella Staudinger,1879; tolli Amsel,1953.
- 2779. *Merulempista cingillella* (Zeller,1846)** (Pyralidae) Synonym(s): cingillella Zeller,1846; myricariella Millièrè,1864; azrounella D.Lucas,1933; hartigi Roesler,1967
- 2780. *Mesocrambus candidellus* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): candidellus Herrich-Schäffer,[1848]; #candiellus Bleszynski,1965.
- 2781. *Metacrambus carectellus* (Zeller,1847)** (Pyralidae) Synonym(s): carectellus Zeller,1847; lugdunellus Millièrè,1868; truncatellus Caradja,1916
- 2782. *Metallosticha argyrogrammos* (Zeller,1847)** (Pyralidae) Synonym(s): argyrogrammos Zeller,1847; ortneri Hartig,1938
- 2783. *Metasia carnealis* (Treitschke,1829)** (Pyralidae) Synonym(s): carnealis Treitschke,1829; olbienalis Guenée,1854
- 2784. *Metasia ophialis* (Treitschke,1829)** (Pyralidae) Synonym(s): ophialis Treitschke,1829; legrandi Leraut,2001
- 2785. *Metasia subtilialis* Caradja,1916** (Pyralidae) Synonym(s): subtilialis Caradja,1916; #subtilialis Toll,1948
- 2786. *Metasia suppandalis* (Hübner,[1823])** (Pyralidae) Synonym(s): suppandalis Hübner,[1823]
- 2787. *Myelois* (Gnathogutta) *circumdatella* Lederer,1858** (Pyralidae) Synonym(s): circumdatella Lederer,1858; ottoella Schawerda,1924; quinquepunctella Turati,1934; cinerethella Amsel,1935
- 2788. *Myelois* (Gnathogutta) *pluripunctella* (Ragonot,1887)** (Pyralidae) Synonym(s): pluripunctella Ragonot,1887
- 2789. *Myelois* (Gnathogutta) *pumicosa* Lederer,1855** (Pyralidae) Synonym(s): pumicosa Lederer,1855
- 2790. *Myelois* (s.str.) *circumvoluta* (Fourcroy,1785)** (Pyralidae) Synonym(s): circumvoluta Fourcroy,1785; circumvolutella De Villiers,1789; cribrella Hübner,1796; carhdui Haworth,1811; medullalis Hübner,[1825]; pallium Vallot,1829; gilvescentella Fuchs,1903; britannicella Amsel,1951; impunctata Hartig,1952; nigrapeza Hartig,1952
- 2791. *Myelois* (s.str.) *multiforella* Ragonot,1893** (Pyralidae) Synonym(s): multiforella Ragonot,1893; luteotinctella Caradja,1910; ronja Roesler,1988
- 2792. *Myrlaea albistrigata* (Staudinger,1881)** (Pyralidae) Synonym(s): albistrigata Staudinger,1881
- 2793. *Myrlaea nigrosquamalis* (Amsel,1950)** (Pyralidae) Synonym(s): nigrosquamalis Amsel,1950
- 2794. *Neocrambus wolfschlaegeri* (Schawerda,1937)** (Pyralidae) Synonym(s): wolfschlaegeri Schawerda,1937
- 2795. *Nephoterix melanotaeniella* Ragonot,1888** (Pyralidae) Synonym(s): melanotaeniella Ragonot,1888; amasiella Caradja,1910
- 2796. *Nephoterix minimella* Amsel,1954** (Pyralidae) Synonym(s): minimella Amsel,1954
- 2797. *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): noctuella [Denis & Schiffermüller],1775; hybridalis Hübner,1796; indistinctalis Walker,1859
- 2798. *Nyctegretis lineana* (Scopoli,1786)** (Pyralidae) Synonym(s): lineana Scopoli,1786; achatinella Hübner,[1824].
- 2799. *Ocrisiodes antiopa* Roesler,1988** (Pyralidae) Synonym(s): antiopa Roesler,1988
- 2800. *Oncocera amoenella* (Zeller,1848)** (Pyralidae) Synonym(s): amoenella Zeller,1848; erberi Mann,1867
- 2801. *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): semirubella Scopoli,1763; rosella Goeze,1783 nec Sc.,1763; purpurella Thunberg,1788; sanguinella Hübner,1796; sanguinea Haworth,1811; nigrella Caradja,1916
- 2802. *Ostrinia nubilalis* (Hübner,1796)** (Pyralidae) Synonym(s): nubilalis Hübner,1796; silacealis Hübner,1796; glabralis Haworth,1803; appositalis Lederer,1858; #paulalis Fuchs,1900; funeralis Zerny,1914; rubescens Krulikovskiy,1928; mauretanica Mutuura & Munroe,1970; persica Mutuura & Munroe,1970
- 2803. *Paracorsia repandalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): repandalis [Denis & Schiffermüller],1775; repandata Fabricius nec Linn.,1758; pallidalis Hübner,1796
- 2804. *Parapopynx stratiotatum* (Linnaeus,1758)** (Pyralidae) Synonym(s): stratiotata Linnaeus,1758; paludata Fabricius,1794; depunctalis Guenée,1854; amanica Osthelder,1935
- 2805. *Paratalanta hyalinalis* (Hübner,1796)** (Pyralidae) Synonym(s): hyalinalis Hübner,1796; decoloralis Turati,1924

- 2806. *Patania ruralis* (Scopoli,1763)** (Pyrilidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia* Hampson,1891; *#flavescens* Rebel,1916
- 2807. *Pediasia matricella* (Treitschke,1832)** (Pyrilidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931; *stenopterella* Amsel,1949
- 2808. *Pempelia albariella* Zeller,1839** (Pyrilidae) Synonym(s): *albariella* Zeller,1839; *dilucida* Staudinger,1879
- 2809. *Pempelia alpigenella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
- 2810. *Pempelia brephiella* (Staudinger,1879)** (Pyrilidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910.
- 2811. *Pempelia johannella* (Caradja,1916)** (Pyrilidae) Synonym(s): *johannella* Caradja,1916
- 2812. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954
- 2813. *Pempeliella sororiella* (Zeller,1839)** (Pyrilidae) Synonym(s): *sororiella* Zeller,1839; *marilella* Guenée,1845; *jucundella* Mann,1864; *satureiella* Millièr,1873; *soroculella* Ragonot,1887; *albicostella* Amsel,1958; *iranella* Roesler,1969; *klimeschi* Roesler,1969; *#minima* Roesler,1969
- 2814. *Phlyctaenomorpha sinuosalis* (Le Cerf,[1910])** (Pyrilidae) Synonym(s): *sinuosalis* Le Cerf,[1910]; *platyphaea* Meyrick,1937.
- 2815. *Phycita bahcesarayica* Kemal & Koçak,2017** (Pyrilidae) Synonym(s): *bahcesarayica* Kemal & Koçak,2017
- 2816. *Phycita kurdistanella* Amsel,1954** (Pyrilidae) Synonym(s): *kurdistanella* Amsel,1954
- 2817. *Phycita mianella* Amsel,1950** (Pyrilidae) Synonym(s): *mianella* Amsel,1950
- 2818. *Phycita poteriella* (Zeller,1846)** (Pyrilidae) Synonym(s): *poteriella* Zeller,1846; *metzneri* Zeller,1846; *kruegeri* Turati,1911
- 2819. *Phycita spissicella* (Fabricius,1777)** (Pyrilidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825].
- 2820. *Phycita strigata* (Staudinger,1879)** (Pyrilidae) Synonym(s): *strigata* Staudinger,1879
- 2821. *Phycitodes albatella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *albatella* Ragonot,1887; *parvum* Gerasimov,1930; *pseudonimbella* Benthick,1937
- 2822. *Phycitodes binaevella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *binaevella* Hübner,[1813]
- 2823. *Phycitodes lacteella* (Rothschild,1915)** (Pyrilidae) Synonym(s): *lacteella* Rothschild,1915; *vietella* Roesler,1965.
- 2824. *Phycitodes nigrilimbella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *nigrilimbella* Ragonot,1887
- 2825. *Phycitodes osteella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *osteella* Ragonot,1887; *nitidella* Ragonot,1888; *praealcella* Amsel,1953
- 2826. *Phycitodes saxicola* (Vaughan,1870)** (Pyrilidae) Synonym(s): *saxicola* Vaughan,1870; *subbinaevella* Ragonot,1888; *griseopunctata* Lucas,1955; *vallettae* Amsel,1951; *comeella* Amsel,1961; *tenerifferlla* Roesler,1965
- 2827. *Pima boisduvaliella* (Guenée,1845)** (Pyrilidae) Synonym(s): *boisduvaliella* Guenée,1845; *farrella* J.Curtis,1850; *lafauryiella* Constant,1865
- 2828. *Platytes cerussella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775; *barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834.
- 2829. *Plodia interpunctella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 2830. *Polyocha transversariella* (Zeller,1848)** (Pyrilidae) Synonym(s): *transversariella* Zeller,1848; *strigosa* Staudinger,1879; *phoeniciella* Ragonot,1895; *discella* Hampson,1901; *granatella* Zerny,1927
- 2831. *Psammotis pulveralis* (Hübner,1796)** (Pyrilidae) Synonym(s): *pulveralis* Hübner,1796
- 2832. *Pseudosyria ambustiella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *ambustiella* Ragonot,1887
- 2833. *Psorosa maraschella* Caradja,1910** (Pyrilidae) Synonym(s): *maraschella* Caradja,1910; *majorella* Roesler,1970
- 2834. *Psorosa* sp.** (Pyrilidae) Synonym(s): -
- 2835. *Pterothrixidia rufella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *rufella* Duponchel,1836; *impurella* Duponchel,1837; *luridatella* Herrich-Schäffer,1847; *infuscatella* Herrich-Schäffer,1849; *corsicella* Ragonot,1893; *#pallida* Leraut,2014; *rungsella* Leraut,2014
- 2836. *Pyralis farinalis* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *tenerifensis* Rebel,1906; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 2837. *Pyralis kacheticalis* (Christoph,1893)** (Pyrilidae) Synonym(s): *kacheticalis* Christoph,1893; *imperialis* Caradja,1916

- 2838. *Pyralis perversalis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): lucidalis Eversmann,1844 (praeocc.); perversalis Herrich-Schäffer,[1849]; narynensis Zerny,1914; rubiginetincta Caradja,1931; #naryssensis Amsel,1961
- 2839. *Pyrasia gutturalis* (Staudinger,1879)** (Pyralidae) Synonym(s): gutturalis Staudinger,1879
- 2840. *Pyrausta aerealis* (Hübner,1793)** (Pyralidae) Synonym(s): aerealis Hübner,1793; obsoletalis Fabricius,1794; obsoletus Fabricius,1798
- 2841. *Pyrausta amatalis* Rebel,1903** (Pyralidae) Synonym(s): amatalis Rebel,1903
- 2842. *Pyrausta armeniaca* Slamka,2013** (Pyralidae) Synonym(s): armeniaca Slamka,2013
- 2843. *Pyrausta aurata* (Scopoli,1763)** (Pyralidae) Synonym(s): aurata Scopoli,1763; punicealis [Denis & Schiffermüller],1775; niepoldalis Lederer,1863; meridionalis Staudinger,1880 nec Wcke,1871; deficiens Dufrane,1957; inciae Koçak,1982
- 2844. *Pyrausta castalis* Treitschke,1829** (Pyralidae) Synonym(s): castalis Treitschke,1829
- 2845. *Pyrausta despicata* (Scopoli,1763)** (Pyralidae) Synonym(s): despicata Scopoli,1763; koenigiana O.F.Müller,1764; vestianella Clerk,1764; cespitalis [Denis & Schiffermüller],1775; sordialis Thunberg,1784; intermedialis Duponchel,1833; tendinosalis Bremer,1874; yangtsealis Caradja,1938; ifranalis Leraut,2001
- 2846. *Pyrausta falcatalis* (Guenée,1854)** (Pyralidae) Synonym(s): phoenicealis Fischer von Rösslerstamm,1834 nec Hbn.,1818; falcatalis Guenée,1854; tauricalis Caradja,1916
- 2847. *Pyrausta ferrealis* (Hampson,1900)** (Pyralidae) Synonym(s): ferrealis Hampson,1900
- 2848. *Pyrausta gulpembe* Kemal & Koçak,2018** (Pyralidae) Synonym(s): delicatalis Caradja,1916 nec South,1901; gulpembe Kemal & Koçak,2018
- 2849. *Pyrausta limbopunctalis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): limbopunctalis Herrich-Schäffer,[1849]
- 2850. *Pyrausta obfuscata* (Scopoli,1763)** (Pyralidae) Synonym(s): obfuscata Scopoli,1763; fusciorubella Goeze,1783; bimaculosa Fourcroy,1785; rubralis De Villers,1789; pygmealus Duponchel,1833; fucatalis Treitschke,1835; atosanguinalis Eversmann,1842
- 2851. *Pyrausta pavidalis* Zerny,1935** (Pyralidae) Synonym(s): pavidalis Zerny,1935; krimensis Budashkin & Martin,1993
- 2852. *Pyrausta pellicalis* (Staudinger,1871)** (Pyralidae) Synonym(s): pellicalis Staudinger,1871
- 2853. *Pyrausta purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): purpuralis Linnaeus,1758; inflammata Scopoli,1763; purpuraria Latreille,[1803]; confundalis Zetterstedt,1839; chermesinalis Guenée,1854; melanalus Caradja,1916
- 2854. *Pyrausta sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): sanguinalis Linnaeus,1767; crentalis Scriba,1770; haematalis Hübner,[1819]
- 2855. *Pyrausta sp.n.*** (Pyralidae) Synonym(s):
- 2856. *Pyrausta virginalis* Duponchel,1832** (Pyralidae) Synonym(s): virginalis Duponchel,1832; auroralis Zeller,1847; tristriatalis Szent-Ivany & Uhrík-Meszaros,1942; arianalis Amsel,1970
- 2857. *Pyraustimorpha inexpectata* Koçak & Seven,1995** (Pyralidae) Synonym(s): inexpectata Koçak & Seven,1995
- 2858. *Sciota insignella* (Mann,1862)** (Pyralidae) Synonym(s): insignella Mann,1862
- 2859. *Sciota rhenella* (Zincken,1818)** (Pyralidae) Synonym(s): rhenella Zincken,1818
- 2860. *Scoparia ingratella* (Zeller,1846)** (Pyralidae) Synonym(s): ?majalis Scopoli,1763; ingratella Zeller,1846; ingratalis Herrich-Schäffer,1853; sibirica Lederer,1853; octavianella Mann,1859; catalonica Leraut,1982
- 2861. *Scoparia subfusca* Haworth,[1811]** (Pyralidae) Synonym(s): subfusca Haworth,[1811]; graecella Stainton,1849; subfuscalis Guenée,1854; scotica White,1872; cembrae auct. nec Haworth,1811; cembralis auct. nec Gn.,1854; zelleri Wocke,1855; pfeifferi Marion,1960; #sugfusca Leraut,1984
- 2862. *Seeboldia korgosella* Ragonot,1887** (Pyralidae) Synonym(s): korgosella Ragonot,1887; uralskella Caradja,1910; occidentella Zerny,1927; jolanella Schmidt,1933
- 2863. *Sefidia clasperella* Asselbergs,1994** (Pyralidae) Synonym(s): clasperella Asselbergs,1994
- 2864. *Selagia argyrella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): argyrella ([Denis & Schiffermüller],1775)
- 2865. *Selagia spadicella* (Hübner,1796)** (Pyralidae) Synonym(s): spadicella Hübner,1796; janthinella Hübner,[1813]; saltuella Mann,1862
- 2866. *Sitochroa palealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): ? flaveolata Hufnagel,1767; palealis [Denis & Schiffermüller],1775; stigmatalis De Villers,1789; selenalis Hübner,[1819]; anaxisalis Walker,1859; algiralis Allard,1867; extremalis Caradja,1916
- 2867. *Sitochroa straminealis* (Hampson,1900)** (Pyralidae) Synonym(s): straminealis Hampson,1900
- 2868. *Sitochroa verticalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): verticalis Linnaeus,1758; inversa Fourcroy,1785; cinctalis Treitschke,1829; nigricillialis Ragonot,1895 [ssp.]
- 2869. *Stemmatophora brunnealis* (Treitschke,1829)** (Pyralidae) Synonym(s): brunnealis Treitschke,1829; phaealis Hampson,1900; ocellata Rothschild,1915; lividalis Constantini,1922; #nigrobrunnealis Schawerda,1941
- 2870. *Synaphe bombycalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): bombycalis [Denis & Schiffermüller],1775; almanica Rebel,1917.

- 2871. *Synaphe consecratalis* (Lederer,1855)** (Pyralidae) **Synonym(s):** consecratalis Lederer,1855
- 2872. *Synaphe moldavica* (Esper,[1789])** (Pyralidae) **Synonym(s):** moldavica Esper,[1789]; netricalis Hübner,[1813]; graecalis Duponchel,1833; palermitalis Guenée,1854; aberralis Guenée,1854; italicalis Hartig,1941; bertonicinii Hartig,1941; schmidti Hartig,1941.
- 2873. *Synaphe punctalis* (Fabricius,1775)** (Pyralidae) **Synonym(s):** punctalis Fabricius,1775; angustalis [Denis & Schiffermüller],1775.
- 2874. *Synoria antiquella* (Herrich-Schäffer,[1855])** (Pyralidae) **Synonym(s):** antiquella Herrich-Schäffer,[1855]
- 2875. *Syrianarpia mendicalis* (Staudinger,1879)** (Pyralidae) **Synonym(s):** mendicalis Staudinger,1879; #mencidalis Amsel,1949; osthelderi Leraut,1982; fuscella Leraut,1982
- 2876. *Tegostoma perlepidalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** #lepidalis Herrich-Schäffer,[1851]; perlepidalis Guenée,1854; lepidalis Herrich-Schäffer,[1855]; #lepidale Caradja,1917
- 2877. *Teliphasa* (Sultania) *lophotalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** lophotalis Hampson,1900
- 2878. *Tephros romanoffella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** romanoffella Ragonot,1887
- 2879. *Titanio normalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** normalis Hübner,1796; comitalis Hübner,[1819]; normata Duponchel,1844; ancyrensis Hofmann,[1898]
- 2880. *Titanio venustalis* (Lederer,1855)** (Pyralidae) **Synonym(s):** venustalis Lederer,1855; echinaea Meyrick,1891
- 2881. *Tretopteryx pertusalis* (Geyer,[1832])** (Pyralidae) **Synonym(s):** pertusalis Geyer,[1832]; weissenbornii Freyer
- 2882. *Udea confinalis* (Lederer,1858)** (Pyralidae) **Synonym(s):** confinalis Lederer,1858; graecalis Staudinger,1870
- 2883. *Udea dispunctalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** #bipunctalis Herrich-Schäffer,[1851]; dispunctalis Guenée,1854; bipunctalis Herrich-Schäffer,[1855]; silvalis de Joannis,1891
- 2884. *Udea ferrugalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** ferruginalis Rossi,1794 nec Fabr.,1781; ferrugalis Hübner,1796; #ferugalis Hübner,1796; martialis Guenée,1854; hypatialis Walker,1859; testacea Butler,1879
- 2885. *Udea institalis* (Hübner,[1819])** (Pyralidae) **Synonym(s):** ? focorum Fourcroy,1785; institalis Hübner,[1819]; rutana Vallot,1829; ferreralis Duponchel,1833
- 2886. *Udea languidalis* (Eversmann,1842)** (Pyralidae) **Synonym(s):** languidalis Eversmann,1842; arabescalis Herrich-Schäffer,1860; veneralis Staudinger,1871
- 2887. *Udea lutealis* (Hübner,[1809])** (Pyralidae) **Synonym(s):** lutealis Hübner,[1809]; pascualis Lienig & Zeller,1846; aetialis Stephens,1850; aetialis Guenée,1854
- 2888. *Udea praepetalis* (Lederer,1869)** (Pyralidae) **Synonym(s):** praepetalis Lederer,1869; haemopsamma Meyrick,1937
- 2889. *Udea prunalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** #prunalis [Denis & Schiffermüller],1775; nivealis Fabricius,1781; ferruginalis Fabricius,1781; leucophaealis Hübner,1796; obscura Dufrane,1955
- 2890. *Uresiphita gilvata* (Fabricius,1794)** (Pyralidae) **Synonym(s):** polygonalis sensu [Denis & Schiff.],1775 nec Linn.,1767; #limbalis [Denis & Schiffermüller],1775; gilvata Fabricius,1794; orientalis Fabricius,1794; diversalis Hübner,1796; rusticalis Hübner,1796; aversalis Guenée,1854; consanguinalis Guenée,1854; teriadalis Guenée,1854; deprivalis Walker,1859; meridionalis Wocke,1871; virescens Butler,1881; gracilis Caradja,1916; ochrocrossa Clarke,1971
- 2891. *Xanthocrambus argentarius* (Staudinger,1867)** (Pyralidae) **Synonym(s):** argentarius Staudinger,1867
- 2892. *Xanthocrambus saxonellus* (Zincken,1821)** (Pyralidae) **Synonym(s):** saxonellus Zincken,1821; chrysellus Treitschke,1832; carentellus Christoph,1888
- 2893. *Zophodiodes leucocostella* Ragonot,1887** (Pyralidae) **Synonym(s):** leucocostella Ragonot,1887

Saturniidae

- 2894. *Saturnia* (Heraea) *cephalariae* Romanoff,1885** (Saturniidae) **Synonym(s):** cephalariae Romanoff,1885
- 2895. *Saturnia* (Perisomena) *caecigena* Kupido,1825** (Saturniidae) **Synonym(s):** caecigena Kupido,1825; unicolor Schultz,1910; wiskotti Niepelt,1914; derosata Schawerda,1914
- 2896. *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) **Synonym(s):** pyri [Denis & Schiffermüller],1775; teherana Lenek,1970; pinkerae Kobes,1980.

Scythridae

- 2897. *Scythris (elegantella-gr.) limbella* (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880.
- 2898. *Scythris (pascuella-gr.) tabescentella* (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903
- 2899. *Scythris (scopolella-gr.) apicalis* (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901; ? *mediella* Caradja,1920
- 2900. *Scythris (scopolella-gr.) flabella* (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 2901. *Scythris tuzensis* Bengtsson,2005** (Scythridae) Synonym(s): *tuzensis* Bengtsson,2005

Sesiidae

- 2902. *Bembecia (Pseudosphecia) stiziformis* (Herrich-Schäffer,[1852])** (Sesiidae) Synonym(s): ?*stiziformis* Herrich-Schäffer,1851; *stiziformis* Herrich-Schäffer,[1852]; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 2903. *Bembecia hofmanni* Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003
- 2904. *Bembecia puella* Z.Lastuvka,1989** (Sesiidae) Synonym(s): *puella* Z.Lastuvka,1989; *daghestanica* Gorbunov,1991; *aladagica* Gorbunov & K. Spatenka,2001
- 2905. *Bembecia sanguinolenta* (Lederer,1853)** (Sesiidae) Synonym(s): *tengyraeformis* Herrich-Schäffer,1851 nec Bsd.,1840; *sanguinolenta* Lederer,1853; ? *miranda* Le Cerf,1914
- 2906. *Bembecia scopigera* (Scopoli,1763)** (Sesiidae) Synonym(s): *scopigera* Scopoli,1763; *communis* Le Cerf,1920
- 2907. *Bembecia syzjovi* Gorbunov,1990** (Sesiidae) Synonym(s): *syzjovi* Gorbunov,1990
- 2908. *Chamaesphacia aurifera* (Romanoff,1885)** (Sesiidae) Synonym(s): *aurifera* Romanoff,1885
- 2909. *Chamaesphacia bibioniformis* (Esper,[1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
- 2910. *Chamaesphacia doryceraeformis* (Lederer,1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
- 2911. *Chamaesphacia elampiformis* (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
- 2912. *Chamaesphacia gorbunovi* K.Spatenka,1992** (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka,1992
- 2913. *Chamaesphacia masariformis* (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 2914. *Chamaesphacia proximata* (Staudinger,1891)** (Sesiidae) Synonym(s): *proximata* Staudinger,1891; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
- 2915. *Chamaesphacia sefid* Le Cerf,1938** (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
- 2916. *Chamaesphacia turbida* Le Cerf,1937** (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
- 2917. *Euhagena palariiformis* (Lederer,1858)** (Sesiidae) Synonym(s): *palariformis* Lederer,1858; *diocetriiformis* Romanoff,1884; *rubrescens* Staudinger,1887; *almana* Rebel,1917
- 2918. *Eusphacia pimplaeformis* (Oberthür,1872)** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872; *maculiferum* Staudinger,[1896]
- 2919. *Microsphacia brosiiformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *brosiiformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; ? *obscura* Le Cerf,1914
- 2920. *Microsphacia tineiformis* (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
- 2921. *Negotinthia hoplisiformis* (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864
- 2922. *Paranthrene diaphana* Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 2923. *Pyropteron triannuliformis* (Freyer,1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 nec Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 2924. *Synanthedon vespiformis* (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795

Sphingidae

- 2925. *Agrius convolvuli* (Linnaeus,1758)** (Sphingidae) Synonym(s): convolvuli Linnaeus,1758; abadonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927
- 2926. *Akbesia davidi* (Oberthür,1884)** (Sphingidae) Synonym(s): davidi Oberthür,1884
- 2927. *Clarina kotschy* (Kollar,[1849])** (Sphingidae) Synonym(s): kotschy Kollar,[1849]; mardina Staudinger,1901.
- 2928. *Daphnis nerii* (Linnaeus,1758)** (Sphingidae) Synonym(s): nerii Linnaeus,1758; infernelutea Saalmüller,1884; #confluens Closs,1912; #nigra Schmidt,1914; bipartita Gehlen,1934.
- 2929. *Deilephila suellus* Staudinger,1878** (Sphingidae) Synonym(s): suellus Staudinger,1878; kuruschi O.Bang-Haas,1938.
- 2930. *Dolbina elegans* A.Bang-Haas,[1913]** (Sphingidae) Synonym(s): elegans A.Bang-Haas,[1913]; steffensi Popescu-Gorj,1971.
- 2931. *Hemaris (Cochrania) croatica* (Esper,[1779])** (Sphingidae) Synonym(s): croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #rangnowi Closs,1911.
- 2932. *Hemaris (Eitschbergera) tityus* (Linnaeus,1758)** (Sphingidae) Synonym(s): tityus Linnaeus,1758; bombylifomis Linnaeus,1758; knautiae Zeller,1869; scabiosae Zeller,1869; alaiana Rothschild & Jordan,1903; karaugomica Wojtusiak & Niesiolowski,1946; #tityrus De Freina,1983; saldaitisi Eitschberger, Danner & Surholt,1998
- 2933. *Hemaris (s.str.) syra* (Daniel,1939)** (Sphingidae) Synonym(s): syra Daniel,1939; #syriaca Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 2934. *Hyles euphorbiae* (Linnaeus,1758)** (Sphingidae) Synonym(s): euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980.
- 2935. *Hyles hippophaes* (Esper,[1789])** (Sphingidae) Synonym(s): hippophaes Esper,[1789]; teriolensis Dannehl,1929; kiortsii Koutsafikis,1974; #hippophaes De Freina,1981
- 2936. *Hyles nicaea* (Prunner,1798)** (Sphingidae) Synonym(s): nicaea Prunner,1798; cyparissiae Hübner,[1813]; #nicea De Freina,1981
- 2937. *Laothoe populeti* (Bienert,[1870])** (Sphingidae) Synonym(s): populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934.
- 2938. *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; nigra Cosmovici,1892.
- 2939. *Marumba quercus* ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): quercus [Denis & Schiffermüller],1775; denisii Fuessly,1779; #brunnescens Rebel,1910; #canescens, pallescens Closs,1922; mesopotamica O.Bang-Haas,1938; schirasi O.Bang-Haas,1938; #pallida Vilarrubia,1973.
- 2940. *Proserpinus proserpinus* (Pallas,1772)** (Sphingidae) Synonym(s): proserpinus Pallas,1772; oenotherae [Denis & Schiffermüller],1775; schiffermilleri Fuessly,1779; francofurtana Fabricius,1781; aenotheroides Butler,[1876], maxima Groum-Grshimailo,1887; japetus Groum-Grshimailo,1890; gigas Oberthür,1922.
- 2941. *Rethera komarovi* (Christoph,1885)** (Sphingidae) Synonym(s): komarovi Christoph,1885; #kamarowi Wagner,1931; rjabovi O.Bang-Haas,1934; #albocingulata O.Bang-Haas,1934; #roseocingulata O.Bang-Haas,1937
- 2942. *Smerinthus kindermanni* Lederer,1852** (Sphingidae) Synonym(s): kindermanni Lederer,1852; #obscura Closs,1917
- 2943. *Sphingonaepiopsis gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): gorgon Esper,[1804] nec Cr.,1777; gorgoniades Hübner,[1819]; chloroptera von Mentzer,1974.

Thyatiridae

- 2944. *Polyplocia korbi* Rebel,1901** (Thyatiridae) Synonym(s): korbi Rebel,1901
- 2945. *Tethea ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): ocularis Linnaeus,1767; octogena Esper,1788; kosswigi Werny,[1967]; caucasica Werny,[1967] nec Krul.,1901

Tineidae

- 2946. *Ateliotum hungaricellum* Zeller,1839** (Tineidae) Synonym(s): hungaricellum Zeller,1839; cypellias Meyrick,1937
- 2947. *Ceratuncus affinitellus* (Rebel,1901)** (Tineidae) Synonym(s): affinitellus Rebel,1901; #extinctella Caradja,1920; maraschensis Rebel,1936; irakella Amsel,1949; libanotica Amsel,1951.

- 2948. *Hapsifera luridella* Zeller, 1847** (Tineidae) **Synonym(s):** *luridella* Zeller, 1847; *eburnea* Butler, 1881; *palaestinensis* Rebel, 1901; *baliopsamma* Meyrick, 1921; *torulosa* Turati, 1919; *cyrenaicensis* Turati, 1924; *pustulatella* Lucas, 1942 nec Zell., 1852; *kerbelella* Amsel, 1949; *asiatica* Amsel, 1949; *susaella* Amsel, 1959
- 2949. *Wegneria panchalcella* (Staudinger, 1871)** (Tineidae) **Synonym(s):** *panchalcella* Staudinger, 1871

Tortricidae

- 2950. *Acleris rhombana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *rhombana* [Denis & Schiffermüller], 1775; *reticulata* Ström, 1783; *centrana* Fabricius, 1794; *contaminana* Hübner, [1799]; *ciliana* Hübner, [1799]; *obscurana* Donovan, 1806 nec Schr., 1802; *dimidiana* Frölich, 1828.
- 2951. *Acleris variegana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *variegana* [Denis & Schiffermüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851.
- 2952. *Aethes beatricella* (Walsingham, 1898)** (Tortricidae) **Synonym(s):** *beatricella* Walsingham, 1898; *ferruginea* Walsingham, 1900
- 2953. *Aethes confinis* Razowski, 1974** (Tortricidae) **Synonym(s):** *confinis* Razowski, 1974
- 2954. *Aethes flagellana* (Duponchel, 1836)** (Tortricidae) **Synonym(s):** *?eryngiella* Vallot, 1829; *flagellana* Duponchel, 1836; *helveticana* Heyden, 1865; *eryngiana* Heyden, 1865; *sardoa* Amsel, 1952.
- 2955. *Aethes hartmanniana* (Clerck, 1759)** (Tortricidae) **Synonym(s):** *?lyonetella* Linnaeus, 1758; *#hartmanniana* Clerck, 1759; *wiedemannella* Müller, 1764; *baumanniana* [Denis & Schiffermüller], 1775; *allioniana* De Villers, 1789; *avellana* Hübner, 1822; *subbaumanniana* Wilkinson, 1859; *murciana* Caradja, 1916; *excelsior* Schawerda, 1920.
- 2956. *Aethes iranica* Razowski, 1963** (Tortricidae) **Synonym(s):** *iranica* Razowski, 1963
- 2957. *Aethes kasyi* Razowski, 1962** (Tortricidae) **Synonym(s):** *kasyi* Razowski, 1962; *speciosa* Razowski, 1962
- 2958. *Aethes margarotana* (Duponchel, 1836)** (Tortricidae) **Synonym(s):** *margarotana* Duponchel, 1836; *maritimana* Guenée, 1845; *parallelana* Kennel, 1913; *edrisitana* Chrétien, 1922; *paronyma* Meyrick, 1932.
- 2959. *Aethes smeathmanniana* (Fabricius, 1781)** (Tortricidae) **Synonym(s):** *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863.
- 2960. *Aethes spirana* (Kennel, 1899)** (Tortricidae) **Synonym(s):** *spirana* Kennel, 1899
- 2961. *Aethes tesserana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791.
- 2962. *Aethes tornella* (Walsingham, 1898)** (Tortricidae) **Synonym(s):** *tornella* Walsingham, 1898
- 2963. *Agapeta hamana* (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793
- 2964. *Aleimma loeflingianum* (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811
- 2965. *Ancylis achatana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *steveni* Portchinskij, 1888
- 2966. *Ancylis mitterbacheriana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *mitterbacheriana* [Denis & Schiffermüller], 1775; *subuncana* Haworth, 1811
- 2967. *Aphelia (Zelotherses) christophi* Obratzsov, 1955** (Tortricidae) **Synonym(s):** *verbascana* Christoph, 1877 (homonym); *christophi* Obratzsov, 1955
- 2968. *Aphelia (Zelotherses) ferugana* (Hübner, 1793)** (Tortricidae) **Synonym(s):** *ferugana* Hübner, 1793; *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obratzsov, 1957; *#shaqlawana* Razowski, 1981
- 2969. *Archips xylosteanus* (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** *xylosteanus* Linnaeus, 1758; *obliquana* Fabricius, 1781; *westriniana* Thunberg, 1784; *densata* Fourcroy, 1785; *densana* De Villers, 1789; *characterana* Hübner, 1793; *hybnerana* Fabricius, 1794; *pallens* Kennel, 1901
- 2970. *Cnephasia (Cnephasiella) incertana* (Treitschke, 1835)** (Tortricidae) **Synonym(s):** *incertana* Treitschke, 1835; *subjectana* Guenée, 1845; *minorana* Herrich-Schäffer, 1851; *barbarana* Walsingham, 1900; *kurdistanana* Amsel, 1955; *atticana* Razowski, 1958
- 2971. *Cnephasia (s.str.) chrysanthæana* (Duponchel, 1843)** (Tortricidae) **Synonym(s):** *chrysanthæana* Duponchel, 1843; *cinareana* Chrétien, 1892; *#cinereana* Meyrick, 1912; *pulmonariana* Réal, 1953
- 2972. *Cnephasia (s.str.) grandis* (Osthelder, 1938)** (Tortricidae) **Synonym(s):** *grandis* Osthelder, 1938
- 2973. *Cnephasia (s.str.) orientana* (Alpheraky, 1877)** (Tortricidae) **Synonym(s):** *orientana* Alpheraky, 1877
- 2974. *Cnephasia (s.str.) tianshanica* Filipjev, 1934** (Tortricidae) **Synonym(s):** *tianshanica* Filipjev, 1934; *osthelderi* Obratzsov, 1950; *sareptana* Razowski, 1959; *alatauana* Razowski, 1961
- 2975. *Cochylimorpha diana* (Kennel, 1899)** (Tortricidae) **Synonym(s):** *diana* Kennel, 1899; *iraniana* Razowski, 1963
- 2976. *Cochylimorpha eburneana* (Kennel, 1899)** (Tortricidae) **Synonym(s):** *eburneana* Kennel, 1899

- 2977. *Cochylimorpha fucosa* (Razowski,1970)** (Tortricidae) **Synonym(s):** fucosa Razowski,1970
- 2978. *Cochylimorpha kurdistan* (Amsel,1959)** (Tortricidae) **Synonym(s):** kurdistan Amsel,1959
- 2979. *Cochylimorpha langeana* (Kalchberg,1897)** (Tortricidae) **Synonym(s):** langeana Kalchberg,1897; anticyphas Meyrick,1936; hannemannii Razowski,1961
- 2980. *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) **Synonym(s):** straminea Haworth,[1811]; tischerana Treitschke,1830; sudana Duponchel,1836; substraminea Ragonot,1895; scabiosana Kennel,1900; lentiginosana Kennel,1900; ramessana Rebel,1912; numidana Turati,1924; glaisana Lucas,1942; pallens Lucas,1954.
- 2981. *Cochylimorpha thomasi* Karisch,2003** (Tortricidae) **Synonym(s):** thomasi Karisch,2003
- 2982. *Cochylis posterana* Zeller,1847** (Tortricidae) **Synonym(s):** posterana Zeller,1847; collaterana Seebold,1879; nigrociliana Kennel,1899; cuerana Chrétien,1925
- 2983. *Cochylis roseana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** roseana Haworth,[1811]; rubellana Hübner,[1823]; dipsaceana Duponchel,1843; undulatana Kennel,1899.
- 2984. *Cochylis salebrana* Mann,1862** (Tortricidae) **Synonym(s):** salebrana Mann,1862; millierana Peyerimhoff,1877.
- 2985. *Crociosema plebejana* Zeller,1847** (Tortricidae) **Synonym(s):** plebejana Zeller,1847; altheana Mann,1855; lavaterana Millièr,1863; peregrinana Möschler,1866; obscura Wollaston,1879; blackburnii Butler,1881; signatana Walsingham,1894; ptiladelpha Meyrick,1917; insulana Aurivillius,1922; synneurola Meyrick,1926; tornocycla Turner,1946; charmera Turner,1946.
- 2986. *Croesia forsskalleana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** forsskalleana Linnaeus,1758; forskaliana Haworth,1811.
- 2987. *Cydia caecana* (Schläger,1847)** (Tortricidae) **Synonym(s):** caecana Schläger,1847; obcaecana Ragonot,1876
- 2988. *Cydia orobana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** orobana Treitschke,1830; arcigera Tengström,1847; strandiana Fuchs,1901; persicana Osthelder,1938
- 2989. *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** pomonella Linnaeus,1758; pomona Fabricius,1775; pomonana [Denis & Schiffermüller],1775; nitens Fourcroy,1785; aeneana De Villers,1789; putaminana Staudinger,1859; simpsonii Busck,1903; glaphyrana Rebel,1941
- 2990. *Cydia trogodana* Pröse,1988** (Tortricidae) **Synonym(s):** trogodana Pröse,1988
- 2991. *Diceratura keredjana* Razowski,1963** (Tortricidae) **Synonym(s):** keredjana Razowski,1963
- 2992. *Diceratura ostrinana* (Guenée,1845)** (Tortricidae) **Synonym(s):** ostrinana Guenée,1845; purpuratana Herrich-Schäffer,[1851].
- 2993. *Diceratura teheranica* Razowski,1970** (Tortricidae) **Synonym(s):** teheranica Razowski,1970
- 2994. *Dichrorampha ligulana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** #ligulana Herrich-Schäffer,1848; ligulana Herrich-Schäffer,1851; plusiana Staudinger,1871; oblitterana Müller-Rutz,1934
- 2995. *Dichrorampha vancouverana* McDunnough,1935** (Tortricidae) **Synonym(s):** strigana Haworth,[1811] nec [Denis & Schiff.],1775; politana Guenée,1845 (preocc.); vancouverana McDunnough,1935; gueneana Obratzov,1953
- 2996. *Eana* (Eutrachia) *goiiana* (Linnaeus,1761)** (Tortricidae) **Synonym(s):** #argentana Clerck,1759; goiiana Linnaeus,1761; govana Fabricius,1775; argyria Retzius,1783; gerningiana De Villers,1789; margaritalis Hübner,1790; magnana Hübner,[1813]; georgiella Hulst,1887
- 2997. *Eana* (s.str.) *penziana* (Thunberg,1791)** (Tortricidae) **Synonym(s):** penziana Thunberg,1791; bellana Curtis,1826; diurneana Guenée,1845; alpestris Réal,1953; viridescens Razowski,1959 [ssp.]
- 2998. *Epiblema cirsianum* (Zeller,1843)** (Tortricidae) **Synonym(s):** cirsianum Zeller,1843
- 2999. *Epiblema foenellum* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** foenella Linnaeus,1758; hohenwartiana Scopoli,1772; scopoliana [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863
- 3000. *Epinotia festivana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** festivana Hübner,[1799]
- 3001. *Epinotia thapsiana* (Zeller,1847)** (Tortricidae) **Synonym(s):** thapsiana Zeller,1847
- 3002. *Eucosma albuncana* (Zeller,1847)** (Tortricidae) **Synonym(s):** albuncana Zeller,1847; #albuncana Lederer,1859
- 3003. *Eucosma cana* (Haworth,1811)** (Tortricidae) **Synonym(s):** marmorana Fabricius,1798; cana Haworth,1811; monetulana Hübner,[1817]; carduana Guenée,1845; subvittana Staudinger,1892.
- 3004. *Eucosma pupillana* (Clerck,1759)** (Tortricidae) **Synonym(s):** pupillana Clerck,1759; ansinthiana Hübner,1799; absynthiana Hübner,1822; saerdabana Obratzov,1968
- 3005. *Eudemis* (s.str.) *porphyra* (Hübner,[1799])** (Tortricidae) **Synonym(s):** porphyra Hübner,[1799]; pomedaxana Pierce & Metcalfe,1915
- 3006. *Eudemis* (s.str.) *profundana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** profundana [Denis & Schiffermüller],1775; triangulella Goeze,1783; nebulana Donovan,1806; aethiopiana Haworth,1811; wellesiana Hübner,[1813]; alphoniana Duponchel,1834; #obscurata Gibeaux & Luquet,1998; #satans Gibeaux & Luquet,1998
- 3007. *Eugnota magnificana* (Rebel,1914)** (Tortricidae) **Synonym(s):** margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914.

- 3008. Falseuncaria degreyana (McLachlan, 1869)** (Tortricidae) **Synonym(s):** degreyana McLachlan, 1869; alaiana Caradja, 1916; roseotincta Filipjev, 1924
- 3009. Falseuncaria ruficiliana (Haworth, [1811])** (Tortricidae) **Synonym(s):** ciliella Hübner, [1796] nec [Denis & Schiff.], 1775; ruficiliana Haworth, [1811]; coniana Fuchs, 1903; tectana Fuchs, 1903.
- 3010. Fulvoclysia sp.** (Tortricidae) **Synonym(s):**
- 3011. Fulvoclysia subdolana (Kennel, 1901)** (Tortricidae) **Synonym(s):** subdolana Kennel, 1901; subflavana Amsel, 1959
- 3012. Hedy dimidioalba (Retzius, 1783)** (Tortricidae) **Synonym(s):** dimidioalba Retzius, 1783; variegana Hübner, [1799] nec [Denis & Schiff.], 1775; nubiferana Haworth, [1811]
- 3013. Kenneliola fagiglandana (Zeller, 1841)** (Tortricidae) **Synonym(s):** grossana Haworth, [1811] nec Thunb., 1791; fagiglandana Zeller, 1841; corsica Gibeaux, 1999
- 3014. Lobesia (s.str.) bicinctana (Duponchel, 1844)** (Tortricidae) **Synonym(s):** bicinctana Duponchel, 1844; lugdunana Guenée, 1845; spiraeae McDunnough, 1938
- 3015. Metendothenia atropunctana (Zetterstedt, 1839)** (Tortricidae) **Synonym(s):** atropunctana Zetterstedt, 1839; ochromelana Guenée, 1845
- 3016. Notocelia cynosbatella (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** cynosbatella Linnaeus, 1758; cynosbana Fabricius, 1775; tripunctana [Denis & Schiffermüller], 1775; tripunctata Palm, 1947; #cynobatella Razowski, 1966; damascena Tuleskov & Nikolova, 1967
- 3017. Notocelia incarnatana (Hübner, [1800])** (Tortricidae) **Synonym(s):** incarnatana Hübner, [1800]; incarnana Haworth, 1811; amoenana Hübner, [1817]; longispina Nasu, 1980
- 3018. Notocelia uddmanniana (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** uddmanniana Linnaeus, 1758; rubiana Scopoli, 1763; achatana Hübner, [1799]
- 3019. Pammene amygdalana (Duponchel, 1843)** (Tortricidae) **Synonym(s):** amygdalana Duponchel, 1843; koekeilana Freyer, 1844; zelleri Schulze, 1918
- 3020. Pammene gallicolana (Lienig & Zeller, 1846)** (Tortricidae) **Synonym(s):** gallicolana Lienig & Zeller, 1846
- 3021. Pandemis cinnamomeana (Treitschke, 1830)** (Tortricidae) **Synonym(s):** croceana Hübner, [1799]; croceana Frölich, 1828 (praeocc.); cinnamomeana Treitschke, 1830; basana Zerny, 1935
- 3022. Paramesia gnomana (Clerck, 1759)** (Tortricidae) **Synonym(s):** #gnomana Clerck, 1759; costana [Denis & Schiffermüller], 1775; livoniana Sodoffsky, 1829; diffusana Kennel, 1899; montedorea Wehrli, 1925; schawerdae Rebel, 1926; aetnana Zerny, 1943.
- 3023. Pelochrista arabescana (Eversmann, 1844)** (Tortricidae) **Synonym(s):** arabescana Eversmann, 1844
- 3024. Pelochrista dagestana Obraztsov, 1949** (Tortricidae) **Synonym(s):** dagestana Obraztsov, 1949
- 3025. Pelochrista medullana (Staudinger, 1880)** (Tortricidae) **Synonym(s):** medullana Staudinger, 1880
- 3026. Pelochrista modicana (Zeller, 1847)** (Tortricidae) **Synonym(s):** modicana Zeller, 1847; modestana Herrich-Schäffer, [1851]; definitana Kennel, 1901; hinnebergiana Fuchs, 1902
- 3027. Phalonidia acutana (Kennel, 1913)** (Tortricidae) **Synonym(s):** acutana Kennel, 1913
- 3028. Phalonidia contractana (Zeller, 1847)** (Tortricidae) **Synonym(s):** contractana Zeller, 1847; manifestana Kennel, 1900; exaequata Meyrick, 1923; thermoconis Meyrick, 1925
- 3029. Phaneta pauperana (Duponchel, 1843)** (Tortricidae) **Synonym(s):** pauperana Duponchel, 1843
- 3030. Phtheochroa chalcantha (Meyrick, 1912)** (Tortricidae) **Synonym(s):** chalcantha Meyrick, 1912
- 3031. Phtheochroa duponchelana (Duponchel, 1843)** (Tortricidae) **Synonym(s):** duponchelana Duponchel, 1843; duponcheliana Costa, 1847; gloriosana Herrich-Schäffer, 1851; syriaca Walsingham, 1900
- 3032. Pseudeulia asinana (Hübner, [1799])** (Tortricidae) **Synonym(s):** asinana Hübner, [1799]; vermicularis Meyrick, 1935
- 3033. Sparganothis pilleriana ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** pilleriana [Denis & Schiffermüller], 1775
- 3034. Thiodia anatoliana Kennel, 1916** (Tortricidae) **Synonym(s):** anatoliana Kennel, 1916; #anatoleana Kuznetsov, 1976
- 3035. Thiodia caradjana Kennel, 1916** (Tortricidae) **Synonym(s):** caradjana Kennel, 1916
- 3036. Thiodia citrana (Hübner, [1799])** (Tortricidae) **Synonym(s):** citrana Hübner, [1799]; libanicolana Obraztsov, 1964 [ssp.]
- 3037. Thiodia couleruana (Duponchel, 1835)** (Tortricidae) **Synonym(s):** couleruana Duponchel, 1835; castiliana Caradja, 1917; pseudodelitanus Obraztsov, 1952
- 3038. Thiodia trochilana (Frölich, 1828)** (Tortricidae) **Synonym(s):** trochilana Frölich, 1828; delitana Fischer v. Röslerstamm, [1839]; rieseana Herrich-Schäffer, 1851; bracteana Chrétien, 1922
- 3039. Tortrix viridana (Linnaeus, 1758)** (Tortricidae) **Synonym(s):** viridana Linnaeus, 1758; suttneriana [Denis & Schiffermüller], 1775; flavipes Fourcroy, 1785; flavana Zincken, 1821 nec Hübn., [1799]; coeruleana Sorhagen, 1881.

Yponomeutidae

- 3040. *Eidophasia hufnagelii* (Zeller,1839)** (Yponomeutidae) Synonym(s): hufnagelii Zeller,1839; hufnageliella Duponchel,[1845]
- 3041. *Eidophasia tauricella* Staudinger,1879** (Yponomeutidae) Synonym(s): tauricella Staudinger,1879
- 3042. *Plutella* (s.str.) *xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): xylostella Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943; karsholtella Baraniak,2003
- 3043. *Yponomeuta malinella* (Zeller,1838)** (Yponomeutidae) Synonym(s): malinellus Zeller,1838
- 3044. *Ypsolopha excisella* (Lederer,1855)** (Yponomeutidae) Synonym(s): excisella Lederer,1855
- 3045. *Ypsolopha satellitella* (Staudinger,1871)** (Yponomeutidae) Synonym(s): satellitella Staudinger,1871

Zygaenidae

- 3046. *Adscita* (s.str.) *italica* (Alberti,1937)** (Zygaenidae) Synonym(s): italica Alberti,1937
- 3047. *Adscita* (s.str.) *obscura* (Zeller,1847)** (Zygaenidae) Synonym(s): obscura Zeller,1847; anceps Staudinger,1862.
- 3048. *Jordanita* (*Lucasiterna*) *subsolana* (Staudinger,1862)** (Zygaenidae) Synonym(s): cognata Rambur,1858 nec H.-Sch.,1847; subsolana Staudinger,1862; schuetzei Alberti,1940; modesta Verity,1946; venusta Verity,1946
- 3049. *Jordanita* (*Praviela*) *anatolica* (Naufock,1929)** (Zygaenidae) Synonym(s): anatolica Naufock,1929; levantina Jordan,1931; pfeifferi Naufock,1935; ? christinae Keil,1998.
- 3050. *Jordanita* (*Rjabovia*) *horni* (Alberti,1937)** (Zygaenidae) Synonym(s): horni Alberti,1937; #armena Alberti,1970.
- 3051. *Jordanita* (*Roccia*) *volgensis* (Möschler,1862)** (Zygaenidae) Synonym(s): volgensis Möschler,1862
- 3052. *Jordanita* (*Tremewania*) *notata* (Zeller,1847)** (Zygaenidae) Synonym(s): notata Zeller,1847
- 3053. *Jordanita* (s.str.) *graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): graeca Jordan,1907
- 3054. *Zygaena* (*Agrumenia*) *carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): carniolica Scopoli,1763; nigra Dziurzynski,1909; transiensnigra Dziurzynski,1909
- 3055. *Zygaena* (*Agrumenia*) *loti* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): loti [Denis & Schiffermüller],1775; fulvia Fabricius,1777
- 3056. *Zygaena* (*Agrumenia*) *olivieri* Boisduval,1828** (Zygaenidae) Synonym(s): olivieri Boisduval,1828; cremonae Seitz,1907
- 3057. *Zygaena* (*Agrumenia*) *peschmerga* Eckweiler & Görgner,1981** (Zygaenidae) Synonym(s): peschmerga Eckweiler & Görgner,1981
- 3058. *Zygaena* (*Agrumenia*) *sedi* Fabricius,1787** (Zygaenidae) Synonym(s): sedi Fabricius,1787
- 3059. *Zygaena* (*Mesembrynus*) *araxis* Koch,1936** (Zygaenidae) Synonym(s): araxis Koch,1936
- 3060. *Zygaena* (*Mesembrynus*) *brizae* (Esper,1800)** (Zygaenidae) Synonym(s): brizae Esper,1800
- 3061. *Zygaena* (*Mesembrynus*) *cambysea* Lederer,1870** (Zygaenidae) Synonym(s): cambysea Lederer,1870
- 3062. *Zygaena* (*Mesembrynus*) *cuvieri* Boisduval,1828** (Zygaenidae) Synonym(s): cuvieri Boisduval,1828
- 3063. *Zygaena* (*Mesembrynus*) *haematina* Kollar,[1849]** (Zygaenidae) Synonym(s): haematina Kollar,[1849]
- 3064. *Zygaena* (*Mesembrynus*) *lydia* Staudinger,1887** (Zygaenidae) Synonym(s): lydia Staudinger,1887
- 3065. *Zygaena* (*Mesembrynus*) *manlia* Lederer,1870** (Zygaenidae) Synonym(s): manlia Lederer,1870
- 3066. *Zygaena* (*Mesembrynus*) *minos* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): minos [Denis & Schiffermüller],1775.
- 3067. *Zygaena* (*Mesembrynus*) *punctum* Ochsenheimer,1808** (Zygaenidae) Synonym(s): punctum Ochsenheimer,1808
- 3068. *Zygaena* (*Mesembrynus*) *purpuralis* (Brünnich,1763)** (Zygaenidae) Synonym(s): purpuralis Brünnich,1763; pythia Fabricius,1777; scabiosae Scheven,1777; pilosellae Esper,1780; pluto Ochsenheimer,1808; pasiphae Meigen,[1829]; tatvanica Reiss & Reiss,1973.
- 3069. *Zygaena* (*Mesembrynus*) *tamara* Christoph,1889** (Zygaenidae) Synonym(s): tamara Christoph,1889

- 3070. *Zygaena (Mesembrynus) turkmenica* H.Reiss,1933** (Zygaenidae) Synonym(s): *turkmenica* H.Reiss,1933
- 3071. *Zygaena (s.str.) filipendulae* (Linnaeus,1758)** (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783; *ramburi* Herrich-Schäffer,1861; *mersina* Herrich-Schäffer,1861; *gurda* Lederer,1861; *rosa* Oberthür,1909
- 3072. *Zygaena (s.str.) lonicerae* (Scheven,1777)** (Zygaenidae) Synonym(s): *lonicerae* Scheven,1777; *graminis* De Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965

Results

In the present paper, totally 1476 species of the 16 pterygot orders (excl. Lepidoptera) are listed. They belong to 160 families. For the time being, the Lepidoptera order is represented by 1596 species of 49 families in the province. This is the highest species number among the provinces of Turkey. Further numerical evaluations are shown in the table below:

Table 1 – Comparative numerical evaluations of the pterygot fauna of Van Province (East Turkey).
* (Koçak & Kemal, 2012).

Name of order	number of families	previous number of species*	number of species
Ephemeroptera	1	-	2
Plecoptera	-	-	-
Odonata	6	25	30
Blattodea	2	2	2
Mantodea	3	3	4
Dermaptera	2	4	6
Phasmida	-	-	-
Orthoptera	7	45	68
Hemiptera	22	61	157
Homoptera	15	106	144
Planipennia	8	18	23
Trichoptera	-	-	-
Mecoptera	1	1	1
Diptera	37	181	284
Hymenoptera	25	209	397
Coleoptera	31	165	358
Lepidoptera	↓	1179	↓
Butterflies	7		231
Moths	42		1365
Total	209	2000	3072

Although the present result seems successful numerically, the total number of species expected from the province is 2-3 times more. Despite various difficulties, this study was carried out by the authors in the province only in the last 18 years. Still there are insect orders that have never worked in the province yet. It is expected that the present list will be updated within the next 5 years.

References

Following papers, published after 2012, are worth to mention here.

- Kemal, M. & A.Ö.Koçak**, 2013a, *Zygaena peschmerga* in Van Province (East Turkey) (*Zygaenidae*, *Lepidoptera*). *Cesa News* 92: 12-14, 4 figs.
- Kemal, M. & A.Ö.Koçak**, 2013b, *Stamnodes depeculata* (*Geometridae*, *Lepidoptera*) in Van Province (East Turkey) with faunistical, ecological and taxonomical notes including accompanied species. *Cesa News* 92: 15-40, 44 figs.
- Kemal, M. & A.Ö.Koçak**, 2014, Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I – Period of April-June 2014. *Priamus* (Suppl.) 33: 5-206, 273 figs. 1 Table.
- Kemal, M. & A.Ö.Koçak**, 2016a, Annotated list of the Pterygota fauna of Artos Mountain (Van Province, East Turkey). *Cesa News* 125: 1-36, 30 figs.
- Kemal, M. & A.Ö.Koçak**, 2016b, Annotated and pictorial list of the Çatak Lepidoptera. *Priamus* Suppl. 41: 1-118, 95 figs.
- Kemal, M. & A.Ö.Koçak**, 2017a, Observations and faunistic notes on some Hemiptera and Homoptera of Bahcesaray district (Van Province, East Turkey). *Cesa News* 143: 1-20, 43 figs.
- Kemal, M. & A.Ö.Koçak**, 2017b, Observations and faunistic notes on some Diptera of Bahcesaray district (Van Province, East Turkey). *Cesa News* 144: 1-12, 10 figs.
- Kemal, M. & A.Ö.Koçak**, 2017c, Observations and notes on Dermaptera, Mantodea and Orthoptera of Bahcesaray district (Van Province, East Turkey) *Cesa News* 145: 1-12, 24 figs.
- Kemal, M. & A.Ö.Koçak**, 2018, Observations and notes on Hymenoptera and Coleoptera of Bahcesaray district (Van Province, East Turkey). *Cesa News* 154: 1-21, 49 figs.
- Koçak, A.Ö. & M. Kemal**, 2012, List of two thousand species of pterygot insects in Van Province (East Turkey). *Cesa News* 81: 2-86, 37 figs.
- Koçak, A.Ö. & M. Kemal**, 2013, Diptera of Turkey. *Priamus* Suppl. 28: ii+ 1-411, 186 figs., 166 maps, 3 tables.
- Koçak, A.Ö. & M. Kemal**, 2015a, Initial results of the Entomofauna of SW Asia, based upon the info-system of the Cesa (excl. Lepidoptera). *Priamus* (Suppl.) 35: 1-1185, 185 maps.
- Koçak, A.Ö. & M. Kemal**, 2015b, Hymenoptera of Turkey. *Priamus* Suppl. 38: 1-393, 79 dual maps.
- Koçak, A.Ö. & M. Kemal**, 2015c, New evaluations, distributional maps, including addenda and corrigenda to Hymenoptera of Turkey . I. *Priamus* Suppl. 39: 1-178, 90 maps, 2 Tables.
- Koçak, A.Ö. & M. Kemal**, 2016, Revised and annotated bibliography of the Lepidoptera of Turkey. *Cent. ent. Stud. Priamus* (Suppl.) 42: 1-160, 3 Tables.
- Koçak, A.Ö. & M. Kemal**, 2018, A synonymous and distributional list of the species of the Lepidoptera of Turkey. *Memoirs* 8: 1-487.
- Koçak, A.Ö.**, 2014, List of the 23773 pterygot species in Turkey based upon the info-system of the Cesa. *Priamus* Suppl. 32: 1-876.

C o n t e n t s : Kemal, M., & A. Ö. Koçak, Revised synonymous list of the Pterygot insects in Van Province (East Turkey), p.1 - **editorial**, p. 113.

Priamus²

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, established in 1981, and appears in volumes at irregular intervals. Each volume is composed of parts. This serial is regularly and permanently archived in the recognized international site, "The Internet Archive", in accordance with the Rules of the International Code of Zoological Nomenclature (Article 8.5.3.1).

It includes larger original articles of the research workers of the Centre, regarding taxonomy, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are English or Turkish.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Priamus Supplement (ISSN 1015-8243)³, Miscellaneous Papers (ISSN 1015-8235)⁴, Memoirs (ISSN-8227)⁵, DVD Films⁶, Iconographia Insectorum⁷ (online), Cesa Publications on African Lepidoptera (online)⁸, Cesa News (online)⁹, Cesa Books (online)¹⁰

Owners / Sahipleri - Editors / Yayıncılar: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Van Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palearctic (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdiğmen (Turkey): Coleoptera. Prof. Dr Suat Kiyak (Turkey): Hemiptera.

Molecular studies: Ass. Prof. Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Van Yüzüncü Yıl University, Van, Turkey).

Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)

<https://archive.org/>

also recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom, <https://clarivate.com/>

² <http://www.cesa-tr.org/Priamus.htm> - pdf available after corresponding; *Priamus* (online) available at the Internet Archive.

³ <http://www.cesa-tr.org/Pri.htm>

⁴ <http://www.cesa-tr.org/Miscell.htm>

⁵ <http://www.cesa-tr.org/Memoirs.htm>

⁶ <http://www.cesa-tr.org/CDF.htm>

⁷ <http://www.cesa-tr.org/Icon.htm>

⁸ <http://www.cesa-tr.org/CPAL.htm>

⁹ <http://www.cesa-tr.org/Cesanews.htm>

¹⁰ <http://www.cesa-tr.org/Cesabooks.htm>